



LIBRARY OF







INDEX FAUNÆ NOVÆ ZEALANDIÆ

EDITED BY

CAPTAIN F. W. HUTTON, F.R.S.

Published for the

Philosophical Institute of Canterbury,

New Zealand.

LONDON:
DULAU & CO., 37 SOHO SQUARE.
1904.



PREFACE.

SINCE the publication of Dieffenbach's Travels in New Zealand, no list has been published of the animals inhabiting New Zealand and the neighbouring seas, although during the last sixty years our knowledge of them has increased very much. Under these circumstances, most of the zoologists in New Zealand have come to the conclusion that the time has arrived for making such a list—to be called Index Faunæ Novæ Zealandiæ—and last year they requested me to undertake the editorship. This I willingly did, as I was already assured of the help of all New Zealand zoologists. The Board of Governors of the New Zealand Institute was asked to publish a small edition of the work; but as it declined to do so, the Philosophical Institute of Canterbury, being generously supported by the Otago Institute, undertook the responsibility.

Mr. H. Suter, of Auckland, has supplied the Mollusca; Capt. T. Broun, of Auckland, the Coleoptera. Mr. P. Cameron, of England, has sent a list of the Hymenoptera. Prof. C. Chilton, of Christchurch, and Mr. G. M. Thomson, of Dunedin, have supplied the Crustacea. Professor Benham, of Dunedin, has furnished the Annulata and other Worms, except the terrestrial Turbellarians, which was drawn up by Professor Dendy, of Christchurch, who also supplied a list of the Holothurians. Mr. H. Farquhar, of Wellington, has revised the Echinoidea, Star-fishes, and Hydrozoa. Mr. F. W. Hilgendorf, of Lincoln, has given me a list of the Rotifera; and Prof. H. B. Kirk, of Wellington, has supplied the Porifera.

The list—as its name implies—is an index only. It does not attempt to give complete references, but merely refers to one or more publications in which lists of synonyms, or descriptions, may be found. Also it is only a record, not a revision; and the only changes made in nomenclature are a few generic names, in the Diptera and Coleoptera, which have been substituted for others which are preoccupied. No doubt a complete list of references would have been very useful to the users of the book, but the expense would have been too great; and we hope that the Government may, some day, bring out a more perfect edition.

The area included in the Index is from the Kermadec Islands, in the north, to Macquarie Island, in the south; and it takes in Stations 165 to 171 of the Challenger Expedition.

No species introduced by human agency, either intentionally or unintentionally, are admitted; but a list of them is given as an appendix. No doubt this list is very imperfect, and must be looked upon as a first attempt only. For help in it I have especially to mention Mr. Suter, for the Land Mollusca; Captain Broun, Mr. J. J. Walker, R.N., and Dr. Swale, for the Coleoptera; and Professor Benham for the Earth-worms. Mr. Hilgendorf has supplied a general list, including the Aphidæ. It has been a labour of love for us all, and I wish heartily to thank all those who have helped me, and without whose assistance the Index could not have been completed. But especially I wish to thank Prof. Chilton for the trouble he has taken in helping me to correct the proofs.

F. W. HUTTON.

Canterbury Museum, Christchurch, N.Z.

December 1903.

LIST OF ABBREVIATIONS.

- A.M.N.H.—Annals and Magazine of Natural History.
 - C.B.M.—Catalogue of the British Museum.
- C.M.M.N.Z.—Catalogue of the Marine Mollusca of N.Z., Wellington, 1873.
 - J.L.S.-Journal of the Linnæan Society of London. Zoology.
- MAN. CONCH.—Tryon and Pilsbry's Manual of Conchology.
 - M.N.Z.Col.—Manual of the New Zealand Coleoptera, Wellington, 1880-93.
 - N.Z.J.S.-New Zealand Journal of Science, Dunedin.
- P.L.S.N.S.W.—Proceedings of the Linnæan Society of New South Wales.
 - P.Z.S.—Proceedings of the Zoological Society of London.
 - T.E.S.—Transactions of the Entomological Society of London.
 - T.N.Z.I.--Transactions of the New Zealand Institute.
 - Q.J.M.S.—Quarterly Journal of the Microscopical Society of London.

CORRECTIONS.

Page 28, for Mahua read Mohua.

- " 41, omit Lirus porosus.
- ,, 48, for Duymræia read Duymæra.
- ,, 80, for Aclia read Aclis.
- ,, 94, for Lithophago read Lithophaga.
- " 101, for Amblytetes read Amblytelus.
- " 102, for Rhyssus read Rhyssa.
- " 115, for Protenia read Proternia.
- " 123, for Dolichermis read Dolichernis.

CONTENTS.

	PAGE	1	1	PAGE
INTRODUCTION—		ARTHROPODA (cont.)—		
HISTORICAL	I	Orthoptera		231
ELEMENTS OF THE FAUNA	4	APTERA		234
N.Z. NOT AN OCEANIC IS-		Myriapoda		234
LAND	11			236
OUTSIDE EVIDENCE	12			236
DATE OF ISOLATION	13	3.0		247
GEOLOGICAL EVIDENCE .	16	77		266
OUTLYING ISLANDS	19			
Bibliography	21	ANNULATA—		
		Polychæta		276
CHORDATA—				283
Mammalia	25	Oligochæta		283
Aves	27			285
REPTILIA	39			285
Амрнівіа	40	HIRUDINEA		285
Pisces	40			
Cyclostomata	55	ECHINODERMATA—		
Leptocardii	55	HOLOTHUROIDEA .		286
TUNICATA	55			287
Hemichorda	56	OPHIUROIDEA		289
				290
MOLLUSCA		Asteroidea		291
CEPHALOPODA	57			
GASTEROPODA	58	MOLLUSCOIDA—		
SCAPHOPODA	85	Brachiopoda		293
AMPHINEURA	8 6	POLYZOA		293
PELECYPODA	87			
		TROCHELMINTHES-		
ARTHROPODA—		ROTIFERA		300
HYMENOPTERA	96	27774 MEL 1412/MITTO		
Lepidoptera	103	NEMATELMINTHES—		
DIPTERA	126		•	303
DIPTERA	138	GORDIACEA		304
HEMIPTERA	221		•	304
Neuroptera	228	CHÆTOGNATHA	•	305

PLATYHELMINTHES— ADDITIONS 341 TURBELLARIA . 306 NATURALISED ANIMALS— TREMATODA . 308 MAMMALIA . 347 CESTOIDEA . 310 AVES . 347 NEMERTINI . 312 AMPHIBIA . 348 PISCES . 348 MOLLUSCA . 348 PISCES . 348 MOLLUSCA . 349 LEPIDOPTERA . 349 LEPIDOPTERA . 349 LEPIDOPTERA . 350 COLEOPTERA . 350 COLEOPTERA . 351 HEMIPTERA . 351 HEMIPTERA . 352 ORTHOPTERA . 353 NEUROPTERA . 354 APTERA . 354 APTERA . 354 ARACHNIDA . 354 ARACHNIDA . 354 CRUSTACEA . 354 ARACHNIDA . 355 TURBELLARIA . 355					PAGE		PAGE
TEMNOCEPHALOIDEA 308 NATURALISED ANIMALS— TREMATODA 308 MAMMALIA 347 CESTOIDEA 310 AVES 347 NEMERTINI 312 AMPHIBIA 348 PISCES 348 PISCES 348 CELENTERATA— MOLLUSCA 348 CTENOPHORA 314 LEPIDOPTERA 349 SCYPHOZOA 316 DIPTERA 350 COLEOPTERA 351 HEMIPTERA 351 PORIFERA— NEUROPTERA 353 ORTHOPTERA 354 APTERA 354 PROTOZOA— 323 ARACHNIDA 354 CRUSTACEA 354 CRUSTACEA 354 OLIGOCHÆTA 355 TURBELLARIA 355	PLATYHELMIN	HT	ES-	-		ADDITIONS	341
TREMATODA . 308 MAMMALIA . 347 CESTOIDEA . 310 AVES 347 NEMERTINI . 312 AMPHIBIA . 348 PISCES . 348 CCELENTERATA—	Turbellaria				306		
CESTOIDEA 310 AVES 347 NEMERTINI 312 AMPHIBIA 348 PISCES 348 CELENTERATA— MOLLUSCA 348 CTENOPHORA 314 HYMENOPTERA 349 ACTINOZOA 314 LEPIDOPTERA 349 SCYPHOZOA 316 DIPTERA 350 HYMROZOA 317 HEMIPTERA 351 HEMIPTERA 352 ORTHOPTERA 353 NEUROPTERA 354 APTERA 354 SILICEA 323 ARACHNIDA 354 CRUSTACEA 354 CRUSTACEA 355 OLIGOCHÆTA 355 TURBELLARIA 355	TEMNOCEPHALO	IDEA			308	NATURALISED ANIMAI	LS-
NEMERTINI 312 AMPHIBIA 348 PISCES 348 CŒLENTERATA— MOLLUSCA 348 CTENOPHORA 314 HYMENOPTERA 349 ACTINOZOA 316 LEPIDOPTERA 349 SCYPHOZOA 316 OIPTERA 350 HYDROZOA 317 HEMIPTERA 351 HEMIPTERA 352 ORTHOPTERA 352 ORTHOPTERA 354 NEUROPTERA 354 SILICEA 323 ARACHNIDA 354 PROTOZOA— OLIGOCHÆTA 355 INFUSORIA 327 TURBELLARIA 355	TREMATODA				308	Mammalia	347
NEMERTINI 312 AMPHIBIA 348 PISCES 348 MOLLUSCA 348 HYMENOPTERA 349 ACTINOZOA 314 LEPIDOPTERA 349 SCYPHOZOA 316 DIPTERA 350 HYMROZOA 317 HEMIPTERA 351 HEMIPTERA 352 ORTHOPTERA 353 NEUROPTERA 354 APTERA 354 PROTOZOA— 323 ARACHNIDA 354 CRUSTACEA 354 OLIGOCHÆTA 355 TURBELLARIA 355	CESTOIDEA				310	Aves	347
CCELENTERATA— Mollusca. 348 CTENOPHORA 314 Hymenoptera. 349 Actinozoa 314 Lepidoptera. 349 Scyphozoa 316 Diptera. 350 Hydrozoa 317 Hemiptera. 351 PORIFERA— Orthoptera. 352 Orthoptera. 353 Neuroptera. 354 Aptera. 354 Aptera. 354 Arachnida. 354 Crustacea. 354 Oligochæta. 355 Turbellaria. 355	NEMERTINI				312	Амрнівіа	
CTENOPHORA 314 HYMENOPTERA 349 ACTINOZOA 314 LEPIDOPTERA 349 SCYPHOZOA 316 DIPTERA 350 HYDROZOA 317 COLEOPTERA 351 HEMIPTERA 352 ORTHOPTERA 353 CALCAREA 322 APTERA 354 SILICEA 323 ARACHNIDA 354 PROTOZOA— CRUSTACEA 354 INFUSORIA 327 TURBELLARIA 355						Pisces	348
CTENOPHORA 314 HYMENOPTERA 349 ACTINOZOA 314 LEPIDOPTERA 349 SCYPHOZOA 316 DIPTERA 350 HYDROZOA 317 HEMIPTERA 351 PORIFERA— ORTHOPTERA 352 ORTHOPTERA 353 NEUROPTERA 354 SILICEA 323 APTERA 354 PROTOZOA— CRUSTACEA 354 INFUSORIA 327 TURBELLARIA 355	CŒLENTERAT	`A—			- 1	Mollusca	348
ACTINOZOA	CTENOPHORA				314	HYMENOPTERA	
SCYPHOZOA	ACTINOZOA					LEPIDOPTERA	349
COLEOPTERA 351 Hemiptera 352						DIPTERA	350
PORIFERA— CALCAREA	Hydrozoa				٠		351
NEUROPTERA					,		352
CALCAREA	PORIFERA—				1		353
SILICEA	CALCADEA				200		354
PROTOZOA— INFUSORIA		•	•	•			354
PROTOZOA— OLIGOCHÆTA	DILICEA .	•	•	•	323		354
INFUSORIA 327 TURBELLARIA 355	DROTO704					Crustacea	354
J-/ TORBELLARIA						Oligochæta	355
MASTIGOPHORA 331		•	•	•	327	Turbellaria	355
33 (•	•		331		
RHIZOPODA 333 INDEX TO THE GENERA 357	RHIZOPODA	•	•		333	INDEX TO THE GENERA	357

INTRODUCTION.

HISTORICAL.

THE foundation of our knowledge of the fauna of New Zealand was laid by the naturalists who accompanied Captain Cook in his first and second voyages round the world. In the first voyage (1769-70) Sir Joseph Banks and Dr. Solander were the naturalists and Mr. S. Parkinson was the artist. In the second voyage (1773-4) Dr. J. R. Forster was the naturalist and his son George was the artist. The information thus obtained at so much labour was nearly lost to the world by the Government declining to publish the results. The original drawings of Mr. S. Parkinson and Mr. G. Forster, as well as the manuscript notes of Dr. Solander, are still in the British Museum.

The birds were described, from Parkinson's and Forster's drawings, by Latham in 1781-92, in his General Synopsis of Birds; and these descriptions were incorporated by Gmelin in his edition of the Systema Naturæ Linnei, 1788, when scientific names were given to the species. The manuscript of Dr. Forster's description of the fishes was published by Schneider in his edition of Bloch's Systema Ichthyologiæ, generally with Forster's own names, but sometimes with new ones, and ultimately Forster's descriptions of both birds and fishes were published in Berlin in 1844, under the name of Descriptiones Animalium quæ in itinere ad maris australis terras per annos 1772, 1773 et 1774 suscepto collegit, observavit et delineavit Joannes Reinhold Forster.

The few insects brought home by Sir Joseph Banks were described in 1774-5 by Fabricius, and some of the types are retained in the British Museum. Dr. Solander described a few

shells in 1784; and others, collected by the Forsters, were described by Chemnitz in 1781-8, and Martyn in 1784.

All this has complicated the nomenclature a good deal. Speaking of the Fishes Dr. Gill says: 'It is to be remarked that some of the species described by Forster have each received two names. Schneider, with the propensity common in his time to change a name because it did not seem to be as good a one as could be given, substituting for Forster's one of his own which suited him better. Nevertheless, Forster's, in every case but one, was also given. Forster's names were therefore actually published at the same time as Schneider's and in connection with Forster's own descriptions. Whose names, then, shall be adopted —Forster's or Schneider's? Opinion has differed on this point, some accepting Forster's, others Schneider's.*

The next contribution to our knowledge was made when the French corvette *Coquille* visited the Bay of Islands in 1822, when the naturalists on board, MM. Lesson and Garnot, added three new species of birds to our fauna.

In 1827 the same ship, but now named the Astrolabe, examined all our outlying islands, and remained for some time in Queen Charlotte's Sound. The naturalists, MM. Quoy and Gaimard, were assiduous collectors, especially of Mollusks, and their results were published by the French Government in 1833.

In 1840 Dr. E. Dieffenbach travelled through the North Island of New Zealand and the Chatham Islands for the New Zealand Company, and the collections he brought back with him were described by Dr. J. Gray and Dr. Richardson in the appendix to Dieffenbach's travels. In this book also Dr. J. Gray, Director of the British Museum, gave a list of the then known fauna of New Zealand.

In the same year the United States Exploring Expedition, under Captain Wilkes, visited Akaroa and the Bay of Islands, and the birds collected were described by Peale in 1848; the shells by Aug. Gould in 1852; the Crustacea by J. D. Dana in 1855.

In 1841 the French ships Astrolabe and Zélée visited the Auckland Islands, Port Chalmers, Akaroa, and the Bay of Islands. The records of this voyage, called Voyage au pole Sud, were pub-

^{*} Memoirs of Nat. Acad. Sciences, Washington, vi. p. 95.

lished between 1841 and 1846, the natural history portion being by Hombron and Jacquinot. The New Zealand collections consisted of birds, shells, crabs, and beetles.

In the same year, 1841, H.M.S. Erebus and Terror, under the command of Sir James Ross, visited Campbell Island, the Auckland Islands, and the Bay of Islands, and the zoological results of the voyage were partly published in 1846. This included the Mammals by Dr. J. Gray, the Birds by Mr. G. Gray, the Fishes by Sir John Richardson, and part of the Insects by Mr. A. White The publication was then interrupted for want of funds, but was completed in 1874, Mr. A. G. Butler taking the remainder of the Insects, Mr. E. J. Miers the Crustacea, and Mr. E. A. Smith the Mollusca.

By this time the colony had been established in the north, and some of the residents of Auckland collected and sent their specimens to the British Museum. The principal of these were Dr. Greenwood, who collected land shells, and Colonel Bolton, who collected insects. The insects were described by Mr. F. Walker, in his catalogues of the insects in the British Museum; and the shells partly by Dr. J. Gray and partly by M. Pfeiffer, in the *Proceedings of the Zoological Society* and the *Malakozoologische Blätter*.

During the years 1847-9 H.M.S. *Acheron* was engaged surveying the coast of the islands, and the surgeon, Dr. Lyall, made a collection of Polyzoa, which were described by Mr. G. Busk in his catalogue of the Polyzoa in the British Museum.

In 1859 the Austrian frigate *Novara* visited Auckland, and descriptions of the zoological collections were published in Vienna in 1864–9. Unfortunately sufficient care was not taken to keep the New Zealand collections separate from those made in Australia and other parts of the world, and this has led to much confusion.

H.M.S. Challenger visited Wellington in 1874, and the collections, chiefly of deep-sea animals, were described in the well-known series of 'Challenger' Reports.

In the same year, 1874, the French Transit of Venus Expedition established a station on Campbell Island, and the naturalist of the expedition, Dr. H. Filhol, collected and examined the animals. Subsequently he made a collecting tour in several parts of New Zealand, and the results were published in 1885 in the Mission de l'ile Campbell. The anatomy of the penguins, and a

catalogue of the New Zealand Crustacea are the most important papers.

The German expedition for the same object visited Auckland Island, when Dr. Krone collected a few Diptera and land Mollusca.

In 1879 Mr. E. Meyrick visited New Zealand, and for several years collected and described the Lepidoptera.

Meantime local naturalists had been very active. The New Zealand Institute was established in 1868, and its annual volume has always contained valuable contributions to the zoology of New Zealand.

Several descriptive catalogues, by different authors, were published between 1871 and 1880. The first edition of Sir W. Buller's Birds of New Zealand appeared in 1873, the second edition in 1888. Mr. G. V. Hudson's New Zealand Moths and Butterflies in 1898. Other papers, in various publications, will be found mentioned in the index.

ELEMENTS OF THE NEW ZEALAND FAUNA.

Omitting a few stragglers among the birds, fishes, and butterflies, which have failed to establish themselves, the New Zealand fauna consists of two parts, one migratory, the other stationary.

The migratory portion, which is very small, includes two cuckoos and three or four species of *Limicolæ*, which reach us every October from the north through New Caledonia and Lord Howe Island, and leave in or about March.

Among the list of fishes several names will be found of forms which are properly inhabitants of warmer seas than those of New Zealand, and are, no doubt, wanderers from the north. Such are Lampris, Brama, Sphyræna, Muræna, and Ophisaurus. The Mackerel (S. australasicus) and the Sprat (C. antipodum) are irregular visitors to our coasts; while two species, the Kingfish (Seriola lalandii), and the Trevally (Caranx georgianus), appear to perform a regular migration, leaving us in the winter for the north. But very little is as yet known of their movements.

Of our fresh-water fishes, Retropinna richardsoni, Galaxias attenuatus, and the Eels (Anguilla) migrate to the sea to spawn, and the young fish ascend the rivers in the spring. The Lamprey

^{*} Trans. N. Z. Inst. vol. xxxii. p. 251.

(Geotria) breeds in the fresh water, but the young go down to the sea and reascend the rivers, while immature, in the spring, remaining there to breed. Prototroctes breeds in fresh water, and probably never goes to sea. The other species of Galaxias and Eleotris remain in fresh water all their lives.

The stationary portion forms the bulk of the fauna; and it may be divided into a small aboriginal element, including species which have no near relatives elsewhere, and larger Malayan, Australian, and Antarctic elements, as well as several other smaller ones. In many cases, however, it is hard to say in which group a species should be placed, for its relations are so widely scattered. Taking a broad view of the whole fauna, however, it may be said that the terrestrial portion is chiefly of Malayan origin, but with rather strong Palæarctic and Neo-tropical connections. The fresh-water fishes and crustacea are chiefly Australian and South American, while the relations of the fresh-water mollusca are not known to me. The marine fauna is chiefly Australian and Antarctic.

I will give a short account of each of these different elements.

The Aboriginal Element. — Includes the Short-tailed Bat (Mystacops), the Tuatara (Sphenodon), and the Kiwi (Apteryx). To which may be added the following birds: Glaucopis, Heteralocha, Turnagra, Xenicus, Stringops, and Nestor. Also the land mollusk Carthea; and the following among the insects: Oniscigaster, Orectognathes, Paradetis, Notoreas, Palæomicra, Mneoarchæa, Arctoneura, Casa, Paradoxa, Opifex, Tinemyia, Fraudator, Ostenia, Exsul, Brounia, Camiarus, Epistranus, Cyphotelus, Alema, Peneticus, Aphilon, Lorelus, Astetholes, Gastrosarus, and others. It is not necessary to assume that all these aboriginals date their arrival in New Zealand at the same time, for some may have become modified more rapidly than others. But most of them appear to belong to old forms, and probably they were among the first comers.

The Malayan and Melanesian Element.—This embraces nearly the whole of our land fauna, and a considerable portion of the marine fauna as well. I should define it as including all those species which have their nearest relatives in New Caledonia, New Guinea, or the Malay Archipelago; and whose ancestors, presumably, came to New Zealand from the north. It includes all the land birds—except those just mentioned, and Zosterops—all

lizards,* some fishes like Erythricthys, Parapercis, and Eleotris. Nearly the whole of the land Mollusca, including Endodonta, Placostylus, Rhytida, Athoracophorus, also many marine and freshwater shells, Monilea, Xenophora, Unio, and a very large number of insects, including the whole of the Phasmidæ and Stenopelmatidæ. The Katipo Spider (Latrodectes) must also be included in this group, for it is found not only in Australia, but in the Malay Archipelago and India. There is also a closely allied form in Chili. Scyphax, a terrestrial isopod, occurs only in New Zealand and New Caledonia. Armadillo also is distinctly Melanesian.

The Ethiopian Element. — This is small, but remarkable. Most noticeable is the relation between the extinct Dinornithidæ and the also extinct Æpiornithidæ of Madagascar. Our Fernbird (Sphenæacus) belongs to a genus which is found only in New Zealand and South Africa, but it has a near ally in Madagascar. There is a curious and easily recognised beetle, called Sternaulav, which is also only found in New Zealand and Madagascar. And perhaps we should include the marine shell Littorina mauritiana, although it is also found in Australia.

The Oriental Element.—This includes species which have nearer relatives in the Oriental region than in the Malay Archipelago. Our tree lizards belong to a genus, Hoplodactylus, found only in New Zealand, Queensland, and India; but there are some related forms in New Caledonia and the Malay Archipelago. Our frog, Leiopelma, has its nearest relative in China, and there are no known representatives of the family to which it belongs either in Australia or in the Malay Archipelago. The black butterfly, Percnodaimon, is a north temperate alpine form, and is said to have its nearest relative in the Himalaya. Also the May fly, Ichthybotus, is close to Ephemera of the northern temperate regions and India. The genus of marine shells, Ethalia, is not found nearer to New Zealand than Borneo.

Probably both the Ethiopian and Oriental elements ought to be placed with the Malayan element, the connecting links in the Malayan Archipelago having been exterminated or not yet found.

The Australian Element.—This I take to mean those species

^{*} Gehyra oceanica may have been brought to New Zealand by the Maoris in their canoes, among the food stores. For undoubtedly it is by this means that it has become distributed through the islands of the Pacific Ocean.

which have nearer relations in Australia or Tasmania than in any other part of the world, and which we may suppose came to New Zealand from the west. The Australian element in New Zealand does not include any species connected with the ancient typical Australian fauna, but is entirely made up of forms belonging to the Malayan element in the Australian fauna which overran Australia and Polynesia at a comparatively late date.

We have, therefore, two possible explanations of our Australian connection. Either (1) the ancestors of our animals crossed the Tasman sea and so came to us from the west, or (2) the relationship may be due to two branches of northern immigrants from New Guinea, one taking the line to Australia, the other to New Zealand. The first group forms the true Australian element, while the second group ought properly to be placed with the Malayan element; but it is not always easy to say from which direction the ancestors of our animals came. For example, the marine spider, *Uliodon maritima*, was first found in New Zealand and then in New South Wales, and was of course considered as belonging to the Australian element, but it has lately been found in New Caledonia.

I should select as examples of the Australian element the bat, Chalinolobus morio; and among birds, Zosterops cærulescens, Hæmatopus unicolor, and Spatula rhynchotis; several marine fishes, e.g., Arripis and Latris; the land-shell, Laoma; some marine mollusca, like Megatebenus; some crabs, such as Paramithrax, Nectocarcinus, and Ozius truncatus. The fresh-water isopod, Phreatoicus, and two or three land isopods; beetles like Pyronota, Adelium, Chrosis, and others; several moths, and perhaps the Land Planarians. Diporochæta, an earthworm from the Chatham Islands, may perhaps be added, although it is far more probable that these worms came to us by land from the north. There are also several species of Myriapods common to New Zealand and Australia or Tasmania, but these are easily conveyed in fruit, and may be late introductions.

When we consider that Tasmania and the South Island of New Zealand are in the region of strong westerly winds, and that gales are constantly traversing the Tasman Sea, we should expect to find the Australian element much stronger than it really is.

The Antarctic Element.—These are the animals whose ancestors we suppose came to New Zealand from the south or east, as we find that their relations are confined to southern latitudes. It

contains chiefly marine forms, such as seals, penguins, cormorants, and the black-backed gull, as well, perhaps, as the black oyster-catcher. There are also several fishes, both fresh-water and marine. The former comprise Cheimarichthys, Prototroctes, Galaxias, and Geotria, but as a close relation to Galaxias—called Cromeria—has lately been found in the Upper Nile, and a Galaxias in South Africa, we must reconsider our opinions about that genus. Galaxias attenuatus and the Lamprey are migratory, spending some parts of their lives in the sea. Of the marine Antarctic fishes we have Notothenia, Bovichthys, Congiopodus, Genypterus, Gonorhynchus and Callorhynchus. There are also several Antarctic crustaceans, such as Cyclograpsus, Halicarcinus planatus, Rhynchocinetes typus, Leander affinis and Sphæroma gigas.

Of marine mollusca there are Ranella argus, Struthiolaria, Plaxiphora, Callochiton, Venus stutchburyi, Solenella australis, Mytilus magellanicus, and others. Also our Brachiopods are more closely related to those of the Straits of Magellan than they are to the Brachiopods of Tasmania. The family of earthworms called Acanthodrilidæ is abundant in New Zealand, Patagonia, South Africa, and Kergueien Land, while it is almost absent from Australia and Tasmania. It occurs, however, in New Caledonia, India, and the West Indian Islands, and so can hardly be considered as of Antarctic origin.

There may also be a few land invertebrates belonging to the Antarctic element, for the spider, *Tetragnatha gulosa*, is said to be found in the Chatham Islands, as well as in the island of St. Paul, but it may have been brought by a whaler.

I know of no insects that have a true Antarctic distribution.

The Neo-tropical Element.—The Merganser of the Auckland Islands has its nearest relative in Brazil. Our Blue Duck, Hymenolæmus, forms, with Salvadorina of Waigou and Merganetta of the Andes, a distinct sub-family. And if Mr. Pycraft is right in his opinion that the Dinornithidæ are more closely allied to the Rhea than to the Cassowary or Emu,* then this evidence must be added to the rest connecting New Zealand with South America, and perhaps Madagascar.

The Neo-tropical element is tolerably abundant in our insects. The Crane-fly, *Tanyderus*, is found in Amboina and Chili, while

^{*} Trans. Zool. Soc. xv. p. 264.

Macromastix is Australian as well as Chilian. Our large Dragonfly, Uropetala, is related to Petalura of Australia, and Phenes of Chili. In the Coleoptera there are the genera Tropopterus and Lagrioda. In the Lepidoptera we have the butterfly Argyrophenga, and the moths Gonophylla, Drepanodes, and other of the Notodontina, which are more nearly related to Chilian species than to those of Australia, as also are the species of Diptychophora and Siculodes in the Pyralidina. Our fresh-water Crayfish, Paranephrops, is also closely related to those of Australia and South America.

The earthworms of the genus *Microsolex* are chiefly South American, but they are found in California and Madeira as well. The distribution of the little fresh-water, external parasitic worms called *Temnocephala* is very instructive. They occur not only in New Zealand and Australia but also in Mexico, Brazil, and Chili, as well as in the Malay Archipelago, the Philippine Islands, and Madagascar. They usually live on fresh-water crayfish; but in the Malay Archipelago they live upon fresh-water crabs; and in Brazil on fresh-water Chelonians and on *Ampullaria*. In both these places there are no fresh-water crayfish.

The Nearctic Element.—We find a small Nearctic element in the May-flies, Coloburiscus and Ameletus, found only in New Zealand and North America. Also in the fresh-water shell Latia, which is living in New Zealand and fossil in North America. It is closely related to Gundlachia, which inhabits Tasmania and North America. The little leach Microbdella Novæ Zealandiæ is also congeneric with a species from North Carolina.

The Palæarctic Element.—We have also some animals which show a close connection with species of Europe and Northern Asia, but which have no nearer relatives in the tropics. These includes the so-called bipolar forms, most of which are marine.

Among the whales we have the species of Balænoptera and Ziphius cavirostris, and perhaps all the southern baleen whales should be included. The Black Teal (Fuligula Novæ Zealanduæ) must also be looked upon as a bipolar form; and it has a companion in the extinct Anas (?) finschi, which, according to Van Beneden, is closely allied to Clangula.

Among the fishes we have some deep-sea forms like Halagyreus johnstoni, Alepisaurus ferox, Argentina, and Lepidopus caudatus. But others do not inhabit the deep sea, e.g., Zeus faber, Cyttus, Polyprion, Conger vulgaris, Scymnus lichia, Echinorhinus spinosus, and Acanthias vulgaris. There are also a few crustacea and mollusca, such as Saxicava artica and Mytilus edulis, as well as many polyzoa, of which the southern forms are considered to be identical with those inhabiting the northern seas.

But bipolar species are not exclusively marine. Retropinna belongs to the northern Salmonidæ. The fresh-water spider Cambridgea is almost identical with Argyroneta of Europe. Lycosa piratica is also found in New Zealand under conditions which make its importation by man very improbable. Brachaspis, a flightless grasshopper, is related to Pezotettix; and among the beetles there are Cillenum, Trogophlæus, Pycnomerus, Philothermus, Dendrophagus, Telmatophilus, Betarmon, and others.

Attempts have been made to account for the Scandinavian element in the New Zealand flora by the supposition of a general glacial epoch all over the world, during which the Arctic plants passed from mountain top to mountain top through the tropics. But it is now considered very doubtful if there ever was a general glacial epoch, and even if there was one it could not explain the occurrence in New Zealand of northern beetles, grasshoppers, and spiders. It seems more probable that these bipolar forms at some former time inhabited the tropics; but that owing to variation and change being more rapid in warm than in cold climates—a statement not yet proved—the older forms were exterminated in the warmer regions, being replaced by their more highly developed descendants, the present tropical fauna.

The Atlantic Island Element.—Lastly we see in some of the beetles a remarkable connection between the islands of the Atlantic and those of the Pacific, in which New Zealand shares. This is shown by the genera Rhynchogonus, Acalles, Pentarthrum, and Aglycyderes, all belonging to the Rhynchophora; and Xenoscelis, belonging to the Nitulidæ. It is most probable that these, also, are relics of a former more universal distribution; the islands serving as harbours of refuge, while their continental relations were exterminated.

Of Uncertain Origin.—The distribution of Peripatus is difficult to explain, as it is found in the West Indies, Central and South America, and South Africa, as well as in the Malay Peninsula, New Britain, Australia, and New Zealand. It is supposed to have originated in Central America, and to have migrated from thence. If this is correct, it could not have reached Chili before the Miocene period, for before that time

South America was isolated from the North. At any rate it cannot be considered as an Antarctic form, and I am inclined to place it in the Neo-tropical element.

NEW ZEALAND NOT AN OCEANIC ISLAND.

An examination of the pages of this Index will show that the New Zealand fauna is not altogether an insular one—that is, one that has crossed over an oceanic barrier—but is largely derived through a former connection with the mainland.

(1) In the first place we have a number of animals which it is impossible to believe crossed over the sea:—

The Tuatara and lizards, as well as the frog;

Our large land mollusca and slugs;

The fresh-water shells, and especially Unio;

The fresh-water cray-fish;

Many insects, such as the large Curculionidæ; the wingless grasshoppers; Stenopelmatidæ, and Phasmidæ;

Many of the *Neuroptera*, which pass most of their lives in fresh water;

The earth-worms and land planarians.

Perhaps the Kiwi and Moas should be mentioned, but it is possible that their ancestors may have flown across a moderately broad strait.

- (2) In the second place, the relations of the fauna are not what we should expect if they had been over-sea wanderers; for the Tasmanian and Australian element is weak in comparison with the Malayan element.
- (3) Thirdly, the low type of a great part of the fauna, which, however, shows a great variety of forms, especially in the insects. The fauna is essentially an old one, and many of the higher types are absent.
- (4) Fourthly, the occurrence of migratory birds which could never have found their way here if they had not originally followed a land connection.
- (5) Fifthly, the number of gymnosperms and orchids in the flora—plants which are not found on oceanic islands—confirms the conclusion arrived at from the animals.

To explain the connection between New Zealand and some ancient land it is necessary to assume the existence of a former continent, either in the Antarctic regions or in the Pacific, of which Patagonia, Australia, New Guinea, and New Zealand formed

parts. But in either case the land communication must have been broken up a very long time ago, because the Indo-Pacific marine fauna differs so much from that of South America.

The land mollusca of Polynesia furnish the best evidence for a former Pacific continent. For, as Mr. H. Pilsbry has pointed out, it is not a collection of waifs and strays, but a harmonious group of a very early type. These land shells—belonging to the genus *Endodonta*—occur all through the Polynesian Islands, New Zealand, Eastern Australia, New Guinea, the Philippine Islands, and have an outlier in Ceylon. This outlier furnishes good evidence that the ancient type at one time inhabited India, Burma, and the Malay Peninsula, and that its migration has been from the north and not from the south. But as this genus is not known to extend to South America, the evidence fails to explain the South American connection.

The best zoological evidence for a former Antarctic continent is furnished by the earth-worms belonging to the family Acanthodrilidæ, which do not occur anywhere in the Northern Hemisphere, and are very scarce in Australia, but common in New Zealand and New Caledonia. However, there is an outlier in Madagascar which seems to imply a northern origin for the family. The floras of the Antarctic Islands are also considered as evidence of a former Antarctic continent, or group of Antarctic islands.

OUTSIDE EVIDENCE.

We cannot study the geographical relations of the New Zealand fauna with any prospect of success without taking into consideration the faunas of neighbouring countries, and there are two subjects of special importance to which I must draw attention.

(1) The first is the fact that Australia shows a connection with South America in which New Zealand does not share. We see this in the Mammalia, the family of fresh-water tortoises called Chelydidæ, the extinct tortoise Miolania, and in the snakes belonging to the families Typlopidæ and Ilysiidæ, as well as three sub-families of the Colubridæ; also the frogs and the fresh-water fishes Osteoglossum and Ceratodus, the latter having been found fossil in Patagonia. In addition there are a large number of insects, such as Gnostidæ, Buprestidæ, and Longicornia, among the beetles, and Castniidæ among the moths. And in this con-

nection we must remember the outliers of the *Iguanidæ* found in Fiji and in Madagascar.

The Australian Neo-tropical element is therefore much more considerable than that of New Zealand, and is chiefly subtropical; while that of New Zealand is temperate. Also it should be noticed that the Chilian and Patagonia fauna consists of two parts—(a) an older indigenous fauna, and (b) a later immigrant fauna from the north. The Australian and New Zealand connections are entirely with the older fauna.

(2) The second important fact is the poverty of the present Antarctic terrestrial fauna and flora. Only a small beetle, a dipterous insect, and two or three species belonging to the *Collembola*, as well as a few kinds of mosses and lichens, have been found there: a striking contrast to the fauna and flora of similar climates in the Arctic regions.

Now, it is evident that the insects could not have been blown or carried to where the mosses happened to be. Their ancestors must have travelled to their present positions by land; and, this being so, we have two possible explanations to account for the difference between Arctic and Antarctic floras and faunas:

- 1. The mosses and insects may be survivals from a time when no angiospermous plants were in existence, the land on which they live having been isolated from other lands ever since. This supposes them to be relics of the Jurassic period.
- 2. The present fauna and flora may be the remains of a more extensive flora and fauna which once inhabited the southern regions, but which has been destroyed by a glacial epoch. In this case it is necessary to explain how it is that we find such remarkable floras on southern islands like Kerguelen, Macquarie, and Hermite, not very far north of the desolate regions of the South Shetlands and Victoria Land. It is to be hoped that the Antarctic explorations now going on will throw some light on this question.

DATE OF ISOLATION.

In estimating the time or times when New Zealand was connected with the mainland, we must first take into consideration the great differences between its fauna and those of Australia, South America, and South Africa. This shows decisively that the period of connection was a very ancient one, for New Zealand must have been isolated before the spread of

many groups of animals, and must have remained isolated ever since.

Professor Gill, writing about the fishes, says that 'the number of species apparently peculiar to the province, and, therefore, modified from other or earlier representatives, indicates a long period of isolation in accordance with its distance from the nearest continents and the depth of the intervening ocean.' He thinks it probable 'that there existed some terrestrial passage-way between the several [Antarctic] regions at a time as late as the close of the Mesozoic. The separation of the several areas must, however, have occurred little later than the earlier Tertiary, inasmuch as the salt-water fishes of corresponding isotherms found along the coasts of the now widely-separated lands are to such a large extent specifically different.' 'In general,' he says, 'change seems to take place more rapidly among marine animals than fresh-water representatives of the same class.' And thus he explains the closer relations in Galaxias and Geotria than in the marine fishes.

Mr. H A. Pilsbry thinks that the *Epiphallogonous* land-snails invaded New Guinea from the north before the Eocene period, and yet they were unable to reach New Zealand.

It must be remembered that the flora of New Zealand shows the same elements as the fauna, and as the Antarctic plants are far more numerous than the undoubted Antarctic land animals, I tried a good many years ago to use them as a means of ascertaining whether the migration from the north occurred before or after the east and west migration. And, judging by the extent of modification the two elements among the plants have undergone in New Zealand, I arrived at the conclusion that the tropical migration, taken as a whole, was anterior to the Antarctic migration.

A study of the fauna confirms this opinion. For while in the Malayan element we find a large number of endemic genera, the Antarctic element consists largely of species which are found elsewhere; or, like the shags, are only slightly modified. This shows that their spread has been later.

This conclusion, however, does not prevent us from supposing that some Antarctic immigrants may have been in New Zealand as long or even longer than some Malayan immigrants. For there may have been several periods of migration.

Indeed, the Malayan element in the fauna shows considerable

differences in modification. In all the orders of insects we can recognise that certain families are probably late comers, for they are made up of fragmentary groups, and the genera are rarely endemic. For example, we have in the Lepidoptera, the Papilionina, the Sphingidæ and the Arctiadæ; in the Diptera we have the Muscidæ; in the Hymenoptera, the Apidæ and Pompilidæ; in the Coleoptera, the Cicindelidæ, Buprestidæ, and the Lamellicornia; in the Hemiptera, the Pentatomidæ and Cicadidæ: in the Orthoptera we have the Gryllidæ, Locustidæ, and Blattidæ; in the Neuroptera, the Odonata.

On the other hand, there are groups which are comparatively well represented, and we recognise them as ancient inhabitants because a large proportion of the genera are endemic. Thus in the Lepidoptera we have the Scopariidæ and the Tineina; in the Diptera, the Tipulidæ; in the Hymenoptera, the Formicidæ; in the Coleoptera, the Pselaphidæ, Colydiidæ, Dascyllidæ, and the Curculionidæ; in the Hemiptera, the Fulgoridæ; in the Orthoptera, the Stenopelmatidæ and Phasmidæ; in the Neuroptera we have the Trichoptera.

The Mud-fish (*Neochanna*) must have been a long time in New Zealand, because it has become so much modified; and if it is, as Dr. Gunther has suggested, a degraded form of *Galaxias*, then *Galaxias* must have been here for a still longer time. But *Galaxias attenuatus* is found in Patagonia and Tasmania; and it is more closely related to *G. maculatus* of Tierra del Fuego and Patagonia than to any of the New Zealand or Australian species. From which it is evident that it must either have spread at a comparatively late period from New Zealand to Patagonia, or that *Galaxias* has been introduced twice into New Zealand.

Again, in the Antarctic element, the earth-worms point to a period of distribution long anterior to that of the marine fishes, Crustacea and Mollusca, which form the greater part of the group; so that here, also, we seem to have two different periods of migration.

The connection between New Zealand and South America shown by those species the geographical relations of which are also Malayan, and which cannot be considered as Antarctic, appears to have been at a very remote period. No species are identical, and only a few genera, chiefly in insects. In birds such as *Hymenolæmus* and the Struthious birds, the relations are between members of the same family only. It is the same with the

Australian—South American connection, as shown by the frogs and the parrots. The latter are a group of birds which probably originated in the Malay Archipelago or Australia and spread to South America. According to Professor W. K. Parker, the Australian Magpies (Gymnorhiza), and the Wood-swallows (Artamus), and even some of the Fly-catchers (Petroica) are more closely related to South American birds than to any others.* And Professor Huxley says that there is a close relation between the Megapodidæ and the Cracidæ of South America.† But all these relations are distant, and imply a very ancient connection.

GEOLOGICAL EVIDENCE.

We will now see what light the geology of New Zealand throws on these questions.

In the Triassic period New Zealand appears to have formed part of the eastern coast line of a continent which probably included Australia and Tasmania. In the middle of the Jurassic period—the date is not very certain, for the fossils have not yet been properly examined—this state of things changed, and the range of mountains running from Stewart Island to the East Cape was formed, and with it the branch range from Taupo to the North Cape. From that time forward the connection with Australia has been slight, as proved by the difference in the fossils, so that we may assume that the Tasman Sea was formed at the same time as the New Zealand Alps, and that it has been in existence ever since. Any subsequent direct land communication between New Zealand on the one hand and Tasmania or Australia on the other, is highly improbable.

This mountain chain is of the Alpine type, and has a granitic core, consequently when it was first formed it probably extended further on each side than it does now; indeed, we see that the north-western portion has been largely removed by denudation. Since its formation it has been twice partially submerged, New Zealand in each case being reduced to a cluster of islands. The first of these depressions was in the Upper Cretaceous, the second in the Oligocene and Miocene periods. We also find evidence that the land stood lower than it does now in the

^{*} Trans. Zool. Soc. x. p. 251, &c.

[†] Pro. Zool. Soc. 1868, p. 296.

Pleistocene and perhaps in the newer Pliocene. The evidence for the third depression consists of raised beaches and marine fossiliferous beds in the southern part of the North Island. We also know that Cook's Strait was in existence in the Pleistocene period, because the species of Moas found in the peat-bogs and alluvial deposits of the South Island are specifically different from those found in the North Island.

So we have the older Cretaceous, the Eocene, and the older Pliocene as periods during which New Zealand may have been of much larger dimensions than it is now.

The Cretaceous fossils have not yet been described except the plants. These differ much from those of Australia, but as Baron von Ettingshausen, who described them, had a very limited acquaintance with the existing flora of New Zealand, the names he has given to the fossils cannot always be relied upon as accurate. It is, however, evident that we have here the basis of our present Phanerogamous flora; and, if this is the case, it is a proof that the New Zealand mountains have not been totally submerged since the older part of the Cretaceous period.

A Unio has been found at the Malvern Hills, which may be taken as a proof of land communication between New Zealand and some other country in the lower Cretaceous period, for Unio is not known in any oceanic island.

With the plants and the fresh-water Unio no doubt there came a number of land animals, although we have not found any of their remains. Probably they were land mollusca, insects of various orders, myriapods and worms, but no vertebrates except *Sphenodon*.

The known Oligocene and Miocene faunas consist chiefly of marine mollusks, which differ very much from the contemporaneous mollusca of Australia. One remarkable peculiarity is that we have in the Miocene sixteen species of shallow-water invertebrates, which are also found in the Miocene of Patagonia, implying a shallow-water communication between the two countries. Many of the Mollusca are very large, much larger than those inhabiting the New Zealand coasts at the present day, so that we must suppose that the sea in the Miocene period was warmer than it is now.

Pectunculus laticostatus and Dosinia grayi, which are Eocene only in Australia, first appeared in New Zealand in the Miocene, and still live there. Typhis is Eocene in Australia, Miocene in

New Zealand, where it became extinct before the Pliocene. *Murex* and *Trophon*, both of which are Eocene in Australia, did not reach New Zealand until the Pliocene period. This appearance of shells in Australia before they are known in New Zealand shows that a large part of our present marine fauna reached us in Miocene and Pliocene times from Australia and not from an Antarctic continent.

In the coal-measures of Moreley Creek, Southland—probably of Eocene age—a Unio (*U. inflatus*) has been found which may have been derived from the Cretaceous Unio already mentioned. This species, however, appears to have become extinct without leaving any descendants. Probably it was killed off by the submergence in the Oligocene and Miocene periods.

In the lignite beds of the Dunstan in Otago—probably of older Pliocene age—another Unio has been found which appears to belong to our recent species, *Diplodon aucklandicus*, which is only a variety of *D. menziesii*. This species has its nearest allies in New Guinea, so that its existence in New Zealand in the older Pliocene is evidence that during that period New Zealand was in direct communication with New Guinea.

Under a lava stream at Timaru a few bones of a small moa (Anomalopteryx antiqua) and of an Apteryx have been found, which are either upper Miocene or lower Pliocene in age, and other Moa bones have been found in Pliocene beds near Napier, and footprints of Pliocene or Pleistocene moas have been found near Gisborne, but no trace of them has hitherto been found in either the Miocene or Eocene coal-measures.

The question whether or not a glacial epoch occurred in the southern hemisphere similar to that of the north, has an important bearing on the distribution of animals and plants. So far as New Zealand is concerned, there can be no doubt but that the glaciers of the South Island were formerly of much greater dimensions than they are now. But there is no evidence that they reached the sea, although some of the old moraines are now below the sea level, and there is no palæontological evidence of a colder climate in the Pliocene or Pleistocene periods than exists now. On the contrary, the evidence points to a gradual cooling ever since the Miocene period. On the whole it seems probable that the former extension of the glaciers was due to the land standing 3000 or 4000 feet higher in the older Pliocene times than it does now. The very distinct flora of the Antarctic

Islands is also evidence that no glacial epoch has taken place in the Southern Hemisphere.

The large proportion of shallow-water Miocene fossils common to Patagonia, New Zealand, and Australia proves that either in the Eocene or Oligocene, shallow water, warmer than it is at present, extended through the South Pacific; but as none of the Miocene mammals nor land birds of Patagonia passed to New Zealand, there could not have been a continuous land connection. Probably it was a series of coral islands. This will account for the spread of the penguins, which are Oligocene in New Zealand and Miocene in Patagonia, but it is doubtful whether it will account for the insects. Certainly it cannot explain the connection between the Vertebrata of Australia and those of South America.

OUTLYING ISLANDS.

Of the outlying islands the Snares and Bounty Islands are composed entirely of granite, and no doubt at one time they formed part of New Zealand. The Kermadecs, Antipodes, and Auckland Islands are entirely volcanic. The Chatham Islands are volcanic, with some contemporaneous fossiliferous limestones and tuffs of early Miocene age, resting on a low platform of ancient schistose rocks, which form the northern portion of the largest island. Consequently these islands were formed in the Miocene period.

Campbell Island is also volcanic, on a basis of chalky limestone and tuffaceous beds, from which a few fossils have been obtained. The evidence is not sufficient to form any decided opinion, but the fossiliferous beds appear to be Oligocene in age.

Antipodes Island is formed largely of stratified volcanic tuffs, and the island appears to be a submarine volcano which has been subsequently elevated.

The geological structure of Macquarie Island is unknown to me.

The faunas of the Kermadecs, Antipodes, Snares, and Macquarie Island are very imperfectly known, except the birds. The only land animal on Bounty Islands is *Ischyroplectron isolatum*, an orthopterous insect, which was found by Captain Fairchild when turning over large stones to build the provision depot. The Bounty Islands have no vegetation except sea-weeds.

A Shining Cuckoo (Chalcococcyx), in an exhausted state, was

once seen on Macquarie Island; * and formerly it was inhabited by rails and parrakeets. The Wood-hen (*Ocydromus*) now found on it was introduced by the Maoris for food.

The Chatham and Auckland Islands have fresh-water species of *Galaxias*, which do not appear to go down to the sea, and are similar to those of New Zealand. Pitt Island, one of the Chatham group, has a lizard closely related to *Lygosoma moko* of New Zealand. Both the Chatham and Auckland Islands have small forest birds, as well as slugs and beetles, none of which could cross over a sea barrier. We may therefore suppose that they were once connected with New Zealand, and derived the main part of their faunas overland.

Much the same may be said for the Snares; but the case of Campbell Island is different. Here we have a *Galaxias* and a small land shell, but no resident land birds nor beetles. Three Godwit were shot in 1894 by Mr. Borchgrevink's exploring party; and the little Zosterops has made its way there, but there are no parrakeets nor larks. If, however, the presence of earth-worms is a proof of a former land connection with some larger mass, then at one time New Zealand must have extended through Campbell Island to Macquarie Island.

The number of endemic species, and even genera, among the land animals of these islands proves that they have been long separated, and altogether precludes the idea of a comparatively recent Antarctic continent connected with New Zealand. They also preclude the idea of a very cold climate having existed in the southern hemisphere since the islands were separated from New Zealand, that is since the Pliocene period. For this would have killed off most of the inhabitants.

^{*} Campbell's Nests and Eggs of Australian Birds, p. 580.

BIBLIOGRAPHY.

- 1853. Sir Joseph Hooker. Flora Nova Zealandia (Introduction).
- 1857. L. RUETIMEYER. Über die Herkunft unserer Thierwelt.
- 1870. T. H. HUXLEY. Presidential Address to the Geological Society of London. Q. J. G. S., vol. xxvi.
- 1873. F. W. HUTTON. 'On the Geographical Relations of the New Zealand Fauna.' *Trans. N. Z. I.*, v. p. 227; and *Ann. Mag. Nat. Hist.*, ser. 4, vol. xiii. p. 25.
- 1874. A. MILNE-EDWARDS. 'Recherches sur la Faune Ancienne des Iles Mascareignes.' *Ann. Sci. Nat.*, ser. 5, vol. xix. p. 1.
- 1875. T. GILL. 'On the Geographical Distribution of Fishes.'

 Ann. Mag. Nat. Hist., ser. 4, vol. xv. p. 251.
- 1876. A. R. WALLACE. The Geographical Distribution of Animals, vol. 1.
 - H. N. Moselv. 'Botany of the Antarctic Islands.' *Jour. Linn. Soc. Botany*, vol. xv. p. 485.
- 1880. A. R. WALLACE. Island Life, p. 455.
- 1882. E. BLANCHARD. 'Proofs of the Subsidence of a Southern Continent during recent Geological Epochs.' N. Z. Jour. Sci., vol. i. p. 251 (abstract from the Comptes Rendus).
 - H. Filhol. 'Geological and Zoological Relations of Campbell Island with the neighbouring Southern Lands.' N. Z. Jour. Sci., vol. i. p. 259.
- 1884. F. W. HUTTON. 'On the Origin of the Fauna and Flora of New Zealand.' Part I. N. Z. Jour. Sci., vol. ii. p. 1; and Ann. Mag. Nat. Hist., ser. 5, vol. xiii. p. 425.
- 1885. F. W. HUTTON 'On the Origin of the Fauna and Flora of New Zealand.' Part II. N. Z. Jour. Sci., vol. ii. p. 249; and Ann. Mag. Nat. Hist., ser. 5, vol. xv. p. 77.
- 1890. W. T. BLANFORD. Presidential Address to the Geological Society of London. Q. J. G. S., vol. xlvi. p. 99.
- 1892. C. HEDLEY. 'The Range of Placostylus.' Pro. Linn. Soc. N. S. Wales, ser. 2, vol. xii. p. 335.

- 1892. H. v. JHERING. 'On the Ancient Relations between New Zealand and South America.' Trans. N. Z. I., vol. xxiv. p. 431.
- 1893. T. GILL. 'A Comparison of Antipodal Faunas.' Mem. Nat. Acad. of Sci. Washington, vol. vi. p. 91.
 - H. O. FORBES. 'The Chatham Islands.' Supp. Papers, Roy. Geographical Soc., vol. iii. p. 607.
 - H. O. FORBES. 'Antarctica.' Natural Science, vol iii. p. 54; and Fortnightly Review for May 1893.
 - C. Hedley. 'On the Relation of the Fauna and Flora of Australia to those of New Zealand.' Natural Science, vol. iii. p. 187.
- 1895. C. Hedley. 'Considerations on the Surviving Refugees in Austral Lands of Ancient Antarctic Life.' *Pro. Roy. Soc. N. S. Wales*, vol. xxix. p. 278.
- 1896. R. LYDEKKER. Geographical Distribution of Mammals.
 - F. W. HUTTON. 'Theoretical Explanations of the Distribution of Southern Faunas.' Pro. Linn. Soc. N. S. Wales, vol. xxi. p. 36.
 - H. DEANE. 'President's Address to the Linn. Soc. N. S. Wales,' vol. xxi. p. 821.
- 1897. A. HEILPRIN. 'Les Régions Antarctiques.' Rev. Scient. vol. vii. p. 329.
- 1898. D'ARCY W. THOMSON. 'On Supposed Resemblances between Arctic and Antarctic Faunas.' *Pro. Roy. Soc. Edin.*, vol. xxii. p. 311.
- 1899. G. Pfeffer. 'Ueber die gegenseitigen Beziehungen der arktischen und antarktischen Fauna.' Verh. Deutsch. Zool. Ges., vol. ix. p. 266. See also Ann. Mag. Nat. Hist., ser. 7, vol. vii. p. 301, 'On the Mutual Relations of the Arctic and Antarctic Faunas.'
 - A. E. ORTMANN. 'G. Pfeffer und die Bipolaritat.' Zool. Anz., vol. xxii. p. 214.
 - A. E. ORTMANN. 'On some New Facts lately presented in Opposition to the Hypothesis of Bipolarity of Marine Faunas. *Amer. Naturalist*, vol. xxxiii. p. 583.
 - C. Hedley. 'A Zoo-geographical Scheme for the Mid-Pacific.' Pro. Linn. Soc. N. S. Wales, vol. xxiv. p. 391.

- 1900. H. F. OSBORN. 'The Geological and Faunal Relations of Europe and America during the Tertiary Period.' Science, n. s. vol. xi. p. 561.
 - H. A. PILSBRY. 'Genesis of Mid-Pacific Faunas.' Pro. Acad. Nat. Sci. Phil., 1900, p. 568.
- 1901. A. E. ORTMANN. 'The Theories of the Origin of the Antarctic Faunas and Floras.' Amer. Nat., vol. xxxv. p. 139.
 - MISS E. PRATT. 'Bipolar Theory.' Manchester Memoirs, vol. xlv. no. 14.
- 1902. A. E. ORTMANN. Report on the Tertiary Invertebrates of Patagonia, p. 110.
 - A. DENDY. 'The Chatham Islands.' Manchester Memoirs, vol. xlvi. no. 12.
 - W. B. Benham. 'Earth-worms and Palæogeography.' Report Aust. Ass. Adv. Science, Hobart, vol. ix.
 - E. A. SMITH. 'On the Supposed Similarity between the Mollusca of the Arctic and Antarctic Regions.' Presidential Address to the Malacological Society of London.
 - C. F. Ancey. 'Considérations sur les faunes macalogiques des parties australes du globe.' *Jour. de Conch.*, xlix. 12.
 - H. Suter. 'Observations on M. Ancey's Paper.' Jour. de Conch., xlix. 316.



PHYLUM, CHORDATA

CLASS, MAMMALIA.

Sub-class Eutheria. Order Chiroptera. Family Vespertilionidæ.

Chalinolobus, Peters, 1866.

morio, Gray. Dobson, A.M.N.H. 6, iv. 62. *C. tuberculatus*, Cat. Chi. B.M. 248; Tomes, P.Z.S. 1857, 135.

Family Emballonuridæ.

Mystacops, Flower, 1891.

tuberculatus, Gray. Dobson, Cat. Chi. B.M. 442 (Mystacina); Tomes, P.Z.S. 1857, 138.

Order Carnivora. Sub-order Pinnipedia. Family Otariidæ.

Eumetopias, Gill, 1866.

hookeri, Gray. Clark, P.Z.S. 1873, 765. Challenger Reports, xxvi. 78.

Arctocephalus, F. Cuvier, 1824.

forsteri, Lesson. Clark, P.Z.S. 1875, 650, and 1884, 196. Challenger Reports, xxvi. 87. A. cinereus, Hector, T.N.Z.I. iv. 196.

Family Phocidæ.

Ogmorhinus, Peters, 1875.

leptonyx, Blainville. Challenger Reports, xxvi. 64.

Macrorhinus, F. Cuvier, 1824.

leoninus, Linnæus. Flower, P.Z.S. 1881, 146. Challenger Reports, xxvi. 69.

> Order Cetacea. Sub-order Mystacoceti. Family Balænidæ.

Balæna, Linnæus, 1766.

australis, Gray. Hector, T.N.Z.I. x. 335; Challenger Reports, i. 32; P.Z.S. 1901, p. 44.

Neobalæna, Gray, 1871. marginata, Gray. Hector, T.N.Z.I. x. 331; Beddard, T.Z.S. xvi. 87.

Megaptera, Gray, 1846. longimana, Rudolphi. Challenger Reports, i. 30. M. lalandii, Hector, T.N.Z.I. x. 335.

Balænoptera, Lacépède, 1804.
musculus, Linnæus. B. sibbaldi, Hutton, T.N.Z.I. vii. 266.
physalus, Linnæus. P. australis, Hector, T.N.Z.I. x. 336;
B. musculus, Parker, T.N.Z.I. xvii. 3.

rostrata, Fabricius. Haast, T.N.Z.I. xiii. 169; Benham, P.Z.S. 1901, 280; B. huttoni, Hector, T.N.Z.I. x. 337; Benham, T.N.Z.I. xxxiv. 151.

Sub-order Odontoceti. Family Physeteridæ. Sub-family Physeterinæ.

Physeter, Linnæus, 1766. macrocephalus, Linnæus. Hector, T.N.Z.I. x. 337.

Cogia, Gray, 1846. breviceps, Blainville. Hector, T.N.Z.I. x. 337; Benham, T.N.Z.I. xxxiv. 155; and P.Z.S. 1902, 54.

Sub-family ZIPHIINÆ.

Ziphius, F. Cuvier, 1823. cavirostris, Cuvier. Hector, T.N.Z.I. x. 342; Challenger Reports, i. 27; Parker, P.Z.S. 1887, 342.

Mesoplodon. Gervais, 1850.
layardi, Gray. Hector, T.N.Z.I. x. 341; Haast, P.Z.S.
1876, 478; C. guntheri, Gray, A.M.N.H. 4, vii. 368.
hectori, Gray. Hector, T.N.Z.I. x. 339.
grayi, Haast. P.Z.S. 1876, 7 and 457; T.Z.N.I. ix. 450.
australis, Flower. T.Z.S. x. 419; B. hectori, Hector, T.Z.N.I.
vii. 262.
haasti, Flower. T.Z.S. x. 419.

Berardius, Duvernoy, 1851. arnouxi, Duvernoy. Hector, T.N.Z.I. x. 338.

Family Delphinidæ.

Delphinapterus, Lacépède, 1804.
leucas, Pallas. Hector, T.N.Z.I. xvii. 209.

Cephalorhynchus, Gray, 1850. hectori, Beneden. Hector, T.N.Z.I. xvii. 209; Flower, P.Z.S. 1883, 476. E. clancula, Hector, T.N.Z.I. ix. 350. AVES.

Orca, Gray, 1846. gladiator, Gray. Hector, T.N.Z.I. xvii. 208.

Pseudorca, Reinhart, 1862. crassidens, Owen. Hector, T.N.Z.I. xvii. 209.

Globicephalus, Lesson, 1842. melas, Traill. Hector, T.N.Z.I. xvii. 209.

Grampus, Gray, 1846. griseus, Lesson. *G. richardsoni*, Hector, T.N.Z.I. xvii. 209.

Delphinus, Linnæus, 1766.
delphis, Linnæus Hector, T.N.Z.I. xvii. 210; Flower,
T.Z.S. xi. 1; D. novæ zealandiæ, Hutton, T.N.Z.I. ix. 349.

Tursiops, Gervais, 1855. tursio, Buonaterre. Hector, T.N.Z.I. xvii. 210; Flower, T.Z.S. xi. 1; and P.Z.S. 1883. 478; T. metis, Hutton, A.M.N.H. 4, xvi. 357.

Prodelphinus, Gervais, 1880.
obscurus, Gray. Flower, P.Z.S. 1883, 495; Hutton T.N.Z.I. ix. 349; Hector, T.N.Z.I. xvii. 211.
euphrosyne, Gray. Flower, P.Z.S. 1883, 497; Hector, T.N.Z.I. xvii. 211.

CLASS, AVES.

Sub-class Carinatæ. Order Passeres. Sub-order Acromyodi. Family Corvidæ.

Glaucopis, Gmelin, 1788.

cinerea, Latham. C.B.M. iii. 142; Buller, 'Birds of New Zealand,' i. 5.

wilsoni, Bonaparte. C.B.M. iii. 143; Buller, i. 1.

Family STURNIDÆ.

Heteralocha, Cabanis, 1851.
acutirostris, Gould. C.B.M. iii. 143; Buller, i. 7.

Creadion, Vieillot, 1816. carunculatus, Gmelin. C.B.M. iii. 144; Buller, i. 18 and 21.

Family Turdidæ.

Turnagra, Lesson, 1831. crassirostris, Gmelin. C.B.M. vii. 4; Buller, i. 31. tanagra, Schlegel. C.B.M. vii. 5; Buller, i. 26. Family SYLVIADÆ.

Sphenœacus, Strickland, 1841.

punctatus, Quoy and Gaimard. C.B.M. vii. 97; Buller, i. 60. fulvus, Gray. C.B.M. vii. 98; Buller, i. 61. rufescens, Buller. C.B.M. vii. 98; Buller, i. 62.

Family Muscicapidæ.

Petroica, Swainson, 1832.

macrocephala, Gmelin. C.B.M. iv. 176; Buller, i. 42. toitoi, Garnot. C.B.M. iv. 174; Buller, i. 39.

Miro, Lesson, 1831.

albifrons, Gmelin. C.B.M. iv. 235; Buller, i. 36. australis, Sparrmann. C.B.M. iv. 235; Buller, i. 33. traversi, Buller. C.B.M. iv. 236; Buller, i. 38. dannefordi, Rothschild. Nov. Zool. i. 688 (1894).

Pseudogerygone, Sharpe, 1878.

igata, Quoy and Gaim. C.B.M. iv. 218; Buller, i. 44 and 50. albofrontata, Gray. C.B.M. iv. 222; Buller, i. 49.

Rhipidura, Vigors and Horsfield, 1827.

flabellifera, Gmelin. C.B.M. iv. 308; Buller, i 69. fuliginosa, Sparrmann. C.B.M. iv. 316; Buller, i. 72.

Family PARIDÆ.

Certhiparus, De Lafresnayé, 1842. albicillus, Lesson. C.B.M. viii. 75; Buller, i. 53. novæ-zealandiæ, Gmelin. C.B.M. viii. 76; Buller, i. 51.

Mahua, Lesson, 1837. ochrocephala, Gmelin. C.B.M. viii. 76; Buller, i. 56.

Family Meliphagidæ.

Pogonornis, Gray, 1846. cincta, Dubus. C.B.M. ix. 251; Buller, i. 101.

Anthornis, Gray, 1841.

melanura, Sparrmann. C.B.M. ix. 255; Buller, i. 85. melanocephala, Gray. C.B.M. ix. 256; Buller, i. 92.

Prosthemadera, Gray, 1840.

novæ-zealandiæ, Gmelin. C.B.M. ix. 257; Buller, i. 94.

Family Zosteropidæ.

Zosterops, Vigors and Horsfield, 1827. cærulescens, Latham. C.B.M. ix. 152; Buller, i. 77.

Family MOTACILLIDÆ.

Anthus, Bechstein, 1807.

novæ-zealandiæ, Ġmelin. C.B.M. x. 616; Buller, 1. 64. aucklandicus, Gray. C.B.M. x. 617. steindachneri, Reischek. T.N.Z.I. xxi. 388.

AVES.

Sub-order Mesomyodi. Family Xenicidæ.

Acanthidositta, De Lafresnaye, 1842. chloris, Sparrmann. C.B.M. xiv. 451; Buller, i. 113.

Xenicus, Gray, 1855.
longipes, Gmelin. C.B.M. xiv. 452; Buller, i. 108.
gilviventris, Pelzeln. C.B.M. xiv. 453; Buller, i. 111.

Traversia, Rothschild, 1894.
lyalli, Rothschild. Bull. Brit. Ornith. Club, iv. no. xxii. p. x.;
X. insularis, Buller, Ibis, 1895, 236; T.N.Z.I. xxviii. 341.

Order Picariæ. Family Alcedinidæ.

Halcyon, Swainson, 1821. vagans. Lesson. C.B.M. xvii. 271; Buller, i. 122.

Family Cuculidæ.

Chalcococyx, Cabanis, 1863.
Lucidus, Gmelin. C.B.M. xix. 295; Buller, i. 132.

Urodynamis, Salvadori, 1880. taitensis, Sparrmann. C.B.M. xix. 314; Buller, i. 127.

> Order Striges. Family Bubonidæ.

Ninox, Hodgson, 1837. novæ-zealandiæ, Gmelin. CB.M. ii. 173; Buller, i. 192.

Sceloglaux, Kaup, 1848. albifacies, Gray. C.B.M. ii. 187; Buller, i. 198.

Order PSITTACI. Family NESTORIDÆ.

Nestor, Wagler, 1832. notabilis, Gould. C.B.M. xx. 4; Buller, i. 166. meridionalis, Gmelin. C.B.M. xx. 5; Buller, i. 150.

Family PSITTACIDÆ.
Sub-family PLATYCERCINÆ.

Cyanorhamphus, Bonaparte, 1854. unicolor, Vigors. C.B.M. xx. 581; Buller, i. 148. novæ-zealandiæ, Sparrmann. C.B.M. xx. 581; Buller, i. 137.

137.
aucklandicus, Bonaparte. C.B.M. xx. 584.
erythrotis. Wagler. C.B.M. xx. 586.
cyanurus, Salvadori. C.B.M. xx. 587.
auriceps. Kuhl. C.B.M. xx. 587; Buller, i. 142.
malherbei, Souancé. C.B.M. xx. 590; Buller, i. 146 (alpinus).

Family Stringopidæ.

Stringops, Gray, 1845. habroptilus, Gray. C.B.M. xx. 599; Buller, i. 176.

Order Accipitres. Family Falconidæ. Sub-family Falconinæ.

Nesierax, Oberholsen, 1899. novæ-zealandiæ, Gmelin. C.B.M. i. 372; Buller, i. 213. australis, Hombron and Jacquinot. C.B.M. i. 373; Buller, i. 220.

Sub-family Accipitrinæ.

Circus, Lacépède, 1806. gouldi, Bonaparte. C.B.M. i. 72; Buller, i. 206.

> Order Gallinæ. Family Phasianidæ.

Coturnix, Moehring, 1752. novæ-zealandiæ, Gmelin. C.B.M. xxii. 245; Buller, i. 225.

> Order Columbæ. Family Treronidæ. Sub-family Carpophaginæ.

Hemiphaga, Bonaparte, 1854. novæ-zealandiæ, Gmelin. C.B.M. xxi. 236; Buller, i. 229. chathamensis, Rothschild. P.Z.S. 1891, p. 312; C.B.M. xxi. 239.

Order Grallæ. Family Rallidæ.

Hypotænidia, Reichenbach, 1852.
philippensis, Linnæus. C.B.M. xxiii. 39; Buller, ii. 95.
macquariensis, Hutton, Ibis, 1879; C.B.M. xxiii. 43.
muelleri, Rothschild. Bull. Brit. Orn. Club, 1893; T.N.Z.I.
xxvi. 180; C.B.M. xxiii. 330; R. brachypus, Buller, ii. 100.

Nesolimnas, Andrews, 1896. dieffenbachii, Gray. C.B.M. xxiii. 47; Buller, ii. 121.

Cabalus, Hutton, 1873. modestus, Hutton, Ibis, 1872; C.B.M. xxiii. 331, plate 6.

Ocydromus, Wagler, 1830. earli, Gray. Buller, ii. 115; O. greyi, Buller, ii. 105. australis, Sparrmann. C.B.M. xxiii. 64 (part); Buller, ii.

hectori, Hutton, T.N.Z.I. vi. 110; O. brachypterus, Buller, ii. 110.

brachypterus, Lafresnaye. C.B.M. xxiii. 67; O. fuscus, Buller, ii. 112.

AVES.

Porzana, Vieillot, 1816. affinis, Gray. C.B.M. xxiii. 106: Buller, ii. 103. tabuensis, Gmelin. C.B.M. xxiii. 111; Buller, ii. 101.

Porphyrio, Brisson, 1760. melanonotus, Temminck. C.B.M. xxiii. 205; Buller, ii. 79. chathamensis, Sharpe, Ibis, 1893; C.B.M. xxiii. 202.

Notornis, Owen, 1848. hochstetteri, Meyer. Benham, T.N.Z.I. xxxi. 146; N. mantelli, C.B.M. xxiii. 208; Buller, ii. 85.

Order HERODIONES. Family ARDEIDÆ.

Herodias, Boie, 1822. timoriensis, Cuvier. C.B.M. xxvi. 98; A. egretta, Buller, ii. 124.

Notophoyx, Sharpe, 1898. novæ-hollandiæ, Latham. C.B.M. xxvi. 109; Buller, ii. 134.

Demiegretta, Blyth, 1846. sacra, Gmelin. C.B.M. xxvi. 137; Buller, ii. 128.

Nycticorax, Rafinesque, 1815. caledonicus, Gmelin. C.B.M. xxvi. 158; Buller, ii. 139.

Ardetta, Grey, 1842.

pusilla, Vieillot. C.B.M. xxvi. 234; A. maculata, Buller, ii.
136.

Botaurus, Brisson, 1760. pœciloptilus, Wagler. C.B.M. xxvi. 258; Buller, ii. 142.

Order Limicolæ Family Charadriidæ. Sub-family Arenariinæ.

Arenaria, Brisson, 1760. interpres, Linnæus. C.B.M. xxiv. 92; Buller, ii. 14.

Sub-family Нæматородінæ.

Hæmatopus, Linnæus, 1766.
longirostris, Vieillot. C.B.M. xxiv. 112; Buller, ii. 16. unicolor, Wagler. C.B.M. xxiv. 118; Buller, ii. 18.

Sub-family CHARADRIINÆ.

Charadrius, Linnæus, 1766.
dominicus, Müller. C.B.M. xxiv. 196; C. fulvus, Buller, ii. 6.

Ochthodromus, Reichenbach, 1852.
obscurus, Gmelin. C.B.M. xxiv. 211; Buller, ii. 1.
bicinctus, Jardine and Selby. C.B.M. xxiv. 212; Buller, ii. 3.

Thinornis, Gray, 1846. novæ-zealandiæ, Gmelin. C.B.M. xxiv. 304; Buller, ii. 11. rossi, Gray. C.B.M. xxiv. 305.

Anarhynchus, Quoy and Gaimard, 1830. frontalis, Quoy and Gaimard. C.B.M. xxiv. 306; Buller, ii. 9.

Sub-family Himantopodinæ.

Himantopus. Brisson, 1760.

picatus, Ellman. C.B.M. xxiv. 319: H. leucocephalus, Buller, ii. 21, and H. albicollis, Buller, ii. 27. melas, Hombron and Jacquinot. C.B.M. xxiv. 323; H. novæ-

zealandiæ, Buller, ii. 24.

Recurvirostra, Linnæus, 1766. novæ-hollandiæ, Vieillot. C.B.M. xxiv. 333; Buller, ii. 20.

Sub-family Totanidæ.

Limosa, Brisson, 1760. novæ-zealandiæ, Gray. C.B.M. xxiv. 377; Buller, ii. 40.

Sub-family Scolopacinæ.

Limonites, Kaup, 1829. ruficollis, Pallas. C.B.M. xxiv. 545.

Heteropygia, Coues, 1861. acuminata, Horsfield. C.B.M. xxiv. 566; Buller, ii. 37.

Tringa, Linnæus, 1766. canutus, Linnæus. C.B.M. xxiv. 593; Buller, ii. 35.

Gallinago, Leach, 1816. aucklandica, Gray. C.B.M. xxiv. 661; Buller, ii. 32. huegeli, Tristram. C.B.M. xxiv. 663. pusilla, Buller. C.B.M. xxiv. 663; Buller, ii. 33.

> Order GAVIÆ. Family LARIDÆ. Sub-family STERNINÆ.

Hydroprogne, Kaup, 1829. caspia, Pallas. C.B.M. xxv. 32; Buller, ii. 73.

Sterna, Linnæus, 1766.

albistriata, Gray, C.B.M. xxv. 48; Buller, ii. 70. vittata, Gmelin. C.B.M. xxv. 51 and 456. frontalis, Gray. C.B.M. xxv. 97; Buller, ii. 68. fuliginosa, Gmelin. C.B.M. xxv. 106 and 457. nereis, Gould. C.B.M. xxv. 112; Buller, ii. 75.

33

Procelsterna, Lafresnaye, 1842. cinerea, Gould. C.B.M. xxv. 135; Buller, ii. 78.

Micranous, Saunders, 1895.
leucocapillus, Gould. C.B.M. xxv. 145; A. melanogenys,
Cheeseman; T.N.Z.I. xxiii. 221.

Gygis, Wagler, 1832. candida, Gmelin. C. B.M. xxv. 149.

Sub-family LARINÆ.

Larus, Linnæus, 1766.

bulleri, Hutton. C.B.M. xxv. 233; Buller, ii. 58.

scopulinus, Gray. C.B.M. xxv. 238; Buller, ii. 56.

dominicanus, Lichtenstein. C.B.M. xxv. 245; Buller, ii. 47.

Family STERCORARIIDÆ.

Megalestris, Bonaparte, 1856.
antarctica, Lesson. C.B.M. xxv. 319; Buller, ii. 63.

Stercorarius, Brisson, 1760. crepidatus, Gmelin, C.B.M. xxv. 327; Buller, ii. 66.

> Order Steganopodes. Family Phaëthontidæ.

Phaëthon, Linnæus, 1766. rubricauda, Bodd. C.B.M. xxvi. 451; Buller, ii. 186.

Family FREGATIDÆ.

Fregata, Brisson, 1760. aquila, Linnæus. C.B.M. xxvi. 443: Buller, ii. 182.

Family Sulidæ.

Sula, Brisson, 1760.

serrator, Gray. C.B.M. xxvi. 428; Buller, ii. 177.

cyanops, Sundervall C.B.M. xxvi. 430; Cheeseman,
T.N.Z.I. xxii. 223.

Family Phalacrocoracidæ.

Phalacrocorax, Brisson, 1760.

carbo, Linnæus. C.B.M. xxvi. 340; P. novæ hollandiæ, Buller, ii. 145,

varius, Gmelin. C.B.M xxvi. 394; Buller, ii. 149. sulcirostris, Brandt. C.B M. xxvi. 376. melanoleucus, Vieillot. C.B.M. xxvi. 398; Buller, ii. 173. brevirostris, Gould. C.B.M. xxvi. 400; Buller, ii. 168. punctatus, Sparrmann. C.B.M. xxvi. 354; Buller, ii. 164. featherstoni, Buller. C B.M. xxvi. 356; Buller, ii. 166. chalconotus, Gray C.B.M. xxvi. 369; Buller, ii. 162, and P. glaucus, 163.

Phalacrocorax, campbelli, Filhol. C.B.M. xxvi. 387; P. nycthemerus, Buller, ii. 167. colensoi, Buller. C.B.M. xxvi. 386; Buller, ii. 161.

stewarti, Ogilvie-Grant. C.B.M. xxvi. 385.
ranfurlyi, Ogilvie-Grant. Bull. B. O. Club, xi. (1901).
carunculatus, Gmelin. C.B.M. xxvi. 384; Buller, ii. 155;

P. huttoni, Buller, ii. 174. onslowi, Forbes. C.B.M. xxvi. 385; P. imperialis, Buller,

ii. 153. traversi, Rothschild. Bull. Brit. Ornith. Club, viii. (1898).

> Order Tubinares. Family PROCELLARIIDÆ. Sub-family OCEANITINÆ.

Oceanites, Keyserling and Blasius, 1840. oceanicus, Kuhl. C.B.M. xxv. 358; Buller, ii. 250.

Garrodia, Forbes, 1881. nereis, Gould. C.B.M. xxv. 361; Buller, ii. 247.

Pelagodroma, Reichenbach, 1852. marina, Latham. C.B.M. xxv. 362; Buller, ii. 248.

Cymodroma, Ridgway, 1884. melanogaster, Gould. C.B.M. xxv. 364; Buller, ii. 249.

> Family Puffinidæ. Sub family PUFFININÆ.

Puffinus, Brisson, 1760. bulleri, Salvin. C.B.M. xxv. 371; Buller, ii 240. chlororhynchus, Lesson. C.B.M. xxv. 372; Buller, ii. 235. gavia, Forster. C.B.M. xxv. 381; Buller, ii. 236. assimilis, Gould. C.B.M. xxv. 384; Buller, ii. 239. carneipes, Gould. C.B.M. xxv. 385; Buller, ii. 234. griseus, Gmelin. C.B.M. xxv. 386; Buller, ii. 232. tenuirostris, Temminck. C.B.M. xxv. 388; Buller, ii. 230.

Priofinus, Hombron and Jacquinot, 1844. cinereus, Gmelin. C.B.M. xxv. 390; Buller, ii. 241.

Priocella, Hombron and Jacquinot, 1844. glacialoides, Smith. C.B.M. xxv. 393; Buller, ii. 228.

Majaqueus, Reichenbach, 1864. æquinoctialis, Linnæus. C.B.M. xxv. 395. parkinsoni, Gray. C.B.M. xxv. 397; Buller, ii. 242.

Œstrelata, Bonaparte, 1855 macroptera, Smith. C.B.M. xxv. 399; Buller, ii. 245. lessoni, Garnot. C.B.M. xxv. 401; Buller ii. 219. nigripennis, Rothschild. C.B.M. xxv. 409.

Œstrelata cervicalis, Salvin. C.B.M. xxv. 411.
neglecta, Schlegel. C.B.M. xxv. 412; Buller, ii. 224.
gularis, Peale. C.B.M. xxv. 414; Œ. affinis, Buller, ii. 223.
axillaris, Salvin. C.B.M. xxv. 418.
cooki, Gray. C.B.M. xxv. 417; Buller, ii. 217.

Sub-family Fulmarinæ.

Ossifraga, Hombron and Jacquinot, 1844. gigantea, Gmelin. C.B.M. xxv. 422; Buller, ii. 225.

Daption, Stephens, 1826. capensis, Linnæus. C.B.M. xxv. 428; Buller, ii. 215.

Halobæna, Geoff. St. Hilaire, 1856. cærulea, Gmelin. C.B.M. xxv. 431; Buller, ii. 214.

Prion, Lacépède, 1801.
vittatus, Gmelin. C.B.M. xxv. 432; Buller, ii. 211.
banksi, Gould. C.B.M. xxv. 434; Buller, ii. 210.
desolatus, Gmelin. C.B.M. xxv. 434; P. turtur, Buller, ii. 209.
ariel, Gould. C.B.M. xxv. 436; Buller, ii. 212.

Family Pelecanoididæ.

Pelecanoides, Lacépède, 1801. urinatrix, Gmelin. C.B.M. xxv. 437; Buller, ii. 207. exsul, Salvin. C.B.M. xxv. 431.

Family DIOMEDEIDÆ.

Diomedea, Linnæus, 1766.
regia, Buller. C.B.M. xxv. 443.
exulans, Linnæus. C.B.M. xxv. 441; Buller, ii. 189.
melanophrys, Boie. C.B.M. xxv. 447; Buller, ii. 198.
bulleri, Rothschild. C.B.M. xxv. 448.

Thalassogeron, Ridgway, 1884.
salvini, Rothschild. C.B.M. xxv. 450; D. cauta, Buller, ii.
203.
culminatus, Gould. C.B.M. xxv. 451; Buller, ii. 201.
chlororhynchus, Gmelin. C.B.M. xxv. 451; Buller, ii.
202.

Phæbetria, Reichenbach, 1852. fuliginosa, Gmelin. C.B.M. xxv. 453; Buller, ii. 205.

Order Impennes. Family Spheniscidæ.

Aptenodytes, Forster, 1781.
patagonica, Forster. C.B.M. xxvi. 627; A. longirostris,
Buller, ii. 306.

Pygoscelis, Wagler, 1832. papua, Forster. C.B.M. xxvi. 631; P. tæniatus, Buller, ii. 304.

Catarrhactes, Brisson, 1760.
chrysocome, Forster. C.B.M. xxvi. 635; Buller, ii. 290.
pachyrhynchus, Gray. C.B.M. xxvi. 638; Buller, ii. 287.
sclateri, Buller. C.B.M. xxvi. 640; Buller, ii. 289.
schlegeli, Finsch. C.B.M. xxvi. 643; E. chrysolophus,
Buller, ii. 297 and 298.

Megadyptes, Milne-Edwards, 1880. antipodum, Homb. and Jacq. C.B.M. xxvi. 644; Buller, ii. 294.

Eudyptula, Bonaparte, 1856. minor, Forster. C.B.M. xxvi. 646; Buller, ii. 300 and 302. albosignata, Finsch. C.B.M. xxvi. 648.

Order Pygopodes. Family Podicipedidæ.

Podicipes, Latham, 1787. cristatus, Linnæus. C.B.M. xxvi. 544; Buller, ii. 283. rufipectus, Gray. C.B.M. xxvi. 523; Buller, ii. 280.

> Order Anseres. Family Anatidæ. Sub-family Anatinæ.

Casarca, Bonaparte, 1838. variegata, Gmelin. C.B.M. xxvii. 183; Buller, ii. 264.

Anas, Linnæus, 1766. superciliosa, Gmelin. C.B.M. xxvii. 206; Buller, ii. 251.

Nettion, Kaup, 1829.
castaneum, Eyton. C.B.M. xxvii. 252.
gibberifrons, S. Müller. C.B.M. xxvii. 254; Buller, ii. 261.

Elasmonetta, Salvadori, 1895. chlorotis, Gray. C.B.M. xxvii. 287; Buller, ii. 257.

Nesonetta, Gray, 1844. aucklandica, Gray. C.B.M. xxvii. 289; Buller, ii. 263.

Spatula, Boie, 1822.
rhynchotis, Latham. C.B.M. xxvii. 314; Rhynchaspis variegata, Buller, ii. 269.

Sub-family Fuligulinæ.

Nyroca, Fleming, 1822. australis, Eyton. C.B.M. xxvii. 350; Buller, ii. 275. Fuligula, Stephens, 1824.

novæ-zealandiæ, Gmelin. C.B.M. xxvii.; 368; Buller, ii. 273.

Sub-family MERGANETTINÆ.

Hymenolæmus, Gray, 1843.

malacorhynchus, Gmelin. C.B.M. xxvii 455; Buller, ii. 276.

Sub-family MERGINÆ.

Merganser, Brisson, 1760.

australis, Hombron and Jacquinot. C.B.M. xxvii. 484; Buller, ii. 279.

> Sub-class RATITÆ. Order APTERYGES. Family APTERYGIDÆ.

Apteryx, Shaw, 1813. australis, Shaw. C.B.M. xxvii. 604; Buller, ii. 322; Parker, Trans. Phil. Soc. 1891, B, 25. A. lawryi, Rothschild; C.B.M. xxvii, 606.

mantelli, Bartlett. C.B.M. xxvii. 607. A. bulleri, Buller, ii. 308.

oweni, Gould. C.B.M. xxvii. 609; Buller, ii. 327.

occidentalis, Rothschild. C.B.M. xxvii. 610; Novitates. Zoologicæ, vi. 384, pl. 12.

haasti, Potts. C.B.M. xxvii. 611; Buller, ii. 330.

APPENDIX TO AVES.

List of Wanderers which have been found in New Zealand.

Order Passeres.

Family Camperhagidæ.

Graucalus melanops, Latham. C.B.M. iv. 30; Buller, i. 66.

Family Meliphagidæ.

Acanthochæra carunculata, Latham. C.B.M. ix. 263; Buller, i. 106.

Family HIRUNDINIDÆ.

Petrochelida nigricans, Vieillot. C.B.M. x. 190; Buller, i. 76.

Order PICARIÆ.

Family Cypselidæ.

Micropus pacificus, Blyth. C.B.M. xvi. 448; Buller, i. 117.

Family Coraciidæ.

Eurystomus australis, Swainson. C.B.M. xvii. 36. E. pacificus, Buller, i. 118.

Order ACCIPITRES Family FALCONIDÆ.

Cerchneis cenchroides, Vigors and Horsfield. C.B.M. i. 431; Buller, T.N.Z.I. xxviii. 359.

Order HERODIONES. Family PLATALEIDÆ.

Platalea regia, Gould. C.B.M. xxvi. 47; Buller, ii. 144.

Family IBIDÆ.

Plegadis, Kaup, 1829.

falcinellus, Linnæus. C.B.M. xxvi. 29.

Order Limicolæ.
Family Charadriidæ.
Sub-family Lobivanellinæ.

Lobivanellus lobatus, Latham. C.B.M. xxiv. 139; Buller, ii. 13.

Sub-family CHARADRIINÆ.

Ægiatilis ruficapilla, Temminck. C.B.M. xxiv. 286; Buller, ii. 5.

Sub-family Totaninæ.

Limosa hudsonica, Lath. C.B.M. xxiv. 388.

Numenius cyanopus, Vieillot. C.B.M. xxiv. 350; Buller, ii. 45.

Mesoscolopax minutus, Gould. C.B.M. xxiv. 371; Hutton, T.N.Z.I. xxxv.

Heteractitis incanus, Gmelin. C.B.M. xxiv. 453; Buller, ii. 38.

Glottis nebularius, Gunner. C.B.M. xxiv. 481; Hutton, T.N.Z.I. xxxiv. 253.

Gallinago australis, Latham. C.B.M. xxiv. 653; Cheeseman, T.N.Z.I. xxxi. 105.

Sub-family PHALAROPINÆ.

Crymophilus fulicarius, Linnæus. C.B.M. xxiv. 693; Buller, ii. 30.

Order GAVIÆ. Family LARIDÆ. Sub-family STERNINÆ.

Hydrochelidon leucoptera, Meisner and Schinz. C.B.M. xxv. 6; Buller, ii. 77.

Order Steganopodes. Family Fregatidæ.

Fregata ariel, Gould. C.B.M. xxvi. 447. T. minor, Buller, ii. 185.

Family SULIDÆ.

Sula sula, Linnæus. C.B.M. xxvi. 436. S. fusca, Hamilton, T.N.Z.I. xxi. 128.

Family Phalacrocoracidæ. Sub-family Plotinæ.

Plotus novæ-hollandiæ, Gould. C.B.M. xxvi. 417; Buller, ii. 175.

Order Anseres. Family Anatidæ. Sub-family Anatinæ.

Dendrocygna eytoni, Gould. C.B.M. xxvii. 165; Buller, ii. 268.

CLASS, REPTILIA.

Order SQUAMATA. Sub-order LACERTILIA. Family GECKONIDÆ.

Gehyra, Gray, 1834.

oceanica, Lesson. Boulenger Cat. Lizards in B.M. i. 152.
A specimen from Moko-hinou is in the British Museum.

Naultinus, Gray, 1840.

grayi, Bell. Lucas and Frost, T.N.Z.I. xxix. 267 (in part); Colenso, T.N.Z.I. xix 147. Variety sulphureus, Buller, T.N.Z.I. iii. 8.

elegans, Gray. Lucas and Frost, T.N.Z.I. xxix. 267 (in part. N. pentagonalis, Colenso, T.N.Z.I. xxii. 262. rudis, Fischer. Lucas and Frost, T.N.Z.I. xxix. 270.

Hoplodactylus, Fitzinger, 1843

maculatus, Gray. Lucas and Frost, T.N.Z.I. xxix. 271. pacificus, Gray. Lucas and Frost, T.N.Z.I. xxix. 272. granulatus, Gray. Lucas and Frost, T.N.Z.I. xxix. 273.

Family Scincidæ.

Lygosoma, Gray, 1828.

grande, Gray. Lucas and Frost, T.N.Z.I. xxix. 275. moco, Dumeril and Bibron. Lucas and Frost, T.N.Z.I. xxix. 276.

dendyi, Boulenger. A.M.N.H. 7, ix. 196.

lineo-ocellatum, Dumeril. Lucas and Frost, T.N.Z.I. xxix. 277.

smithii, Gray. Lucas and Frost, T.N.Z.I. xxix. 277. æneum, Girard. Lucas and Frost, T.N.Z.I. xxix. 278. ornatum, Gray. Lucas and Frost, T.N.Z.I. xxix. 279.

Order Rhynchocephalia. Family HATTERIIDÆ.

Sphenodon, Gray, 1831.

punctatus, Gray. Cat. Chelonians B.M. 2; Dendy. Q.J.M.S. xlii. 1; Howes, T.Z.S. xvi. 1; Harrison, Q.J.M.S. xliv. 161.

APPENDIX TO REPTILIA.

List of Wanderers which have been found in New Zealand.

Order SQUAMATA. Sub-order OPHIDIA. Family Colubridæ.

Platurus colubrinus, Schneider. C.B.M. iii. 308.

Hydrus platurus, Linnæus. C.B.M. iii. 267.

Order CHELONIA. Family SPHARGIDÆ.

Dermochelys coriacea, Linnæus. C.B.M. 10; Cheeseman, T.N.Z.I. xxv. 108.

CLASS, AMPHIBIA.

Order ANURA. Sub-order Phaneroglossa. Family DISCOGLOSSIDÆ.

Liopelma, Fitzinger, 1861.

hochstetteri, Fitzinger. C.B.M. 448; T N.Z.I. xii. 250.

CLASS, PISCES.*

Sub-class Teleostomi. Order Teleostei. Sub-order Acanthopteri. Family SERRANIDÆ.

Polyprion, Cuvier, 1817.

prognathus, Foster. Hutton, T.N Z.I. xxii. 276; No. 26.

Gilbertia, Jordan, 1890.
semicincta, Cuvier. C.B.M. 2nd ed. i. 307. Plectropoma huntii, Hector, T.N.Z.I. vii. 240; Hutton, T.N.Z.I. xxviii. 314.

^{*} For a Bibliography see Hamilton, T.N.Z.I. xxxiv. 539.

Cæcioperca, Castelnau, 1872.

lepidoptera, Forster. C.B.M. 2nd ed. i. 312; T.N.Z.I. xxii. 276; No. 23 (Anthias).

Caprodon, Temminck, 1844.

longimanus, Gunther. C.B.M. 2nd ed. i. 315; T.N.Z.I. xxii. 276; No. 24 (Anthias).

Family LUTJANIDÆ.

Lirus, Lowe, 1836.

porosus, Richardson (Diagramma), Challenger Reports, xxxi. 11.

Plagiogenion, Forbes, 1890.

rubiginosus, Hutton. T.N.Z.I. xxii. 277, No. 28.

Family PENTACEROTIDÆ.

Pseudopentaceros, Gill, 1893 (?).

richardsoni, Smith. T.N.Z.I. xxii. 277, No. 27 (Pentaceros).

Family ARRIPIDIDÆ.

Arripis, Jennings, 1840.

trutta, Cuvier. A. salar, Hutton, Cat. Fishes of N.Z. 2.

Emmelichthys, Richardson, 1846.

nividus, Richardson. Cat. Fishes N.Z. 3 (Erythrichthys).

Family PIMELEPTERIDÆ.

Incisidens, Gill, 1893 (?).
simplex, Richardson.
multilineata, Clarke.
T.N.Z.I. xxii. 277, No. 33 (Girella).

Atypichthys, Gunther, 1862.

strigatus, Gunther. Kirk, T.N.Z.I. xii. 308 (Atypus).

Family SQUAMIPINNES.

Scorpis, Cuvier, 1831.

violaceus, Hutton. T.N.Z.I. xxii. 278 (Nepiotichthys); Regan, A.M.N.H. 7, x. 116.

Family Mullidæ.

Upeneichthys, Bleeker, 1850.

vlamingii, Cuvier. Hector, T.N.Z.I. ix. 465.

Family Sparidæ.

Pagrosomus, Gill, 1893 (?).

auratus, Forster. Pagrus unicolor, Cat. Fishes N.Z. 6; T.N.Z.I. ix. 353.

Family HAPLODACTYLIDÆ.

Haplodactylus, Gunther, 1859.

meandratus, Solander. T.N.Z.I. xxii. 277, No. 34.

Chironemus, Cuvier, 1829.

fergusoni, Hector. T.N.Z.I. vii. 243, and ix. 467 (Haplodactylus).

spectabilis, Hutton. T.N.Z.I. xxii. 277, No. 35 (Chilodactylus).

Chilodactylus, Lacépède, 1803. macropterus, Forster. Cat. Fishes N.Z. 8. douglasi, Hector. T.N.Z.I. vii. 244.

Mendosoma, Guichen, 1847. lineata, Gray. T.N.Z.I. xxii. 277, No. 41.

Latris, Richardson, 1840.
ciliaris, Forster.
lineata, Forster.
aerosa, Hutton.
Latris, Richardson, 1840.
Cat. Fishes N.Z. 9.
Cat. Fishes N.Z. 8.
T.N.Z.I. ix. 353.

Family SCORPÆNIDÆ.

Sebastapistes, Streets, 1877.
percoides, Solander. T.N.Z.I. v. 261, and ix. 353 (Sebastes).
parathri, Hector. T.N.Z.I. vii. 245 (Sebastes).

Scorpæna, Cuvier, 1829. cruenta, Solander. Cat. Fishes N.Z. 10; T.N.Z.I. v. 261. byssoensis, Richardson. Hector, T.N.Z.I. xvi. 323.

Cottapistus, Bleeker, 1876 cottoides, Linnæus. Cat. Fishes N.Z. 11 (*Prosopodasys*).

Family Congiopodidæ.

Congiopodus, Perry, 1871.

leucopæcilus, Richardson. T.N.Z.I. xxii. 277, No. 49 (Agriopus); Stenhouse, T.N.Z.I. xxvi. 111. peruvianus, Cuvier. Hutton, T.N.Z.I. xxviii. 314.

Family Cottidæ.

Neophrynichthys, Gunther, 1876.

latus, Hutton. T.N.Z.I. xxii. 280, No. 100; Gill, Pro. U.S. National Mus. xi 327.

Family Trachinidæ.

Leptoscopus, Gill, 1859. macropygius, Richardson. T.N.Z.I. xxii. 279, No. 88.

Crapatalus, Gunther, 1861. novæ-zealandiæ, Gunther. T.N.Z.I. xxii. 279, No. 89.

Genyagnus, Gill, 1861.
maculatus, Forster. K. monopterygium, Bloch; Cat. Fishes
N.Z. 23.

Kathesostoma, Gunther, 1860.

lævis, Bloch. Cat. Fishes N.Z. 23; K. giganteum, Haast, T.N.Z.I. v. 274.

fluviatilis, Hutton. Cat. Fishes N.Z. 24; T.N.Z.I. xxviii. 315.

Bovichthys, Cuvier, 1831.

variegatus, Richardson. T.N.Z.I. xxii. 279, No. 92.

Notothenia, Richardson, 1844.

maoriensis, Haast. T.N.Z.I. v. 276. angustata, Hutton. T.N.Z.I. viii. 213. cornucola, Richardson. T.N.Z.I. v. 262. arguta, Hutton. T.N.Z.I. xi. 339. microlepidota, Hutton. T.N.Z.I. viii. 213. parva, Hutton. T.N.Z.I. xi. 339.

Cheimarrichthys, Haast, 1874. forsteri, Haast. T.N.Z.I. vi. 103.

Parapercis, Steindachner, 1884. colias, Forster. Cat. Fishes N.Z. 25 (*Percis*). gilliesii, Hutton. A.M.N H. 5, iii. 53.

Family BERYCIDÆ.

Beryx, Cuvier, 1829. affinis, Gunther. T.N.Z.I. xxii. 278, No. 54.

Trachyichthys, Shaw, 18—(?).

trailii, Hutton. T.N.Z.I. xvii. 162; Challenger Reports, xxii. 23.

elongatus, Gunther. Cat. Fishes N.Z. 12. intermedius, Hector. T.N.Z.I. vii. 245.

Family XIPHIIDÆ.

Xiphias, Linnæus, 1748. gladius, Linnæus. T.N.Z.I. xxii. 278, No. 55.

Histiophorus, Cuvier, 1831. herschelii, Gray. T.N.Z.I xxii. 278, No. 56.

Family Lepidopodidæ.

Lepidopus, Gouan, 1770. caudatus, Euphrasen. T.N.Z.I. xxii. 278, No. 57. elongatus, Clarke T.N.Z.I. xi. 294.

Family Gempylidæ.

Thyrsites, Cuvier, 1831. atun, Euphrasen. Cat. Fishes N.Z. 13.

Promethichthys, Gill, 1893. prometheus, Webb and Berthel. Hector, T.N.Z.I. xvi. 322.

Family Carangidæ

Caranx, Lacépède, 1800. georgianus, Cuvier. Cat. Fishes N.Z. 16.

koheru, Hector. T.N.Z.I. vii. 247.

Trachurus, Rafinesque, 1810. trachurus, Linnæus. Cat. Fishes N.Z. 16.

Seriola, Cuvier, 1829. lalandii, Cuvier. Cat. Fishes N.Z. 17.

Naucrates, Rafinesque, 1810. ductor, Linnæus. Cat. Fishes N.Z. 18.

Evistius, Gill, 1893. huttoni, Gunther. T.N.Z.I. xxii. 278, No. 70 (Platystethus).

Family STROMATIDÆ.

Cubiceps, Lowe, 1843.
gracilis, Lowe (?). T.N.Z.I. xxviii. 315

Seriolella, Guichen, 1847.

porosa, Guichen (= Neptomenus dolbula, Gunther), Regan; A.M.N.H. 7, x. 128; T.N.Z.I. viii. 211. bilineata, Hutton. T.N.Z.I. xxviii. 314; Regan; A.M.N.H.

bilineata, Hutton. T.N.Z.I. xxviii. 314; Regan; A.M.N.H. 7, x. 128.

brama, Gunther. Cat. Fishes N.Z. 21 (Neptomenus).

Centrolophus, Lacépède, 1802. maoricus, Ogilby. Rec. Aust. Mus. ii. 64, 1893.

Lirus, Lowe, 1833.
porosus, Richardson (*Diagramma*). Regan, A.M.N.H. 7,
x. 202.

Family Coryphænidæ.

Lampris, Betzius, 1799.
guttatus, Gill, Mem. Nat. Acad. Sci. Phil. vi. 115; L. lima,
Hector, T.N.Z.I. xvi. 322.

Pteraclis, Cuvier, 1833.

velifer, Pallas. C.B.M. 1, ii. 411; Ogilby; Records Aust.

Mus. ii. 65.

Brama, Schneider, 1801. squamosa, Hutton. T.N.Z.I. viii. 210 (Toxotes); T.N.Z.I. ix. 465. Family Scombridæ.

Scomber, Linnæus, 1748. australiasicus, Cuvier. Cat. Fishes N.Z. 21.

Thynnus, Cuvier, 1831.
pelamys, Linnæus. Specimen in Canterbury Museum.

Sarda, Cuvier, 1829. chilensis, Cuvier. Cat. Fishes N.Z. 22 (*Pelamys*).

Lepidothynnus, Gunther, 1889. huttoni, Gunther. Challenger Reports, xxxi. 15; Regan, A.M.N.H. 7, x. 120.

Cybium, Cuvier, 1831. guttatum, Bleeker. T.N.Z I. xxviii. 315.

Gasterochisma, Richardson, 1845.
melampus, Richardson. T.N.Z.I.vi. 104; Regan, A.M. N.H.
7, x.-120.

Family ECHENEIDIDÆ.

Remora, Willoughby, 1686. brachyptera, Lowe. T.N.Z.I. viii. 217 (*Echeneis*).

Family CAPROIDÆ.

Capromimus, Gill, 1893.

abbreviatus, Hector. T.N.Z.I. vii. 247 (Platystethus).

Zeus, Linnæus, 1748.
faber, Linnæus. Cat. Fishes N.Z. 18.

Cyttus, Gunther, 1860. australis, Richardson. Cat. Fishes N.Z. 19. novæ-zealandiæ, Arthur. T.N.Z.I. xvii. 163 (Zeus).

Rhombocyttus, Gill, 1893. traversi, Hutton. T.N.Z.I. v. 261.

Diretmus, Johnston, 1863. aureus, Campbell. T.N.Z.I. xi. 297 (*Discus*); Challenger Reports, xxii. 45.

Family CERATIIDÆ. Ægæonichthys, Clarke, 1878. appellii, Clarke T.N.Z.I. x. 245.

Family Triglidæ.

Trigla, Linnæus, 1748. kumu, Lesson. Cat. Fishes N.Z. 28.

Lepidotrigla, Gunther, 1860.
vanessa, Richardson. T.N.Z.I. xxii. 530.
brachyptera, Hutton. T.N.Z.I. v. 263.

Family GOBIIDÆ.

Gobiomorphus, Gill, 1893 (?). gobioides, Cuvier. T.N.Z.I. v. 263 (Eleotris).

Eleotris, Gronovius, 1763.
radiata, Quoy and Gaimard. T.N.Z.I. v. 263.
huttoni, Ogilby. P.L.S.N.S.W. 1894, ix. 369.

Gobius, Linnæus, 1748.
lentiginosus, Richardson. Cat. Fishes N.Z. 29; Gunther, 'Study of Fishes,' 486, fig. 220.

Family HEMEROCŒTIDÆ.

Hemerocœtes, Valenciennes, 1837.

acanthorhynchus, Forster. Cat. Fishes N.Z. 37.

Family BLENNIDÆ.

Ericentrus, Gill, 1893. rubrus, Hutton. T.N.Z.I. v. 264 (Clinus).

Cologrammus, Gill, 1893. flavescens, Hutton. T.N.Z.I. v. 264 (Clinus).

Cristiceps, Cuvier, 1836. australis, Cuvier. T.N.Z.I. v. 264.

Tripterygion, Risso, 1826.
tripinne, Forster. T. forsteri, Cuvier, T.N.Z.I. ix. 354.
decemdigitatum, Clarke. T.N.Z.I. xi. 292.
medium, Gunther. T.N.Z.I. xxii. 280. No. 14.
dorsale, Clarke T.N.Z.I. xi. 291.
varium, Forster. Cat. Fishes N.Z. 33.
nigripenne, Cuvier. T.N.Z.I. v. 263.
robustum, Clarke. T.N.Z.I. xxii. 28, No. 117.

Auchenopterus, Gunther, 1861. aysoni, Hector. T N.Z.I. xxxiv. 240.

Family Acanthoclinidæ.

Acanthoclinus, Jennings, 1842. littoreus, Forster. Cat. Fishes N.Z. 34. taumaka, Clarke T.N.Z.I. xi. 393.

Family ATHERINIDÆ.

Atherina, Linnæus, 1766. pingius, Lacépède. Kirk, T.N.Z.I. xii. 309.

Family SPHYRÆNIDÆ.

Sphyræna, Artedi, 1738. obtusata, Cuvier. Kirk, T.N.Z.I. xii. 310.

Family Mugilidæ.

Mugil, Linnæus, 1748. cephalotus, Cuvier. T.N.Z.I. xxii. 281, No. 123.

Agonostomus, Telfaire, 1830. forsteri, Bloch. Cat. Fishes N.Z. 37.

Family Macrorhamphosidæ.

Centiscops, Gill, 1862. humerosus, Richardson. Cat. Fishes N.Z. 38 (Centriscus). Family Gobiesocidæ.

Diplocrepis, Gunther, 1861. puniceus, Richardson. T.N.Z.I. xxii. 281, No. 126.

Trachelochismus, Brisson, 1846. pinnulatus, Forster. T.N.Z.I. xxii. 281, No. 127. littoreus, Forster (*Cyclopterus*). *T. guttulatus*, Hutton, Cat. Fishes N.Z. 41.

Crepidogaster, Gunther, 1861. hectoris, Gunther. T.N.Z.I. xxii. 281, No. 121. simus, Hutton. T.N.Z.I. xxviii. 316.

Family TRACHYPTERIDÆ.

Trachypterus, Gouan, 1770. altivelis, Kner. T.N.Z.I. xxii. 281, No. 132. arawata, Clarke. T.N.Z.I. xiii. 195.

Family LOPHOTIDE.

Lophotes, Giorna, 1803. fiskei, Gunther. T.N.Z.I. xxvi. 223, and xxix. 251.

Family REGALICIDÆ.

Regalicus, Nardo, 1827.
pacificus, Haast. T.N.Z.I. x. 247, and xi. 269. argenteus, Parker. T.N.Z.I. xvi. 284, and xx. 20. grillii, Lindroth. T.N.Z.I. xxiv. 192.

Family Notacanthidæ. Notacanthus, Lacépède. 1803. sexspinis, Richardson. Cat. Fishes N.Z. 39.

> Sub-order Pharyngognathi. Family Odacidæ.

Odax, Cuvier, 1839. vittatus, Solander. T.N.Z.I. xxii. 282, No. 144.

Coridodax, Gunther, 1862. pullus, Forster. T.N.Z.I. xxii, 282, No. 145.

Family LABRIDÆ.

Pseudolabrus, Bleeker, 1861. fucicola, Richardson. T.N.Z.I. xxii. 281, No. 137. roseipunctatus, Hutton. T.N.Z.I. xii. 455. bothryocosmus, Richardson. T.N.Z.I. v. 265. miles, Gill. L. coccinea. T.N.Z.I. xxii. 282, No. 139. celidotus, Forster. Cat. Fishes N.Z. 42; Gunther, A.M.N.H. 4, xvii. 398.

cinctus, Hutton. T.N.Z.I. ix. 354.

Pictilabrus, Gill, 1892. laticlavius, Richardson. Hector, T.N.Z.I. xvi. 323.

Cymolutes, Gunther, 1861. sandeyeri, Hector. T.N.Z.I. xvi. 323.

Lepidoplois, Gill, 1863. unimaculatus, Gunther. Hector, T.N.Z.I. xvi. 323.

Duymræia, Bleeker, 1856. flagillifera, Cuvier. Hector, T.N.Z.I. xxii. 527; Gunther, C.F.B.M. iv. 121.

Sub-order Anacanthini. Family Pleuronectidæ.

Caulopsetta, Gill, 1893. scapha, Forster. Cat. Fishes N.Z. 51. (*Pseudorhombus*.) boops, Hector. T.N.Z.I. vii. 249. hectoris, Gunther. Challenger Reports, xxii. 163.

Brachypleura, Gunther, 1862. novæ-zealandiæ, Gunther. Hutton, Cat. Fishes N.Z. 50.

Ammotretis, Gunther, 1862.
rostratus, Gunther. Hutton, T.N.Z.I. viii. 215.
guntheri, Hutton. T.N.Z.I. v. 267.

Rhombosolea, Gunther, 1862.

plebeia, Richardson. R. monopus. Hutton, T.N.Z.I. xxii.
283, No. 170.
flesoides, Gunther. Hutton, T.N.Z.I. xxii. 283, No. 171.
tapirina, Gunther. Hutton, T.N.Z.I. xxii. 283, No. 172.
retiaria, Hutton. T.N.Z.I. xxii. 283, No. 173.

Apsetta, Kyle, 1901. thompsoni, Kyle. PZ.S. 1900, p. 986.

Peltorhamphus, Gunther, 1862. novæ-zealandiæ, Gunther. Hutton, Cat. Fishes N.Z. 52.

Family GADIDÆ.

Physiculus, Kaup, 1858.
bacchus, Forster. Hutton, Cat. Fishes N.Z. 46 (*Lotella*);
Beattie, T.N.Z.I. xxiii. 71.
rhacinus, Forster. Hutton, T.N.Z.I. vi. plate 18, fig. 74.

Pseudophycis, Gunther, 1862. breviusculus, Richardson. Hutton, Cat. Fishes N.Z. 47.

Halargyreus, Gunther, 1862. johnsonii, Gunther. Hutton, Cat. Fishes N.Z. 45.

Onos, Risso, 1826. novæ-zealandiæ, Hector. T.N.Z.I. vi. 107 (Motella). Bathygadus, Gunther, 1878. cottoides, Gunther. Hutton, T.N.Z.I. xxii. 282, No. 147.

Merluccius, Rafinesque, 1810. gayi, Guichen. Hutton, T.N.Z.I. xxii. 282, No. 148.

Auchenoceros, Gunther, 1889. punctatus, Hutton. T.N.Z.I. xxii. 282, No. 154.

Family Ophididæ.

Hypolycodes, Hector, 1881. haastii, Hector. T.N.Z.I. xiii. 194.

Dinematichthys, Bleeker, 1854. consobrinus, Hutton. Hector, T.N.Z.I. ix. 466.

Genypterus, Philippi, 1855. blacodes, Forster. Hutton, Cat. Fishes N.Z. 48.

Family MACRURIDÆ.

Cœlorhynchus, Agassiz, 1843.

parallelus, Gunther. Challenger Reports, xxii. 125.

australis, Richardson. Hutton, Cat. Fishes N.Z. 78.

Macrurus, Bloch, 1787.
rudis, Gunther. Challenger Reports, xxii. 131.
serrulatus, Gunther. Challenger Reports, xxii. 133.

Cetonurus, Gunther, 1887. crassiceps, Gunther. Challenger Reports, xxii. 143.

Chalinura, Goode and Bean, 1886. murrayi, Gunther. Challenger Reports, xxii. 146.

Optonurus, Gunther, 1887. denticulatus, Richardson. Hutton, Cat. Fishes N.Z. 49.

Nematonurus, Gunther, 1887. armatus, Hector. T.N.Z.I. vii. 249; Challenger Reports, xxii. 150.

Trachyrhynchus, Bonaparte, 18— (?). longirostris, Gunther. Challenger Reports, xxii. 153.

Macrurorus, Gunther, 1873. novæ-zealandiæ, Hector. T.N.Z.I. iii. 136 (Coryphænoides).

Sub-order Physostomi. Family Exocetide.

Exocœtus, Linnœus, 1748.
micropterus, Cuvier. Hutton, Cat. Fishes N.Z. 54.
speculiger, Cuvier. Hutton, Cat. Fishes N.Z. 55.
ilma, Clarke. T.N.Z.I. xxxi. 94.

Hemirhamphus, Cuvier, 1817. intermedius, Cuvier. Hutton, Cat. Fishes N.Z. 53.

Scombresox, Lacépède, 1803. forsteri, Cuvier. Hutton, Cat. Fishes N.Z. 53.

Family Sternoptychidæ.

Argyropelecus, Cocco, 1829. intermedius, Clarke. T.N.Z.I. x. 244.

Sternoptyx, Herman, 17— (?). diaphana, Herman. Gunther, Challenger Reports, xxii. 169.

Phosichthys, Hutton, 1872. argenteus, Hutton. T.N.Z.I. v. 269. Challenger Reports, xxii. 178.

Maurolicus, Cocco, 1829. australis, Hector. T.N.Z.I. vii. 250.

Gonostoma, Rafinesque, 1810. microdon, Gunther. Challenger Reports, xxii. 175.

Family Scopelidæ.

Lampadena, Goode and Bean, 1895. parvimana, Gunther. Hutton, T. N.Z.I. v. 269 (Scopelus).

Myctophum, Rafinesque, 1810. hectoris, Gunther. T.N.Z.I. ix. 471. boops, Richardson. Hutton, T.N.Z.I. v. 269.

Rhinoscopelus, Lütken, 1892. coruscans, Richardson. Hutton, T.N.Z.I. v. 270.

Neoscopelus, Johnson, 1863. macrolepidotus, Johnson. Gunther, Challenger Reports, xxii. 196.

Alepisaurus, Lowe, 1833. ferox, Lowe. Hutton, T.N.Z.I. xxxiv. 197.

Bathysaurus, Gunther, 1878. ferox, Gunther. Hutton, T.N.Z.I. xxii. 283, No. 179.

Chlorophthalmus, Bonaparte, 1841. gracilis, Gunther. Hutton, T.N.Z.I. xxii. 283, No. 180.

Bathypterois, Gunther, 1878. longifilis, Gunther. Challenger Reports, xxii. 185.

Family HAPLOCHITONIDÆ.

Prototroctes, Gunther, 1864. oxyrhynchus, Gunther. Hutton, Cat. Fishes N.Z. 57.

Family Argentinidæ.

Argentina, Linnæus, 1748.

sphyræna, Linnæus. Challenger Reports, xxii. 218; A. decagon, Clarke, T.N.Z.I. xi. 296.

elongata, Hutton. A.M.N.H. 5, iii. 53; Challenger Reports, xxii. 218.

Retropinna, Gill, 1862.

richardsoni, Gill. Hutton, T.N.Z.I. xxii. 284, No. 194.

Family GALAXIDÆ.

Galaxias, Cuvier, 1817.

alepidotus, Forster. Hutton, Cat. Fishes N.Z. 58. var. brocchus, Richardson. Voy. Erebus & Terror, Fishes, 76. kokopu, Clarke. T.N.Z.I. xxxi. 88 fasciatus, Gray. Hutton, Cat. Fishes N.Z. 59. bollonsi, Hutton. T.N.Z.I. xxxiv. 192. postvectis, Clarke. T.N.Z.I. xxxi. 88. robinsoni, Clarke. T.N.Z.I. xxxi. 89. brevipinnis, Gunther. Hutton, Cat. Fishes N.Z. 59. var. grandis, Haast. T.N.Z.I. v. 278. lynx, Hutton. T.N.Z.I. xxviii. 317. attenuatus, Jennings. Hutton, Cat. Fishes N.Z. 60.

Neochanna, Gunther, 1867. apoda, Gunther. Hutton, Cat. Fishes N.Z. 61.

Family Gonorhynchidæ.

Gonorhynchus, Gronovius, 1763. greyi, Richardson. Hutton, Cat. Fishes N.Z. 62.

Family CLUPEIDÆ.

Chanos, Lacépède, 1803. salmoneus, Forster. Hutton, Cat. Fishes N.Z. 64.

Clupea, Linnæus, 1748.

sagax, Jenyns. Hutton, T.N.Z.I. xxii. 284, No. 199. antipoda, Hector. Hutton, Cat. Fishes N.Z. 133; T.N.Z.I. xv. 203.

Stolephorus, Lacépède, 1803. encrasicholus, Linnæus. Hutton, Cat. Fishes N.Z. 99.

Family MURÆNIDÆ.

Muræna, Linnæus, 1766. krullii, Hector, T.N.Z.I. ix. 468.

Ophisurus, Lacépède, 1800. novæ-zealandiæ, Hector. T.N.Z.I. ii. 34. Anguilla, Thunberg, 1790. aucklandii, Richardson. Hutton, Cat. Fishes N.Z. 64. australis, Richardson. Hutton, Cat. Fishes N.Z. 65.

Congermuræna, Kaup, 1866. habentata, Richardson. Hutton, Cat. Fishes N.Z. 66.

Leptocephalus, Gronovius, 1754. conger, Willoughby. Hutton, Cat. Fishes N.Z. 66.

Sub-order LOPHOBRANCHII. Family HIPPOCAMPIDÆ.

Hippocampus, Leach, 1814 abdominalis, Lesson. Hutton, Cat. Fishes N.Z. 70.

Solegnathus, Swainson, 1839. spinossissimus, Gunther. Hutton, Cat. Fishes N.Z. 69; T.N.Z.I. xxii. 285, No. 214.

Family SYGNATHIDÆ.

Stigmatophora, Kaup, 1853. longirostris, Hutton. Cat. Fishes N.Z. 69; T.N.Z.I. xxii. 285, No. 213.

Ichthyocampus, Kaup, 1853. filum, Gunther. Hutton, Cat. Fishes N.Z. 68.

Doryichthys, Kaup, 1853. elevatus, Hutton. Cat. Fishes N.Z. 68.

Siphostoma, Rafinesque, 1810.

pelagica, Linnæus. Hutton, Cat. Fishes N.Z. 67.

blainvilliana, Eydoux and Soul. Gill, Nat. Acad. of Sci.

Washington, vi. 122.

Sub-order Plectognathi. Family Balistidæ.

Monacanthus, Cuvier, 1817. scaber, Forster. T.N.Z.I. xxii. 285, No. 216.

Family Tetraodontidæ. Amblyrhynchotus, Bibron, 1855. richei, Fremiville. Cat. Fishes N.Z. 72.

Crayracion, Klein, 1743. gillbanksii, Clarke, T.N.Z.I. xxix. 245.

Gastrophysus, Müller, 1842. cheesemanni, Clarke. T.N.Z.I. xxix. 248.

Family DIODONTIDÆ.

Dicotylichthys, Kaup, 1855.
jaculiferus, Cuvier. Hutton, T.N.Z.I. v. 271.

Family MOLIDÆ.

Mola, Nardo, 1827. mola, Linnæus, Gill. Mem. Acad. Nat. Sci. Phil. vi. 122.

Sub-class Holocephali. Family Chimæridæ.

Callorhynchus, Gronovius, 1754. antarcticus, Lacépède. Hutton, T.N.Z.I. xxii. 276, Nos. 21 and 22; Hector, T.N.Z.I. xxxiv. pl. xiv.

Chimæra, Linnæus, 1766. monstrosa, var. australis, Hector. T.N.Z.I. xxxiv. 239.

Sub-class Elasmobranchii.
Order Selachii.
Sub-order Hypotremi.
Family Aëtobatidæ.

Aëtobatus, Blainville, 1828. tenuicaudatus, Hector. T.N.Z.I. ix. 286 (Myliobatis).

Family DASYBATIDÆ.

Dasybatis, Bonaparte, 1841.
brevicaudatus, Hutton. T.N.Z.I. viii. 216 (Trygon).

Family Torpedinidæ.

Torpedo, Dumeril, 1806.
fairchildi, Hutton, Cat. Fishes N.Z. 83

fairchildi, Hutton. Cat. Fishes N.Z. 83. fusca, Parker. T.N.Z.I. xvi. 281.

Family NARCOBATIDÆ.

Astrape, Muller and Henle, 1837.

aysoni, Hamilton. T.N.Z.I. xxxiv. 225.

Family Raiidæ.

Raia, Linnæus, 1748. nasuta, Solander. Hutton, T.N.Z.I. xxii. 276, No. 18.

Sub-order ASTEROSPONDYLI. Family SPHYRNIDÆ.

Sphyrna, Rafinesque, 1810. zygæna, Linnæus. Z. malleus, Hutton, T.N.Z.I. xxii. 275, No. 3.

Family GALEIDÆ.

Carcharias, Rafinesque, 1810. lamia, Risso. Challenger Reports, xxxi. 5.

Carcharinus, Blainville, 1828. brachyurus, Gunther. Hutton, Cat. Fishes N.Z. 75. Galeorhinus, Blainville, 1828.

australis, Macleay. Hutton, T.N.Z.I. xxii. 275, No. 2 (Galeus).

Galeus, Cuvier, 1817.

antarcticus, Gunther. Hutton, T.N.Z.I. xxii. 275, No. 4 (Mustelus). Parker, T.N.Z.I. xxii. 331.

Family ALOPHDÆ.

Alopias, Rafinesque, 1810.

vulpes, Gmelin. Hutton, Cat. Fishes N.Z. 78.

Family CETORHINIDÆ.

Cetorhinus, Blainville, 1816.

maximus, Gunn. Cheeseman, T.N.Z.I. xxiii. 126 (Selache).

Family ISURIDÆ.

Carcharodon, A. Smith, 1837.

carcharias, Müller. Č. rondeletii, Hutton, Cat. Fishes N.Z. 78.

Isurus, Rafinesque, 1810.

cornubicus, Gmelin. Haast, T.N.Z.I. vii. 237.

Family Scylliorhinidæ.

Cephaloscyllium, Gill, 1861.

laticeps, Dumeril. Hutton, T.N.Z.I. xxii. 276, No. 9.

Sub-order Cyclospondyli.

Family OXYNOTIDÆ.

Oxynotus, Rafinesque, 1810.

bruniensis, Ogilby. Records Aust. Mus. ii. 62; C. salviana, T.N.Z.I. xxii. 276, No. 10.

Family SQUALIDÆ.

Squalus, Linnæus, 1748.

acanthias, Linnæus. A. vulgaris, Hutton, Cat. Fishes N.Z. 76.

Family Dalatiidæ.

Dalatias, Rafinesque, 1810.

lichia, Cuvier. Parker, T.N.Z.I. xv. 223 (Scymus).

Family Echinorhinidæ.

Echinorhinus, Blainville, 1828.

spinosus, Cuvier. Parker, T.N.Z.I. xvi. 280.

Sub-order Opistharthri.

Family HEXANCHIDÆ

Notorhynchus, Ayres, 1856

indicus, Cuvier. Hutton, Cat. Fishes N.Z. 79 (Notidanus).

CLASS, CYCLOSTOMATA.

Family PTEROMYZONTIDÆ.

Geotria, Gray, 1851.

australis, Gray. Hutton, T.N.Z.I. xxii. 285, Nos. 221 and 222; Dendy, T.N.Z.I. xxxiv. 147.

Family HEPTATREMIDÆ.

Heptatrema, Duméril, 18— (?). cirrata, Forster. Hutton, Cat. Fishes N.Z. 87 (Bdellostoma).

CLASS, LEPTOCARDII.

Family Brachiostomidæ. **Heteropleuron**, Kirkaldy, 1894.
hectori, Benham. Q.J.M.S. xliv. 273 (1901).

SUB-PHYLUM, UROCHORDA.

CLASS, TUNICATA.

Order Ascidiaceæ. Sub-order Ascidiæ-compositæ. Family Botryllidæ.

Botryllus,, Lamarck, 1801.
racemosus, Quoy and Gaimard. Voy. Astrolabe, Zool. iii.
620 (Gen. dub.).

Family DISTOMIDÆ.

Cystodytes, Drasche, 1883. aucklandicus, Nott. T.N.Z.I. xxiv. 323. perspicuus, Nott. T N.Z.I. xxiv. 326.

Family DIDEMNIDÆ.

Leptoclinum, Milne-Edwards, 1841.
niveum, Nott. T.N.Z.I. xxiv. 308.
densum, Nott. T.N.Z.I. xxiv. 311.
tuberatum, Nott. T.N.Z I. xxiv. 314.
maculatum, Nott. T.N.Z.I. xxiv. 316.

Family —— (?).

Polysyncraton, Nott, 1892. paradoxum, Nott. T.N.Z.I. xxiv. 318. fuscum, Nott. T.N.Z.I. xxiv. 321. Sub-order Ascidiæ-simplices. Family Boltenidæ.

Boltenia, Savigny, 1816.

pachydermatina, Herdman. Challenger Reports, vi. 89; Watt, T.N.Z.I. xxiv. 334.

Culeolus, Herdman, 1882.

wyville-thomsoni, Herdman. Challenger Reports, vi. 103.

Family CYNTHIDÆ.

Polycarpa, Heller, 1877.

elata, Heller. Sitz. Akad. Wien, 1878 (Loc. dub.). nebulosa, Heller. Sitz. Akad. Wien, 1878 (Loc. dub.).

Family Ascididæ.

Ascidia, Linnæus, 1758.

erythrostoma, Quoy and Gaimard. Voy. Astrolabe, Zool. iii. 609 (Gen. dub.).

janthinoctoma, Quoy and Gaimard. Voy. Astrolabe, Zool. iii. 610 (Gen. dub.).

cærulea, Quoy and Gaimard. Voy. Astrolabe, Zool. iii. 611 (Gen. dub.).

Order THALIACEA. Family Pyrosomatidæ.

Pyrosoma,, Péron, 1804.

sp. innom. Herdman. Challenger Reports, xxvii. pp. 13 and 35.

elegans, Lamarck (?). Challenger Reports, xxvii. p. 35.

Family SALPIDÆ.

Salpa, Forskal, 1775.

costata-tilesii, Quoy. Voy. Astrolabe, Zool. iii. 570; Chall. Rep. xxvii. 60.

infundibuliformis, Quoy. Voy. Astrolabe, Zool. iii. 587. cordiformis-zonaria. Quoy. Challenger Reports, xxvii. 70. democratica-mucronata, Forster. Challenger Reports, xxvii. 79.

Family Dollolidæ.

Doliolum, Quoy and Gaimard, 1835.

denticulatum, Quoy. Challenger Reports, xxvii. 44. ehrenbergii, Krohn. Challenger Reports, xxvii. 46.

CLASS, HEMICHORDA.

Family HARRIMANCIDÆ.

Dolichoglossus, Spengel, 1893. otagoensis, Benham. T.N.Z.I. xxxii. 9 (Balanoglossus).

PHYLUM, MOLLUSCA.

CLASS, CEPHALOPODA.

Order OCTOPODA. Family OCTOPODIDÆ.

Octopus, Lamarck, 1799.
maorum, Hutton. Man. N.Z. Moll. 1.
communis, Park. T.N.Z.I. xvii. 198.

Pinnoctopus, d'Orbigny, 1845. cordiformis, Quoy and Gaimard. Man. N.Z. Moll. 2; Man. Conch. 1, i. 128.

Eledone, Leach, 1817. verrucosa, Verrill. 'Blake' Report, 105.

Family Argonautidæ.

Argonauta, Linnæus, 1758.

argo, Linnæus. Austral. Mus. Sydney, Cat. xv. 1; A. bulleri, T. W. Kirk.

nodosa, Solander. Austral. Mus. Sydney, Cat. xv. 2: A. gracilis, T. W. Kirk.

Family AMPHITRETIDÆ.

Amphitretus, Hoyle, 1885. pelagicus, Hoyle. Challenger Reports, xvi. 67.

cus. Hoyle. Challenger Reports, xvi. 67

Family CIRROTEUTHIDÆ.

Cirroteuthis, Eschricht, 1836. meangensis, Hoyle. Challenger Reports, xvi. 63.

Order DECAPODA. Family CRANCHIDE.

Taonius, Steenstrup, 1861.

suhmii (Lankester), Hoyle. Challenger Reports, xvi. 45,

Family Chiroteuthidæ.

Calliteuthis, Verrill, 1880.

? reversa, Verrill. Ceph. N.E. America, 295.

Family ONICHOTEUTHIDÆ.

Onichoteuthis, Lichtenstein, 1818.

banksii, Leach. O. bartlingii, Lesueur. Man. Conch. 1, i. 168.

Family Ommastrephidæ.

Todarodes, Steenstrup, 1880.

sloanii, Gray. Man. N.Z. Moll. 3; Man. Conch. 1, i. 180.

Architeuthis, Steenstrup, 1856.

verrillii, T. W. Kirk. T.N.Z.I. xiv. 284. kirkii, Robson. T.N.Z.I. xix. 155. longimanus, T. W. Kirk. T.N.Z.I. xx. 34.

Steenstrupia, T. W. Kirk, 1882.

stockii, T. W. Kirk. T.N.Z.I. xiv. 286.

Family LOLIGINIDÆ.

Sepioteuthis, Blainville, 1825.

lessoniana, Férussac. Austral. Mus. Sydney, Cat. xv. 14; Man. Conch. 1, i. 152.

bilineata, Quoy and Gaimard. Austral. Mus. Sydney, Cat. xv. 15; Man. Conch. 1, i. 154.

Family Sepiolidæ.

Sepiola, Leach, 1817.

pacifica, T. W. Kirk. T.N.Z.I. xiv. 283.

Family Sepiidæ.

Sepia, Linnæus, 1758.

apama, Gray. Austral. Mus. Sydney, Cat. xv. 11; Man. Conch. 1, i. 194.

Family Spirulidæ.

Spirula, Lamarck, 1799.

peroni, Lamarck. Austral. Mus. Sydney, Cat. xv. 10; Man. Conch. 1, i. 205.

CLASS, GASTEROPODA.

Sub-class Euthyneura. Order Pulmonata. Sub-order Stylommatophora. Family Oncididæ.

Onchidella, Gray, 1850.

patelloides, Quoy and Gaimard. Man. N.Z. Moll. 28.
nigricans, Quoy and Gaimard. Man. N.Z. Moll. 28.
irrorata, Gould. Man. N.Z. Moll. 28.
campbelli, Filhol. Mission, Ile Campbell, 521.
obscura, Plate. Zool. Jahrb. Anat. vii. 207.

Family ATHORACOPHORIDÆ.

Athoracophorus, Gould, 1852 = Janella, Gray, 1850.

bitentaculatus, Quoy and Gaimard. P.L.S.N.S.W. 2, vii. 661; P.Mal.S. ii. 247.

antipodum, Gray. P.Mal.S. ii. 248.

papillatus, Hutton. P.Mal.S. ii. 251. marmoreus, Hutton. P.Mal.S. ii. 255.

marmoratus, v. Martens. Nova Acta, etc. liv. 71.

verrucosus var. nigricans, v. Martens. Nova Acta, etc. liv. 77.

verrucosus var. fasciata, v. Martens. Nova Acta, etc. liv. 79.

dubius, Cockerell. P.Mal.S. ii. 249. simrothi, Suter. P.Mal.S. ii 34. dendyi, Suter. P.Mal.S. ii. 253.

schauinslandi, Plate. Zool. Jahrb. Anat. xi. 193-269.

Family Tornatellinidæ.

Tornatellina, Beck, 1837.

novoseelandica, Pfeiffer. P.L.S.N.S.W. 2, vii. 660.

Family BULIMULIDÆ.

Placostylus, Beck, 1837.

hongii, Lesson. P.L.S.N.S.W. 2, vii. 632; Man. Conch. 2, XIII. 22.

var. novoseelandica, Pfeiffer. P.L.S.N.S.W. 2, vii. 632;

Man. Conch. 2, xiii. 24. var. candida, Crosse. P.L.S.N.S.W. 2, vii. 632; Man. Conch, 2, xiii. 25.

Family PATULIDÆ.

Genus Endodonta, Albers, 1850.

Charopa, Albers, 1860.

coma, Gray. P.L.S.N.S.W. 2, vii. 653; Man. Conch. 2, iii. 22.

var. globosa, Suter. P.L S.N.S.W. 2, vii. 654. ,, multicostata, Murdoch. P.Mal.S. ii. 161.

egesta, Gray. P.L.S.N.S.W. 2, vii. 659; Man. Conch. 2, iii. 23.

buccinella, Reeve. P.L.S.N.S.W. 2, viii. 497; Man. Conch. 2, viii. 98; E. sylvia. Hutton, T.N.Z.I. xvi. 175.

var. serpentinula, Suter. P.L.S.N.S.W. 2, vii. 657. anguiculus, Reeve. P.L.S.N.S.W. 2, vii. 655; Man. Conch. 2. iii. 23.

var. montivaga, Suter. P.L.S.N.S.W. 2, viii. 498.

" fuscosa, Suter. T.N.Z.I. xxvi. 135.

corniculum, Reeve. P.L.S.N.S.W. 2, vii. 655; Man. Conch. 2, iii. 24.

Charopa var. maculata, Suter. T.N.Z.I. xxiii. 89; Man. Conch. 2, viii. 96.

infecta, Reeve. P.L.S.N.S.W. 2, vii. 657; Man. Conch. 2, iii. 23.

var. irregularis, Suter. T.N.Z.I. xxii. 224; Man. Conch. 2, viii. 98.

var. alpestris, Suter. T.N.Z.I. xxiii. 88; Man. Conch. 2, viii. 99.

caput-spinulæ, Reeve. P.L.S.N.S.W. 2, vii. 659; Man. Conch. 2, iii. 102.

biconcava, Pfeiffer. P.L.S.N.S.W. 2, vii. 658; Man.

Conch. 2, i. 130.

modicella, Férussac, var. vicinalis, Mousson. Journ. de Conch. xxi. 112; Man. Conch. 2, iii. 39.

bianca, Hutton. P.L.S.N.S.W. 2, vii. 655; Man. Conch. 2, viii. 97.

var. montana, Suter. T.N.Z.I. xxiii. 88; Man. Conch. 2, viii. 97.

tapirina, Hutton. P.L.S.N.S.W. 2, vii. 656; Man. Conch. 2, 111. 23.

colensoi, Suter. P.L.S.N.S.W. 2, vii. 657; Man. Conch. 2, viii. 99.

variecostata, Suter. T.N.Z.I. xxii. 225; Man. Conch. 2, viii. 100.

subantialba, Suter. T.N.Z.I. xxii. 226; Man. Conch. 2, viii. 104.

huttoni, Suter. T.N.Z.I. xxii. 226; Man. Conch. 2, viii. 104. moussoni, Suter. T.N.Z.I xxii. 227; Man. Conch. 2, viii. 105. sterkiana, Suter. T.N.Z.I. xxiii. 85; Man. Conch. 2, viii. 101. var. reeftonensis, Suter. T.N.Z.I. xxiv. 294; Man. Conch. 2, viii. 102.

var. major, Suter. T.N.Z.I. xxiv. 295.

brouni, Suter. T.N.Z.I. xxiii. 86; Man. Conch. 2 viii. 102. eremita, Suter. T.N.Z.I. xxiii. 87; Man. Conch. 2, viii. 103. mutabilis, Suter. T.N.Z.I. xxiii. 84; Man. Conch. 2, viii. 101. pseudocoma, Suter. P.L.S.N.S.W. 2, viii. 495. segregata, Suter. P.L.S.N.S.W. 2, viii. 496.

prestoni, Sykes. P. Mal.S. i. 218. roseveari, Suter. P.Mal.S. ii. 34. titirangiensis, Suter. P. Mal.S. ii. 35.

vortex, Murdoch P.Mal.S. ii. 160. otagoensis, Suter. P. Mal.S. iii. 286.

subinfecta, Suter. P. Mal.S. iii. 286.

Æschrodomus, Pilsbry, 1892.

stipulata, Reeve. P.L.S.N S.W. 2, vii. 659; Man. Conch. 2, iii. 94.

barbatula, Reeve. P.L.S.N.S.W. 2, vii. 660; Man. Conch. 2, iii. 95.

Phenacharopa, Pilsbry, 1893.

novoseelandica, Pfeiffer. P.L.S.N.S.W. 2, vii. 660.

Thaumatodon, Pilsbry, 1893.

varicosa, Pfeiffer. P.L.S.N.S.W. 2, viii. 493; Man. Conch.

2, iii. 23; T.N.Z.I. xxvi. 128.

tau, Pfeiffer. P.Mal.S. iii. 321; Man. Conch. 2. viii. 84. jessica, Hutton. P.L.S.N.S.W. 2, vii. 651; Man. Conch. 2, viii. 85.

cryptobidens, Suter. T.N.Z.I. xxiii. 89; Man. Conch. 2, viii. 85.

Ptychodon, Ancey, 1888.

leiodon, Hutton. T.N.Z.I. xv. 135; Man. Conch. 2, viii. 87. pseudoleiodon, Suter. T.N.Z.I. xxii. 221; Man. Conch. 2. viii. 88.

wairarapa, Suter. T.N.Z.I. xxii. 222; Man. Conch. 2, viii. 88. hectori, Suter. P.L.S.N.S.W. 2, vii. 652; Man. Conch. 2, viii. 89.

microundulata, Suter. T.N.Z.I. xxii. 223; Man. Conch.

2. viii. 89.

aorangi, Suter. T.N.Z.I. xxii. 223; Man. Conch. 2, viii. 90. hunuaensis, Suter. P.L.S.N.S.W. 2, viii. 494. ureweraensis, Suter. Journ. Malac. vii. 53.

Family LAOMIDÆ.

Laoma, Gray, 1850.

leimonias, Gray. P.L.S.N.S.W. 2, vii. 646; Man. Conch. 2, iii. 68.

pœcilosticta, Pfeiffer. P.L.S.N.S.W. 2, vii. 646; Man. Conch. 2, iii. 68.

marina, Hutton. P.L.S N.S.W. 2, vii. 646; Man. Conch. 2, viii. 57.

pirongiaensis, Suter. P.L.S.N.S.W. 2, viii. 491.

ciliata, Suter. T.N.Z.I. xxvi. 136. elegans, Suter. P.Mal.S. ii. 35.

Phrixgnathus, Hutton, 1883.

mariæ, Gray. P.L.S.N.S.W. 2, vii. 647; Man. Conch. 2, iii. 37. erigone, Gray. P.L.S.N.S.W. 2, vii. 648: Man. Conch. 2, iii. 37.

glabriuscula, Pfeiffer. P.L.S.N.S.W. 2, vii. 650; Man.

Conch. 2, iii. 37. regularis, Pfeiffer. P.L.S.N.S.W. 2, vii. 648; Man. Conch. 2, 111. 37.

sciadium, Pfeiffer. P.L.S.N.S.W. 2, vii. 650.

fatua, Pfeiffer. P.L.S.N.S.W. 2, vii. 650.

conella, Pfeiffer. P.L.S.N.S.W. 2, vii. 647; Man. Conch. 2, viii. 58.

Phrixgnathus campbellica, Filhol. P.L.S.N.S.W. 2, vii. 649. ariel, Hutton. P.L.S.N.S.W. 2, vii. 647; Man. Conch, 2, viii. 59.

marginata, Hutton. P.L.S.N.S.W. 2, vii. 647; Man. Conch. 2, viii. 60. celia, Hutton. P.L.S.N.S.W. 2, vii. 648; Man. Conch. 2,

viii. 60.

pumila, Hutton. P.L.S.N.S.W. 2, vii. 648; Man. Conch. 2, viii. 63.

phrynia, Hutton. P.L.S.N.S.W. 2, vii. 649: Man. Conch. 2, viii. 61; L. acanthinulopsis, Suter, P.L.S.N.S.W. 2, vii. 650.

var. major, Suter. P.Mal.S. ii. 259.

titania, Hutton. P.L.S.N.S.W. 2, vii. 650; Man. Conch. 2, viii. 62.

haasti, Hutton. P.L.S.N.S.W. 2, vii. 650; Man. Conch. 2, viii. 62.

microreticulata, Suter. T.N.Z.I. xxii. 227; Man. Conch.

2, viii. 63.

raricostata, Suter. T.N.Z.I. xxii. 226; Man. Conch. 2, viii. 100. allochroida, Suter. T.N.Z,I. xxii. 228; Man. Conch. 2, viii. 63. var. sericata, Suter. T.N.Z.I. xxii. 228; Man. Conch. 2, viii. 64.

var. lateumbilicata, Suter. T.N Z.I. xxii. 228; Man.

Conch. 2, viii. 64.

transitans, Suter. T.N.Z.I. xxiv. 297; Man. Conch, 2, viii. 59. murdochi, Suter. T.N.Z.I. xxvi. 136.

cheesemani, Suter. T.N.Z.I. xxvi. 137.

lucida, Suter. P.Mal.S. ii. 36.

var. elevata, Suter. P.Mal.S. ii. 36.

spiralis, Suter. P.Mal.S. ii. 36.

moellendorffi, Suter. P.Mal.S. ii. 36.

sublucida, Suter. P.Mal.S. ii. 37.

hamiltoni, Suter. P.Mal.S. ii. 37.

Family Phenacohelicidæ.

Flammulina, v. Martens, 1873.

zebra, Le Guillon. P.L.S.N.S.W. 2, vii. 643; Man. Conch. 2, i. 128.

chiron, Gray. P.L.S.N.S.W. 2, vii. 644; Man. Conch. 2, i. 129. compressivoluta, Reeve. P.L.S.N.S.W. 2, vii. 643; Man. Conch. 2, i. 128.

crebriflammis, Pfeiffer. P.L.S.N.S.W. 2, vii 644; Man.

Conch. 2, i. 130 (not infundibulum, H. and J.).

alpina, Suter. Corneo-fulva, Suter, not of Pfeiffer, which is Hyalinia cellaria, Mueller, an introduced species. P.L.S. N.S.W. 2, vii. 644; Man. Conch. 2, viii. 76.

cornea, Hutton. P.L.S.N.S.W. 2, vii. 643; Man. Conch.

2, viii. 75.

Flammulina jacquenetta, Hutton. P.L.S.N.S.W. 2, vii.

643; Man. Conch. 2, viii. 76.

perdita, Hutton. P.L.S.N.S.W. 2, vii. 644; Man. Conch. 2, viii. 76.

costulata, Hutton. P.L.S.N.S.W. 2, vii. 645; Man. Conch. 2, viii. 73.

feredayi, Suter. P.L.S.N.S.W. 2, vii. 645; Man. Conch. 2, viii. 74.

var. glacialis, Suter. T.N.Z.I. xxiii. 92.

olivacea, Suter. P.L.S.N.S.W. 2, vii. 645; Man. Conch. 2, viii. 75. pilsbryi, Suter. T.N.Z.I. xxvi. 133.

Suteria, Pilsbry, 1892.

ide, Gray. P.L.S.N.S.W. 2, vii. 642; Man. Conch. 2, ii. 210.

Phenacohelix, Suter, 1892.

pilula, Reeve. P.Mal.S. ii. 284; Man. Conch. 2, ii 212.

chordata, Pfeiffer. P.L.S.N.S.W. 2, vii. 642.

lucetta, Hutton. P.L.S.N.S.W. 2, vii. 654; P. Mal. S. iii. 323.

perplexa, Murdoch. P.Mal.S. ii. 161. ponsonbyi, Suter. P.Mal.S. ii. 285.

var. unicolor, Suter. T.N.Z.I. xxvi. 134.

Therasia, Hutton, 1883.

thaisa, Hutton. P.L.S.N.S.W. 2, vii. 641; Man. Conch. 2, viii. 70.

celinde, Gray. P.L.S.N.S.W. 2, vii. 640; Man. Conch. 2, ii. 211.

ophelia, Pfeiffer. P.L.S.N.S.W. 2, vii. 640; Man. Conch. 2, ii. 211.

decidua, Pfeiffer. P.L.S.N.S.W. 2, vii. 641; Man. Conch. 2, viii. 71.

valeria, Hutton. P.L.S.N.S.W. 2, vii. 640; Man. Conch. 2, viii. 69.

tamora, Hutton. P.L.S.N.S.W. 2, vii. 641; Man. Conch. 2, viii. 70.

traversi, E. A. Smith. P.L.S.N.S.W. 2, vii. 641; Man. Conch. 2, ii. 214.

Pyrrha, Hutton, 1884.

cressida, Hutton. P.L.S.N.S.W. 2, vii. 640; Man. Conch. 2, viii. 72.

subincarnata, Suter. T.N.Z.I. xxvi. 133. virescens, Suter. P.Mal.S. iii. 287.

Allodiscus, Pilsbry, 1892.

dimorpha, Pfeiffer. P.L.S.N.S.W. 2, vii. 638; Man. Conch. 2, ii. 211.

Allodiscus tullia, Gray. P.L.S.N.S.W. 2, vii, 638.; Man. Conch. 2, ii. 211.

granum, Pfeiffer. P.L.S.N.S.W. 2, vii. 43; miranda, Hutton, T.N.Z.I. xvi. 180; Man. Conch. 2, ii. 212; viii. 68.

venulata, Pfeiffer. P.L.S.N.S.W. 2, vii. 638.

cassandra, Hutton. P.L.S.N.S.W. 2, viii. 638; Man. Conch. 2, viii. 66.

planulata, Hutton. P.L.S.N.S.W. 2, vii. 638; Man. Conch. 2, viii. 67.

adriana, Hutton. P.L.S.N S.W. 2, vii. 639; Man. Conch. 2, viii. 67.

godeti, Suter. P.L.S.N.S.W. 2, vii. 639; Man. Conch. 2, viii. 68.

wairoaensis, Suter. P.L.S.N.S.W. 2, viii. 488. urquharti, Suter. P.L.S.N.S.W. 2, viii. 489. smithi, Suter. T.N.Z.I. xxvi. 134. rustica, Suter. T.N.Z.I. xxvi. 135. chion, Sykes. P.Mal.S. ii. 107.

mossi, Murdoch. P.Mal.S. ii. 162.

Gerontia, Hutton, 1883.

pantherina, Hutton. P.L.S.N.S W. 2, vii. 637; Man. Conch. 2, viii. 65.

cordelia, Hutton. P.L.S.N.S.W. 2, vii. 637; Man. Conch. 2, viii. 66.

Carthæa, Hutton, 1884.

kivi, Gray. P.L.S.N.S.W. 2, vii. 633; Man. Conch. 2, iii. 37.

Thalassohelix, Pilsby, 1892.

zealandiæ, Gray. P.L.S.N.S.W. 2, vii. 637; Man. Conch. 2, ii. 214.

var antipoda, Hombron and Jacquinot. P.L.S.N.S.W. 2, vii. 637: Man. Conch. 2, ii. 214.

aucklandica, Le Guillon. P.L.S.N.S.W. 2, vii. 637.

ziczac, Gould. P.L.S.N.S.W. 2, vii. 635; Man. Conch. 2, i. 252; viii. 69.

igniflua, Reeve. P.L.S.N.S.W. 2, vii. 636; Man. Conch. 2, i. 129.

var. obnubila, Reeve. P.L.S.N.S.W. 2, vii. 636.

propinqua, Hutton. P.L.S.N.S.W. 2, vii. 636; Man. Conch. 2, viii. 72.

Phacussa, Hutton, 1883.

helmsi, Hutton. T.N.Z.I. xv. 137, 138. var. maculata, Hutton. T.N.Z.I. xvi. 205.

hypopolia, Pfeiffer. P.L.S.N.S.W. 2, vii. 635; Man. Conch. 2, ii. 181, 212

fulminata, Hutton. T.N.Z.I. xv. 138.

Phacussa fulminata, var. costata, Suter. P.Mal.S. iii. 288. henryi, Suter. P.Mal.S. iii. 289.

Family LIMACIDÆ.

Helicarion, Férussac fils, 1822.

kermadecensis, E. A. Smith. P.L.S.N.S.W. 2, vii. 633; Man. Conch. 2, i. 158.

Otoconcha, Hutton, 1884.

dimidiata, Pfeisser. P.L.S.N.S.W. 2, vii. 634; Man. Conch. 2, i. 181.

Xesta, Albers, 1850.

novaræ, Pfeiffer. P.L.S.N.S.W. 2, vii. 644; T.N.Z.I. xxvi. 130.

Macrochlamys, Benson, 1832 (s.str.).

kermadeci, Pfeiffer. P.L.S.N.S.W. 2, vii. 634.

Medyla, Albers, 1860 (Coneuplecta).

exposita, Mousson. P.L.S.N.S.W. 2, vii. 634; Man. Conch. 2, ii. 47.

Family RHYTIDIDÆ.

Rhytida, Albers, 1860.

greenwoodi, Gray. P.L.S.N.S.W. 2, vii. 630; Man. Conch. 2, i. 126; P. Mal.S. iv. 166.

dunniæ, Gray. P.L.S.N.S.W. 2, vii. 630; Man. Conch. 2, i. 126.

var. beta, Pfeiffer. P.L.S.N.S.W. 2, vii. 630; Man. Conch. 2, i. 126.

patula, Hutton. P.L.S.N.S.W. 2, vii. 630.

citrina, Hutton. P.S.L.N.S.W. 2, vii. 631. australis, Hutton. P.L.S.N.S.W. 2, vii. 631.

meesoni, Suter. P.L.S.N.S.W. 2, vii. 631; P.Mal.S. iv. 168.

Rhenea, Hutton, 1893.

coresia, Gray. P.L.S. N.S.W. 2, vii. 631; Man. Conch. 2, i. 130; P.Mal.S. iv. 168.

jeffreysiana, Pfeiffer. P.L.S.N.S.W. 2, vii. 631; Man. Conch. 2, i. 129.

Paryphanta, Albers, 1850.

busbyi, Gray. P.L.S.N.S.W. 2, vii. 629; Man. Conch. 2, i. 127.

urnula, Pfeiffer. P.L.S.N.S.W. 2, vii. 630; Man. Conch. 2, i. 128.

hochstetteri, Pfeiffer. P.L.S.N.S.W. 2, vii. 629; Man. Conch. 2, i. 127; P.Mal.S. i. 5, iv. 171; A.M.N.H. 7, vii. 68; Zool. Jahrb. xiv. 369.

gilliesi, E. A. Smith. P.L.S.N.S.W. 2, vii. 629; Man.

Conch. 2, i. 127. lignaria, Hutton. T.N.Z.I. xx. 43; xxxii. 22.

edwardi, Suter. P.Mal.S. iii. 290; A.M.N.H. 7, vii. 70.

Schizoglossa, Hedley, 1893. novoseelandica, Pfeiffer. P.L.S.N.S.W. 2, vii. 628; P.Mal.S. iv. 169; A.M.N.H. 7, vii. 71.

Sub-order Basommatophora.
Family Limnæidæ.
Sub-family Planorbinæ.

Planorbis, (Guettard) Geoffroy, 1767. corinna, Gray. P.L.S.N.S.W. 2, vii. 626.

Isidora, Ehrenberg, 1831.

variabilis, Gray. P.L.S.N.S.W. 2, vii. 627; gibbosa, Hutton; T.N.Z.I. xiv. 155, not of Gould; novæseelandiæ, Clessin, Conch. Cab. 2, i. pt. 17, 372.

tabulata, Gould. P.L.S.N.S.W. 2, vii. 627; coromandelicus, Dunker, Mal.Blätt. ix. 150; hochstetteri, Dunker, l.c. 150. antipodea, Sowerby. P.L.S.N.S.W. 2, vii. 627.

Sub-family Limnæinæ.

Limnæa, Lamarck, 1801.

tomentosa, Pfeiffer. P.L.S.N.S.W. 2, vii. 625.
leptosoma, Hutton. T.N.Z.I. xvii. 55.
tenella, Hutton. T.N.Z.I. xvii. 55, 56.
pusilla, Hutton. T.N.Z.I. xxii. 56.
tenisoni, Clessin, Conch. Cab. 2, i. pt. 17, 371.
var. alfredi, Suter. T.N.Z.I. xxii. 229; xxiv. 300.

Amphipeplea, Nilsson, 1822. arguta, Hutton. T.N.Z.I. xvii. 54. ampulla, Hutton. T.N.Z.I. xvii. 55. var. globosa, Suter. T.N.Z.I. xxiii. 93.

Sub-family ANCYLINÆ.

Gundlachia, Pfeiffer, 1847.

— sp. T.N.Z.I. xxvi. 122.

Latia, Gray. 1850.
neritoides, Gray. P.L.S.N.S.W. 2, vii. 624.
var. lateralis, Gould. P.L.S.N.S.W. 2, vii. 624.
var. petitiana, Fischer. Jour. de Conch. v. 84.
var. gassiesiana, Fischer. Jour. de Conch. v. 167.

Family Amphibolidæ.

Amphibola, Schumacher, 1817. crenata, Martyn, Man. N.Z. Moll. 35; A.M.N.H. 5, iii. 181; avellana, Bruguière, 1789.

Family Auriculidæ.

Tralia, Gray, 1840 (*Ophicardelus*).

australis, Quoy and Gaimard. Man. N.Z. Moll. 34.

Marinula, King, 1832. filholi, Hutton. Man. N.Z. Moll. 34.

Leuconopsis, Hutton, 1884.

obsoleta, Hutton. Man. N.Z. Moll. 34; P.L.S.N.S.W. xxv. pl. xlviii. fig. 16.

Order Opisthobranchia. Sub-order Nudibranchia. Family Dorididæ.

Archidoris, Bergh. 1892. tuberculata, Cuvier. Man. N.Z. Moll, 125.

Doris, Linnæus, 1758.

punctata, Quoy and Gaimard. Man. N.Z. Moll. 125.
granulosa, Abraham. Man. N.Z. Moll. 126.
longula, Abraham. Man. N.Z. Moll. 126.
muscula, Abraham. Man. N.Z. Moll. 126.
lanuginata, Abraham. Man. N.Z. Moll. 127.
wellingtonensis, Abraham. Man. N.Z. Moll. 127.
rubicunda, Cheeseman. T.N.Z.I. xiii. 222.
flabellifera, Cheeseman. T.N.Z.I. xiii. 222.
luctuosa, Cheeseman. T.N.Z.I. xiv. 213.

Chromodoris, Alder and Hancock, 1855. aureo-marginata, Cheeseman. T.N.Z.I. xiii, 223. amæna, Cheeseman. T.N.Z.I. xviii. 137.

Family Doriopsidæ.

Doriopsis, Pease, 1860.
mammosa, Abraham. P.Z.S. 1877, 266; T.N.Z.I. xiv.
214.
citrina, Cheeseman. T.N.Z.I. xiii. 223.

Family GONIODORIDÆ.

Acanthodoris, Gray, 1850. mollicella, Abraham. Man. N.Z. Moll. 128. globosa, Abraham. Man. N.Z. Moll. 128.

Atagena, Gray, 1850. carinata, Quoy and Gaimard. Man. N.Z. Moll. 128.

Family POLYCERIDÆ. **Euplocamus**, Philippi, 1836.

pacificus, Bergh. Challenger Reports, x. 57.

Family ÆOLIDIDÆ.

Æolis, Cuvier, 1798. gracilis, T. W. Kirk. T.N.Z.I. xv. 217. leptosoma, Hutton. T.N.Z.I. xvi. 213. Fiona, Hancock and Embleton, 1853.

marına, Forskål. *Æolis plicata*, Hutton, T.N.Z.I. xiv. 166; Bergh, Opisthobranches Campagnes Hirondelle, 6-8, Pl. i. figs. 7-16.

Æolidiella, Bergh, 1892.

drusilla, Bergh. Erg. Reise Pacific, 233.

faustina, Bergh. L.c. 235.

Facelina, Alder and Hancock, 1855. longicauda, Quoy and Gaimard. Man. N.Z. Moll. 129.

Cratena, Bergh. 1864. corfei, Hutton. T.N Z.I. xiii. 203; xiv. 166.

Family HERMÆIDÆ.

Stiliger, Ehrenberg, 1831. Calliopæa, d'Orbigny, 1837. felina, Hutton. T.N.Z.I. xv. 118, 133.

Sub-order Tectibranchia. Family Siphonariidæ.

Siphonaria, Sowerby, 1824.

obliquata, Sowerby. T.N.Z.I. xv. 141.

australis, Quoy and Gaimard. T.N.Z.I. xv. 142; A.M.N.H. 5, ix. 341.

zelandica, Quoy and Gaimard. T.N.Z.I. xv. 143.

tristensis (Leach), Sowerby. S. redimiculum, Reeve. T.N.Z.I. xv. 143.

Gadinia, Gray, 1824. nivea, Hutton T.N.Z.I. xv. 144.

Family PLEUROBRANCHIDÆ.

Pleurobranchus, Cuvier, 1804.

ornatus, Cheeseman. P.Z.S. 1878, 275; T.N.Z.I. xi. 378; Man. Conch. 1, xvi. 206.

aurantiacus, Risso. Zool. Jahrb. Syst. xiii. 210; Man. Conch. 1, xvi. 195.

Pleurobranchæa, Meckel, 1813.

maculata, Quoy and Gaimard. Voy. Astrol. ii. 301; Man. Conch. 1, xvi. 227.

novæ-zealandiæ, Cheeseman. P.Z.S. 1878, 276; T.N.Z I. xi. 378; Man. Conch. 1, xvi. 227.

var. granulosa, Bergh. Zool. Jahrb. Syst. xiii. 209.

Family Aplyside.

Tethys, Linnæus, 1758.

brunnea, Hutton. T.N.Z.I. vii. 279; Man. Conch. 1. xvi. 97.

venosa, Hutton. T.N.Z.I. vii. 279; Man. Conch, 1, xvi. 98.

Tethys tryoni, Meinertzhagen. T.N.Z.I. xii. 270; Man. Conch. 1, xvi. 16, 98.

hamiltoni, T. W. Kirk. T.N.Z.I. xiv. 283; Man. Conch. 1, xvi. 98.

Notarchus, Cuvier, 1817. glaucus, Cheeseman. P.Z.S. 1878, 277; T.N.Z.I. xi. 379; Man. Conch. 1, xvi. 146

Family AGLAJIDÆ.

Aglaja, Renier, 1804.

cylindrica, Cheeseman. T.N.Z.I. xiii. 224; Man. Conch. 1, xvi. 49.

Family Philinidæ.

Philine, Ascanius, 1772.

aperta, Linnæus. P. angasi, Crosse and Fischer. Man. N.Z. Moll. 123; Man. Conch. 1, xvi. 8.

Family AKERATIDÆ.

Akera, O. F. Mueller, 1776.

tumida, A. Adams. Man. N.Z. Moll. 122; Man. Conch. 1, xv. 379.

Haminea, Leach, 1847.

zelandiæ, Gray. Man. N.Z. Moll. 121; Man. Conch. 1, xv. 373.

cuticulifera, E. A. Smith. Man. N.Z. Moll. 122; Man. Conch. 1, xv. 372.

? castanea, A. Adams. Sow. Thes. ii. 584; Man. Conch. I, XV. 374.

Family BULLIDÆ.

Bulla, Linnæus, 1758.

australis (Gray), Quoy and Gaimard. P.L.S.N.S.W. 1, x. 89; Man. Conch. 1, xv. 346.

quoyi, Gray. Man. N.Z. Moll. 121; Man. Conch. 1, xv. 348.

Family Scaphandridæ.

Cylichna, Lovén, 1846.

arachis, Quoy and Gaimard. Voy. Astrol. ii. 361; Man. Conch. 1, xv. 318.

striata, Hutton. Man. N.Z. Moll. 120; Man. Conch. 1, xv. 319.

Family ACTÆONIDÆ.

Actæon, Montfort, 1810.

kirki, Hutton. Man. N.Z. Moll. 119; Man. Conch. 1. xv. 146.

Solidula, Fischer de Waldheim, 1807. alba, Hutton. Man. N.Z. Moll. 119; Man. Conch. 1 xv. 146. Solidula gracilis, T. W. Kirk. T.N.Z.I. xiv. 268; Man. Conch. 1, xv. 146.

huttoni, T. W. Kirk. T.N.Z.I. xiv. 268; Man. Conch. 1, xv. 147.

Leucotina, A. Adams, 1860. pura, A. Adams. Man. Conch. 1, xv. 172.

Bullinula, Beck, 1840. *Bullina*, Adams, non Férussac. scabra, Gmelin. Man. N.Z. Moll. 120; Man. Conch. 1, xv. 176; *B. lineata*, Wood.

Family TORNATINIDÆ.

Tornatina, A. Adams, 1850.

pachys, Watson. Challenger Reports, xv. 660; Man. Conch. 1, xv. 198.

Family CAVOLINIIDÆ.

Cavolinia, Abildgaard, 1791.

tridentata, Forskål. Austral. Mus. Sydney, Cat. xv. 38.

Sub-class Streptoneura. Sub-order Heteropoda. Family Pterotrachæidæ.

Carinaria, Lamarck, 1801.

australis, Quoy and Gaimard. Voy. Astrol. ii. 394.

Sub-order Platypoda.

a. Toxoglossa.
Family Terebridæ.

Terebra, Bruguière, 1789.

tristis, Deshayes. P.L.S.N.S.W. 1, x. 118; Man. Conch. 1, vii. 36.

Family Conidæ. Sub-family Pleurotominæ.

Pleurotoma, Lamarck, 1822. ischna, Watson. T.N.Z.I. xxxi. 65.

Genotia, H. and A. Adams, 1853. engonia, Watson. T.N.Z.I. xxxi. 65.

Drillia, Gray, 1838. lævis, Hutton. T.N.Z.I. xxxi. 66. amæna, E. A. Smith. T.N.Z.I. xxxi. 66.

Spirotropis, Sars, 1878. bulbacea, Watson. T.N.Z.I. xxxi. 67.

Sub-family CLAVATULINÆ.

Surcula, H. and A. Adams, 1853. novæ-zelandiæ, Reeve. T.N.Z.I. xxxi. 67; Man. Conch. 1, vi. 184. Surcula trailli, Hutton. T.N.Z.I. xxxi. 68; Man. Conch. 1, vi. 206, 208.

albula, Hutton. T.N.Z.I. xxxi. 68. cheesemani, Hutton. T.N.Z.I. xxxi. 69. gypsata, Watson. T.N.Z.I. xxxi. 69. varians, Hutton. T.N.Z.I. xxxi. 69. verrucosa, Suter. T.N.Z.I. xxxi. 70.

Sub-family Mangilinæ.

Mangilia (Leach), Risso, 1826.

ula, Watson. T.N.Z.I. xxxi. 71.

goodingi, E. A. Smith. T.N.Z.I. xxxi. 71.

dictyota, Hutton. T.N.Z.I. xxxi. 72.

subaustralis, Suter. T.N.Z.I. xxxi. 72. flexicostata, Suter. T.N.Z.I. xxxi. 73.

Clathurella, Carpenter, 1857.

sinclairi, E. A. Smith. T.N.Z.I. xxxi. 73; Man. Conch. 1, vi. 283.

subabnormis, Suter. T.N.Z.I. xxxi. 74. nodicincta, Suter. T.N.Z.I. xxxi. 74.

Daphnella, Hinds, 1844.

lymneiformis, Kiener. T.N.Z.I. xxxi. 75; Man. Conch.

1, vi. 300.

lacunosa, Hutton. T.N.Z.I. xxxi. 75. substriata, Suter. T.N.Z.I. xxxi. 76. protensa, Hutton. T.N.Z.I. xxxi. 76; Man. Conch. 1, vi. 208.

membranacea, Watson. T.N Z.I. xxxi. 77. xanthias, Watson. T.N.Z.I. xxxi. 77.

Family Cancellariidæ.

Cancellaria, Lamarck, 1822.

trailli, Hutton. Man. N.Z. Moll 46.

b. RACHIGLOSSA. Family MURICIDÆ.

Murex, Linnæus, 1758.

zelandicus, Quoy and Gaimard. T.N.Z.I. xvi. 218; Man.

Conch. 1, ii. 108.

octogonus, Quoy and Gaimard. T.N.Z.I. xvi. 218; Man. Conch. 1, ii. 110.

var. espinosa, Hutton. T.N.Z.I. xviii. 333.

var. umbilicata, J. Woods. Journ. Malac. viii. 61.

angasi, Crosse. T.N.Z.I. xvi. 219; Man. Conch. 1, ii. 88 eos, Hutton. Cat. Mar. Moll. N.Z. 8.

Purpura, Bruguière, 1789.

succincta, Martyn. T.N.Z.I. xvi. 221; Man. Conch. 1, ii. 170; P. textiliosa, Lamarck. T.N.Z.I. xvi. 221.

Purpura striata, Martyn. T.N.Z.I. xvi. 221.

var. squamata, Hutton. Man. N.Z. Moll. 56.

scobina, Quoy and Gaimard. T.N.Z.I. xvi. 222; Man. Conch. 1, ii. 170.

var. albomarginata, Deshayes. T.N.Z.I. xvi. 222.

var. rutila, Suter. Journ. Malac. vii. 55.

haustrum, Martyn. T.N.Z.I. xvi. 222; Man. Conch. 1, ii. 160.

tritoniformis, Blainville. P. Roy. S. Vict. n.s. x. 275; Man. Conch. 1, ii. 156.

Trophon, Montfort, 1810.

stangeri, Gray. T.N.Z.I. xvi. 219; Man. Conch. 1, ii. 147. duodecimus, Gray. T.N.Z.I. xvi. 220; Man. Conch. 1, ii. 147.

ambiguus, Philippi. T.N.Z.I. xvi. 219; Man. Conch. 1, ii. 133var. cretacea, Reeve. Conch. Icon. Fusus, sp. 48.

var. pumila, Suter. Journ. Malac. vii. 55.

patens, Hombron and Jacquinot. Man. N.Z. Moll. 57;

Man. Conch. 1, ii. 177.

paivæ, Crosse. Man. N.Z. Moll. 49; Man. Conch. 1, ii. 155. plebejus, Hutton. T.N.Z.I. xvi. 220; Man. Conch. 1, ii. 145. inferus, Hutton. T.N.Z.I. xvi. 221; Man. Conch. 1, ii. 145. cheesemani, Hutton. T.N.Z.I. xvi. 220.

Family Columbellidæ.

Columbella, Lamarck, 1799.

choava, Reeve. T.N.Z.I. xvi. 223. Man. Conch. 1, v. 137. huttoni, Suter. preoccupied. For sulcata, Hutton, Man. N.Z. Moll. 45,

Family Nassidæ.

Nassa, Lamarck, 1799.

glans, Linnæus. P. Roy. S. Vict. n.s. x. 280; Man. Conch. 1, iv. 27.

ephamilla, Watson. Challenger Reports, xv. 187. Challenger Reports, xv. 175.

Family Buccinidæ.

Siphonalia, A. Adams, 1863.

nodosa, Martyns. Cat. Tert. Moll. B.M. i. 158; Man. Conch. 1, iii. 136.

mandarina, Duclos. Cat. Tert. Moll. B.M. i. 157; Man. Conch. 1, iii. 138.

var. caudata, Quoy and Gaimard. Voy. Astrol. ii. 503. var. valedicta, Watson. Challenger Reports, xv. 201.

dilatata, Quoy and Gaimard. P. Roy. S. Vict. n.s. x. 272; Man. Conch. 1, iii. 135. Cominella, Gray, 1847.

maculata, Martyn. T.N.Z.I. xvi. 231; Man. Conch. 1, iii. 204.

maculosa, Martyn. T.N.Z.I. xvi. 231; Man. Conch. 1, iii. 201.

testudinea, Chemnitz. T.N.Z.I. xvi. 231; Man. Conch. 1, iii. 203.

lineolata, Lamarck. P. Roy. S. Vict. n.s. x. 275; Man. Conch. 1, iii. 204.

nassoides, Reeve. T.N.Z.I. xvi. 232; Man. Conch. 1, iii. 206; C. veneris, Filhol, Mission Ile Campbell, 525.

lurida, Philippi. T.N.Z.I. xvi. 233; Man. Conch. I, iii. 206. virgata, H. and A. Adams. T.N.Z.I. xvi. 232; Man. Conch. I, iii. 204.

huttoni, Kobelt. T.N.Z.I. xvi. 232; Man. Conch. 1, iii. 205. campbelli, Filhol. Mission Ile Campbell, 524.

Euthria, Gray, 1850.

lineata, Martyn. T.N.Z.I. xvi. 229; Man. Conch. 1, iii. 151. var. traversi, Hutton. T.N.Z.I. xvi. 229; Man. Conch. t, iii. 136.

var. pertinax, v. Martens. T.N.Z.I. xvi. 229; Man. Conch. 1, iii. 151.

vittata, Ouoy and Gaimard. T.N.Z.I. xvi. 230; Man. Conch. 1, iii. 152.

antarctica, Reeve. T.N.Z.I. xxvi. 231; Man. Conch, 1, iii. 150.

littorinoides, Reeve. T.N.Z.I. xvi. 230; Man. Conch. i, iii. 151.

striata, Hutton. T.N.Z.I. xvi. 230.

martensiana, Hutton. T.N.Z.I. xvi. 230; Man. Conch. r, iii. 151.

flavescens, Hutton. T.N.Z.I. xvi. 230.

Pisania, Bivona, 1832.

reticulata, A. Adams. P.Z.S. 1854, 138; Man. Conch. 1, iii. 147.

Family FASCIOLARIIDÆ.

Fusus, Lamarck, 1799.

spiralis, A. Adams. T.N.Z.I. xvi. 227.

Taron, Hutton, 1883. dubius, Hutton. T.N.Z.I. xvi. 227; Man. Conch. 1, ii. 156.

Family MITRIDÆ.

Mitra, Lamarck, 1799.

melaniana, Lamarck. P. Roy. S. Vict. n.s. x. 186; Man. Conch. 1, iv. 127.

obscura, Hutton. P.Mal.S. ii. 201.

albopicta, E. A. Smith. P.Mal.S. iii. 21.

Vulpecula, Blainville, 1824. Turricula, Klein, 1753. rubiginosa, Hutton. T.N.Z.I. xvi. 226. planata, Hutton. T.N.Z.I. xvii. 315.

Family Volutidæ.

Scaphella, Swainson, 1832.

gracilis, Swainson. Cat. Tert. Moll. B.M. i. 114; Man. Conch. 1, iv. 94.

pacifica, Lamarck. Cat. Tert. Moll. B.M. i. 113; Man. Conch. 1, iv. 94.

var. elongata, Swainson. T.N.Z.I. xvi. 225. lutea, Watson. Challenger Reports, xv. 254.

Family Marginellidæ.

Marginella, Lamarck, 1801.

muscaria, Lamarck. P. Roy. S. Vict. n.s. x. 189; Man. Conch. 1, v. 23.

turbinata, Sowerby. Cat. Tert. Moll. B.M. i. 87; Man. Conch. 1, v. 23.

pygmæa, Sowerby. P. Roy. S. Vict. n.s. xi. 191; Man. Conch. 1, v. 26, 93. infans, Reeve. T.N.Z.I. xvi. 224. mustelina, Angas. P.Z.S. 1871, 14.

Family OLIVIDÆ.

Ancilla, Lamarck, 1799.

australis, Sowerby. Cat. Tert. Moll. B.M. i. 76; Man. Conch. 1, v. 94.

mucronata, Sowerby. Reeve, Conch. Icon. sp. 10; A. albisulcata, Quoy and Gaimard, V. Astrol. iii. 19. pyramidalis, Reeve. Conch. Icon. sp. 11.

bicolor, Gray. A. novæ-zelandiæ, Sowerby: A. nana, Watson, Challenger Reports, xv. 230.

c. Gymnoglossa.

Family Pyramidellidæ.

Pyramidella, Lamarck, 1799. rosea, Hutton. Man. N.Z. Moll. 72.

Eulimella, Forbes, 1846. deplexa, Hutton. T.N.Z.I. xvii. 318.

Odontostoma, Fleming, 1828.

angasi, Tryon. Man. Conch. 1, viii. 362.
impolita, Hutton. Man. N.Z. Moll. 81.
hyphala, Watson. Challenger Reports, xv. 483.

Turbonilla, Leach, 1826. zealandica, Hutton. Man. N.Z. Moll. 72.

d. Tænioglossa.

Family LOTORIDÆ.

Lotorium, Montfort, 1810.

olearium, Linnæus. P.L.S.N.S.W. 1, ix. 932; Man. Conch. 1, iii. 11.

tritonis, Linnæus. P.L.S.N.S.W. 1, ix. 932; Man. Conch. 1, iii. 9.
spengleri, Chemnitz. P.L.S.N.S.W. 1, ix. 933; Man.

Conch. 1, iii. 16.

cornutum, Perry=exaratum, Reeve. P. Roy. S. Vict. n.s. x. 265; Man. Conch. 1, iii. 22.

rubicundum, Perry = nodiferum, Lamarck. P.L.S.N.S.W. 1, ix. 932; Man. Conch. 1, iii. 10.

Apollo, Montfort, 1810.

argus, Gmelin. P. Roy. S. Vict. n.s. x. 267; Man. Conch. 1, iii. 44.

australasia, Perry. A. leucostomus, Lamarck. P. Roy. S. Vict. n.s. 268; Man. Conch. 1. iii. 42.

Family Cassidid. E.

Semicassis, Mörch, 1852.

labiata, Perry=achatina, Lamarck. P. Roy. S. Vict. n.s. xii. 189; Man. Conch. 1. vii. 278.

pyrum, Lamarck. P. Roy. S. Vict. n.s. xii. 189; Man. Conch. 1, vii. 278.

Family Dolidæ.

Dolium, Lamarck, 1801.

variegatum, Lamarck. Man. N.Z. Moll. 65; Man. Conch. 1, vii. 262.

costatum, Menke. Man. Conch. 1, vii. 263.

Family CYPRÆIDÆ.

Trivia, Gray, 1832.

europæa, Montagu. P.L.S.N.S.W. 1, ix. 935; Man. Conch. 1, vii. 205.

australis, Lamarck. P. Roy. S. Vict. n.s. xii. 187; Man. Conch. 1, vii. 206.

Family STRUTHIOLARIIDÆ.

Struthiolaria, Lamarck, 1816.

papulosa, Martyn. Cat. Tert. Moll. B.M. i. 219; Man. Conch. 1, vii. 133.

vermis, Martyn. Cat. Tert. Moll. B.M. i. 219; Man. Conch. i. vii. 133.

tricarinata, Lesson. Man. N.Z. Moll. 68.

Family VERMICULARIIDÆ.

Tenagodes, Guettard, 1770.

cumingi, Mörch. P.Z.S. 1860, 403; Man. Conch. 1. viii.

weldii, J. Woods. P. Roy. S. Vict. n.s. xii. 205; Man. Conch. 1, viii. 191.

australis, Quoy and Gaimard. P. Roy. S. Vict. n.s. xii. 204; Man. Conch. 1, viii. 189.

Vermicularia, Lamarck, 1799; Vermetus, Adamson, 1757.

lamellosa, Hutton. Man. N.Z. Moll. 85; Man. Conch. 1, viii. 184.

zelandica, Quoy and Gaimard. P.Z.S. 1862, 82; Man. Conch. 1, viii. 182.

novæ-hollandiæ, Rousseau. P. Roy. S. Vict. n.s. xii. 204; Man. Conch. 1, viii. 179; V. monilifera, Hutton, Plioc. Moll. N.Z. 66.

rosea, Quoy and Gaimard. Man. N.Z. Moll. 85; Man. Conch. 1, viii. 185.

Family TURRITELLIDÆ.

Turritella, Lamarck, 1799.

rosea, Quoy and Gaimard. Cat. Tert. Moll. B.M. i. 240; Man. Conch. 1, viii. 199.

pagoda, Reeve. Conch. Icon. sp. 60; Man. Conch. 1, viii.

sinuata, Reeve. Conch. Icon. sp. 62; Man. Conch. 1, viii.

vittata, Hutton. Man. N.Z. Moll. 84; Man. Conch. 1, viii. 208; T. carlottæ, Watson, Challenger Reports, xv. 478.

fulminata, Hutton. Man. N.Z. Moll. 84; Man. Conch. 1, viii. 208.

kanieriensis, Harris. Cat. Tert. Moll. B.M. i. 241; T. tricincta, Hutton.

Family Melaniidæ.

Melanopsis, Férussac père, 1807. trifasciata, Gray. P.L.S.N.S.W. 2, vii. 618.

Family Cerithida.

Planaxis, Lamarck, 1822.
mollis, Sowerby. P.L.S.N.S.W. 2, ii. 993; Man. Conch. 1, ix. 279.

Triforis, Deshayes, 1824.

gemmulatus, Adams and Reeve. Voy. Samarang, 46;

Man. Conch. 1, ix. 181.

angasi, Crosse. Man. N.Z. Moll. 75; Man. Conch. 1, ix. 179.

Cerithiopsis, Forbes and Hanley, 1849.

cerea, Sowerby. Thes. Conch. ii. 880; Man. Conch. 1, ix. 177.

terebelloides, v. Martens. Man. N.Z. Moll. 74; Man. Conch. 1, ix. 158.

Potamides, Brongmart, 1810.

bicarinatus, Gray. Man. N.Z. Moll. 74; Man. Conch, 1, ix. 163.

subcarinatus, Sowerby. P.L.S.N.S.W. 1, ix. 937; Man. Conch. 1, ix. 163.

alternatus, Hutton. Man. N.Z. Moll. 74; Man. Conch. 1, ix. 165.

tricarinatus, Hutton. P.L.S.N.S.W. 1, ix. 937; Man. Conch. 1, ix. 165.

Bittium (Leach), Gray, 1847.

lawleyanum, Crosse. Journ. de Conch. 1863, 87; Man. Conch. 1, ix. 154.

exile, Hutton. T.N.Z.I. xvi. 214; Man. Conch. 1, ix. 158. cylindricum, Watson. Challenger Reports, xv. 550.

Family Assimineidæ.

Assiminea, Leach, 1828.

antipodum, Filhol. Mission Ile Campbell, 523.

Family Hydrobiidæ.

Potamopyrgus, Stimpson, 1865.

corolla, Gould. P.L.S.N.S.W. 2, vii. 619. antipodum, Gray. P.L.S.N.S.W. 2, vii. 619. cumingiana, Fischer. P.L.S.N.S.W. 2, vii. 619. spelæa, Frauenfeld. Man. N.Z. Moll. 82. pupoides, Hutton. T.N.Z.I. xiv. 146.

Family RISSOUDÆ.

Rissoia, Fréminville, 1813.

huttoni, Suter, P. Mal.S. iii. 2.

hamiltoni, Suter. P.Mal.S. iii. 2.

incidata, Frauenfeld. P.Mal.S. iii. 3; Man. Conch. 1, ix. 339.

annulata, Hutton. P.Mal.S. iii. 3. var. minor, Suter. P.Mal.S. iii. 3.

subfusca, Hutton. P.Mal.S. iii. 4; Man. Conch. 1, ix. 344. var. micronema, Suter. P.Mal.S. iii. 4.

tenisoni, Tate. R. australis, T. Woods, non Sow., P.Mal.S.

iii. 4; P.L.S.N.S.W. xxv. pl. xxv. fig. 4.

fumata, Suter. P.Mal.S. iii. 5.

foveauxiana, Suter. P.Mal.S. iii. 5.

lubrica, Suter. P.Mal.S. iii. 5.

Rissoia cheilostoma, T. Woods. R. plicata, Hutton, non Desh., P.Mal.S. iii. 6; Man. Conch. 1, ix. 86, 366. var. lyalliana, Suter. P.Mal.S. iii. 6.

Rissoina, d'Orbigny, 1840.
rugulosa, Hutton.
fasciata, A. Adams.
olivacea, Hutton.
P.Mal.S. iii. 6.
P.Mal.S. iii. 7; Man. Conch. 1, ix. 380.
P.Mal.S. iii. 7; Man. Conch. 1, ix. 397.

Barleeia, Clark, 1853.
rosea, Hutton. P.Mal.S. iii. 8; Man. Conch. 1, ix. 393.
neozelanica, Suter. P.Mal.S. iii. 8.

Family REALIDÆ.

Realia, Gray, 1850.

egea, Gray. P.L.S.N.S.W. 2, vii. 622.

var. albina, Suter. T.N.Z.I. xxiv. 275.

turriculata, Pfeiffer. P.L.S.N.S.W. 2, vii. 622.

hochstetteri, Pfeiffer. P.L.S.N.S.W. 2, vii. 623.

carinella, Pfeiffer. P.L.S.N.S.W. 2, vii. 623.

Omphalotropis, Pfeiffer, 1854. vestita, Pfeiffer. P.L.S.N.S.W. 2, vii. 622.

Family DIPLOMMATINIDÆ.

Palaina, Semper, 1865. chordata, Pfeiffer. P.L.S.N.S.W. 2, vii. 620.

Paxillus, H. and A. Adams, 1851. peregrinus, Gould. P.L.S.N.S.W. 2, vii. 620.

Family Cyclophoridæ.

Lagochilus, Blanford, 1864.
cytora, Gray. P.L.S.N.S.W. 2, vii. 621.
lignarius, Pfeiffer. P.L.S.N.S.W. 2, vii. 621.
pannosus, Hutton. P.L.S.N.S.W. 2, vii. 621.
calvus, Hutton. P.L.S.N.S.W. 2, vii. 621.
pallidus, Hutton. P.L.S.N.S.W. 2, vii. 621.
hedleyi, Suter. P.L.S.N.S.W. 2, viii. 484.
torquillus, Suter. P.L.S.N.S.W. 2, viii. 485.
fasciatus, Suter. P.L.S.N.S.W. 132.
chiltoni, Suter. P.Mal.S. ii. 33.
studeri, Suter. P.Mal.S. ii. 33.

Family LITORINIDÆ.

Litorina, Férussac, 1821.

mauritiana, Lamarck. P.L.S.N.S.W. 1, ix. 942; Man.

Conch. 1, ix. 247.

cincta, Quoy and Gaimard. P.L.S.N.S.W. 1, ix. 941.

Lævilitorina, Pfeiffer, 1886.

caliginosa, Gould, U.S. Expl. Exp. 198; Man. Conch. 1, ix. 254.

? hamiltoni, E. A. Smith. P.Mal.S. iii. 22. (Paludestrina.)

Risellopsis, Kesteven, 1902.

varia, Hutton. Man. N.Z. Moll. 79; Man. Conch. 1, ix. 255; Kesteven, Rec. Australian Mus. iv. 320.

Risella, Gray, 1840.

melanostoma, Gmelin. Man. N.Z. Moll. 79; Man. Conch. 1, ix. 262.

Family SOLARIIDÆ.

Solarium, Lamarck, 1799.

luteum, Lamarck. P. Roy. S. Vict. n.s. xiii. 139; Man.Conch. 1, ix. 16.

reevei, Hanley. modesta, Cooper, P.Z.S. 1862, 204; Man. Conch. 1, ix. 12.

Family HIPPONYCIDÆ.

Hipponyx, Defrance, 1819.

? australis, Lamarck. P. Roy. S. Vict. n.s. xii. 198; Man. Conch. 1. viii. 136.

Family CAPULIDÆ.

Calyptræa, Lamarck, 1799.

maculata, Quoy and Gaimard. V. Astrol. iii. 422; C. novæ zealandiæ, Lesson, V. Coq. ii. 395; Man. N.Z. Moll. 86. scutum, Lesson. Man. N.Z. Moll. 86; Man. Conch. 1, viii.

Crepidula, Lamarck, 1799.

aculeata, Gmelin. Cat. Tert. Moll. B. M. i. 247; Man. Conch. 1, viii. 129.

monoxyla, Lesson. Cat. Tert. Moll. B. M. i. 246; Man. Conch. 1, viii. 128.

crepidula, Linnæus. *C. unguiformis*, Lamarck. Cat. Tert. Moll. B.M. i. 248; Man. Conch. 1, viii. 130.

Family XENOPHORIDÆ.

Xenophora, Fischer de Waldheim, 1807.

pallidula, Reeve. P.Z.S. 1842, 162; Man. Conch. 1, viii. 160.

Family TRICHOTROPIDÆ.

Trichotropis, Broderip and Sowerby, 1829.

inornata, Hutton. T. clathrata, Sowerby. Cat. Tert. Moll. B.M. i. 233; Man. Conch. 1, ix. 43.

Lippistes, Montfort, 1810.

benhami, Suter. Jour. Malac. ix. 65.

Family Marseniadæ.

Marsenia, Leach, 1819.

ophione, Gray. P.Z.S. 1849, 169; Man. Conch. 1, viii. 63. cerebroides, Hutton. T.N.Z.I. xv. 122.

Family NATICIDÆ.

Natica, Scopoli, 1777.

zelandica, Quoy and Gaimard. Cat. Tert. Moll. B.M. i. 259;

Man. Conch. 1, viii. 22.

australis, Hutton. Man.N.Z.Moll. 72; Man.Conch. 1, viii. 54. vitrea, Hutton. P.L.S.N.S.W. 1, ix. 934; Man. Conch. 1, viii. 54.

Amaura, Möller, 1842.

apora, Watson. Chall. Rep. xv. 454.

e. Ptenoglossa.

Family SCALARIIDÆ.

Scalaria, Lamarck, 1801.

tenella, Hutton. P.L.S.N.S.W. 1, ix. 943; Man. Conch. 1, ix. 84; S. novoseelundiæ, Clessin, Mart. and Chemn. 57.

philippinarum, Sowerby. P. Roy. S. Vict. n.s. xiii. 144;

Man. Conch. 1, ix. 66.

jukesiana, Forbes. P. Roy. S. Vict. n.s. xiii. 143; Man. Conch. 1, ix. 66; S. wellingtonensis, T. W. Kirk, T.N.Z.I. xii. 307.

australis, Lamarck. P. Roy. S. Vict. n.s. xiii. 142; Man.

Conch. 1, ix. 76.

zelebori, Frauenfeld. Man. N.Z. Moll. 69; Man. Conch. 1, ix. 78; S. reevei, Clessin, Mart. and Chemn. 63.

Aclia, Lovén, 1846.

hyalina, Hutton. P.L.S.N.S.W. 1, ix. 935; Man. Conch. 1, ix. 90.

Family Janthinidæ.

Janthina, Lamarck, 1799.

fragilis, Lamarck. Reeve, Icon. sp. 6; Man. Conch. 1, ix. 36. var. planospirata, Adams and Reeve; Man. Conch. 1, ix. 36: Z. balteata, Reeve, Conch. Icon. sp. 11.

globosa, Swainson. Man. Conch. 1, ix. 37.

exigua, Lamarck. P. Roy. S. Vict. n.s. xiii. 140; Man. Conch. 1, ix. 37.

Order Aspidobranchia., Sub-order Rhipidoglossa. Family Hydrocenidæ.

Hydrocena, Parreyss, 1843.

purchasi, Pfeiffer. P.L.S.N.S.W. 2, vii. 623; Man.N.Z. Moll. 40.

Family Neritidæ.

Nerita, (Linnæus, 1758), Lamarck, 1799.

nigra, Gray. Dieffenb. N.Z. ii. 240; N. melanotragus, E. A. Smith; N. saturata, Hutton, P.L.S.N.S.W. 2, ii. 993; Man. Conch. 1, x. 26.

undata, Linnæus. Man. Conch. 1, x. 28.

Family Turbonidide.

Turbo, Linnæus, 1758.

helicinus, Born. I. smaragdus, Martyn. P.L.S.N.S.W. 1, ix. 355; Man. Conch. 1, x. 217.

var. tricostata, Hutton. P.L.S.N.S.W. 1, ix. 355.

granosus, Martyn. P.L.S.N.S.W. 1. ix. 355; Man. Conch. 1, x. 213.

Leptothyra, (Cpr.) Dall, 1871.

fluctuata, Hutton. T.N.Z.I. xvi. 215; Man. Conch. 1, x. 259.

Phasianella, Lamarck, 1804.

limbata, Hutton. Man. Conch. 1, ix. 355. huttoni, Pilsbry. Man. Conch. 1, x. 174.

Astralium, Link, 1807.

sulcatum, Martyn. P.L.S.N.S.W. 1, ix. 356; Man. Conch. 1, X. 242.

var. davisii, Stowe. T.N.Z.I. iv. 218.

heliotropium, Martyn. P.L.S.N.S.W. 1, ix. 356; Man. Conch. 1, x. 192.

? shandi, Hutton. Man. N.Z. Moll. 91; Man. Conch. 1, x. 212.

Family TROCHIDÆ.

Trochus, Linnæus, 1758.

tiaratus, Quoy and Gaimard. P.Mal.S. ii. 260; Man. Conch. 1, xi. 42.

chathamensis, Hutton. P.Mal.S. ii. 260; Man. Conch. 1, xi. 43.

oppressus, Hutton. P.Mal.S. ii. 261; Man. Conch. 1, xi. 232.

var. dunedinensis, Suter. P.Mal.S. ii. 261.

viridis, Gmelin. P.Mal.S. ii. 261; Man. Conch. 1, xi. 43. ringens, Menke. P.Mal.S. ii. 262; Man. Conch. 1, xi. 81.

Monodonta, Lamarck, 1801.

æthiops, Gmelin. P.Mal.S. ii. 262; Man. Conch. 1, xi. 98. nigerrima, Gmelin. P.Mal.S. ii. 264; M. porcifera, Suter, l.c. non Adams, nec Watson. Man. Conch. 1, xi. 97.

morio, Troschel. P.Mal.S. ii. 263; M. porcifer, Watson, non Adams. Man. Conch. 1, xi. 102, 105.

atrovirens, Philippi. P.Mal.S. ii. 263; Man. Conch. 1,

Monodonta coracina, Troschel. P.Mal.S. ii. 264; M. nigerrima, Hutton, non Gmelin; M. porcifera, A. Adams, non

Watson. Man. Conch. 1, xi. 103.

lugubris, Gmelin. P.Mal.S. ii. 265; Man. Conch. 1, xi. 100. subrostrata, Gray. P.Mal.S. ii. 266; Man. Conch. 1, xi. 101. corrosa, A. Adams. P.Mal.S. ii. 266; Man. Conch. 1, xi. 104; M. melanoloma, auct. non Menke.

var. undulosa, A. Adams. P.Mal.S. ii. 267; Man. Conch.

1, xi. 105.

var. plumbea, Hutton. P.Mal S. ii. 267; Man. Conch. I. xi. 105.

excavata, Adams and Angas. P.Mal.S. ii. 265; Man. Conch. 1, xi. 109.

crinita, Philippi. P.Mal.S. ii. 267; Man. Conch. 1, xi. 111.

Cantharidus, Montfort, 1810.

purpuratus, Martyn. P.Mal.S. ii. 270; Man. Conch. 1, XI. 125.

var. texturata, Gould. P.Mal.S. ii. 270; Man. Conch. 1, xi. 125. iris, Gmelin. P.Mal.S. ii. 268; Man. Conch. 1, xi. 122. sanguineus, Gray. P.Mal.S. ii. 271; Man. Conch, 1, xi. 131.

var. cælata, Hutton. P.Mal.S. ii. 272; Man. Conch. 1, xi. 131.

var. elongata, Suter. P.Mal.S. ii. 272.

pruinius, Gould. P.Mal.S. ii. 268; Man. Conch. 1, xi. 122. var. perobtusa, Pilsbry. P.Mal.S. ii. 269; Man. Conch. 1, xi. 123.

tenebrosus, A. Adams. P.Mal.S. ii. 269; Man. Conch. I,

Xi. 123.

var. huttoni, E. A. Smith. P. Mal.S. ii. 269; Man. Conch. I, XI. 123.

rufozonas, A. Adams. P.Mal.S. ii. 273; Man. Conch. 1,

dilatatus, Sowerby. P.Mal.S. ii. 272; Man. Conch. 1, xi. 148. pupillus, Hutton. P.Mal.S. ii. 270; Man. Conch. 1, xi. 130. fasciatus, Menke. P.Mal.S. ii. 274; Man. Conch. 1, xi. 139 picturatus, H. and A. Adams. P.Mal.S. ii. 274; Man. Conch. 1, xi. 140.

conicus, Gray. P.Mal.S. ii. 275; Man. Conch. 1, xi. 275.

Gibbula, Risso, 1826.

antipoda, Hombron and Jacquinot. P.Mal.S. ii. 277; Man. Conch. 1, xi. 217.

nitida, Adams and Angas. P.Mal.S. ii. 277; Man. Conch. I, xi. 217.

fulminata, Hutton. P. Mal.S. ii. 276; Man. Conch. 1, xi. 210. rosea, Hutton. P.Mal.S. ii. 276; Man. Conch. 1. xi. 216. scamnata, Fischer. P.Mal.S. ii. 278; Man. Conch. 1, xi. 220. Gibbula tasmanica, Petterd. P.Mal.S. ii. 276; Man. Conch. 1, xi. 236.

suteri, E. A. Smith. P.Mal.S. ii. 278. micans, Suter. P.Mal.S. ii. 279.

Fossarina, Adams and Angas, 1863. rimata, Hutton. P.L.S.N.S.W. 1, ix. 369 (Minos).

Monilea, Swainson, 1840. egena, Gould. P.Mal.S. ii. 279; Man. Conch. 1, xi. 253.

Calliostoma, Swainson, 1840.

tigris, Martyn. P.Mal.S. ii. 280; Man. Conch. 1, xi. 333. punctulatum, Martyn. P.Mal.S. ii. 280; Man. Conch. 1, xi. 334.

selectum, Chemnitz. P.Mal.S. ii. 281: Man. Conch. 1, xi. 335. pellucidum, Valenciennes. P.Mal.S. ii. 281; Man. Conch. 1, xi. 334.

spectabile, A. Adams. P.Mal.S. ii. 280; Man. Conch. 1, xi. 332.

Euchelus, Philippi, 1847.

bellus, Hutton. P.Mal.S. ii. 282; Man. Conch. 1, xi. 435. var. iricolor, T. W. Kirk. P.Mal.S. ii. 282; Man. Conch. 1, xi. 436.

hamiltoni, T. W. Kirk. P.Mal.S. ii. 282; Man. Conch. 1, xi. 436.

Ethalia, A. Adams, 1853.

zelandica, Hombron and Jacquinot. P.Mal.S. ii 283; Man. Conch. 1, xi. 459.

Family Cyclostrematidæ.

Cirsonella, Angas, 1877.

neozealanica, Murdoch. P.Mal.S. iii. 320.

Family Pleurotomariidæ.

Scissurella, d'Orbigny, 1823.

mantelli, Woodward. P.Z.S. 1859, 202; Man. Conch. 1, xii. 54.

lytteltonensis, E. A. Smith. P.Mal.S. i. 57.

Family Haliotidæ.

Haliotis, Linnæus, 1758.

iris, Martyn. P.L.S.N.S.W. 1, ix. 369; Man. Conch. 1, xii. 110. rugoso-plicata, Chemnitz. P.L.S.N.S.W. 1, ix. 369; Man. Conch. 1, xii. 110.

virginea, Chemnitz. P.L.S.N.S.W. 1, ix. 370: H. gibba, Hutton, non Philippi, Man. Conch. 1, xii. 107.

var. huttoni, Filhol. Mission Ile Campbell, 527; Man. Conch. 1, xii. 108.

Family Fissurellide.

Fissurella, Bruguière, 1791.

squamosa, Hutton. Man. N.Z. Moll. 105.

Megatebennus, Pilsbry, 1890.

moniliferus, Hutton. Man. N.Z. Moll. 106; Man. Conch. I, XII. 227.

Emarginula, Lamarck, 1801.

striatula, Quoy and Gaimard. Cat. Tert. Moll. B.M. i. 288; Man. Conch. 1, xii. 259.

Subemarginula, Blainville, 1825.

rugosa, Quoy and Gaimard, Voy. Astrol. iii. 331; Man. Conch. 1, xii. 278.

parmophoidea, Quoy and Gaimard. Cat. Tert. Moll. B.M. i. 290; Man. Conch. 1, xii. 285.

intermedia, Reeve. P.L.S.N.S.W. 1, ix. 371; Man. Conch. 1, xii. 285.

Scutum, Montfort, 1810.

ambiguum, Chemnitz. Man. Conch. 1, xii. 289.

Sub-order Docoglossa. Family PATELLIDÆ.

Patella, Linnæus, 1758.

tramoserica, Martyn. P.L.S.N.S.W. 1, ix. 377; Man. Conch. 1, xiii. 142.

denticulata, Martyn. Man. Conch. 1, xiii. 138.

stellifera, Gmelin. P.L.S.N.S.W. 1, ix. 378; Man. Conch. 1, xiii. 141.

radians, Gmelin. P.L.S.N.S.W. 1, ix. 376; Man. Conch. 1, xiii. 139; Newell, T.N.Z.I. xix. 157; P. argyropsis, Lesson; P. radiatilis, Hombron and Jacquinot; P. decora, Philippi; P. saggitata, Donovan.

var. pholidota, Lesson. Man. N.Z. Moll. 108; Man. Conch. 1, xiii. 140.

var. argentea, Quoy and Gaimard. Voy. Astrol. iii. 345.

var. earlii, Reeve. P.L.S.N.S.W. 1, ix. 376. var. flava, Hutton. P.L.S.N.S.W. 1, ix. 378; Man. Conch. 1, XIII. 142.

var. olivacea, Hutton. T.N.Z.I. xv. 133; Man. Conch. 1, xiii. 141.

ornata, Dillwyn. Man. Conch. 1, xiii. 137.

var. inconspicua, Gray. Man. N.Z. Moll. 107; Man. Conch. 1, xiii. 138.

strigilis, Hombron and Jacquinot. P.L.S.N.S.W. 1, ix. 375; Man. Conch. 1, xiii. 137.

var. redimiculum, Reeve. P.L.S.N.S.W. 1, ix. 375; Man. Conch. 1, xiii. 136.

Patella floccata, Reeve. Conch. Icon. sp. 106.

illuminata, Gould. P.L.S.N.S.W. 1, ix. 376; Man. Conch.

1, xiii. 142.

kermadecensis, Pilsbry. Nautilus, vii. 106; P. Acad. N.S. Philad. 1894, 208: P. pilsbryi, Brazier.

Family ACMÆIDÆ.

Acmæa, Eschscholtz, (1828) 1830.

fragilis, Chemnitz, P.L.S.N.S.W. 1, ix. 374; Man. Conch. 1, xiii. 59.

pileopsis, Quoy and Gaimard. P.L.S.N.S.W. 1. ix. 373;

Man. Conch. 1, xiii. 57. septiformis, Quoy and Gaimard, Voy. Astrol. iii. 362; Man. Conch. 1, xiii. 55.; A. scabrilirata, Angas; A. petterdi, T.-Woods.

lacunosa, Reeve. Conch. Icon. Patella, sp. 120; A. rubiginosa, Hutton.

cantharus, Reeve. Conch. Icon. Patella, sp. 131; Man. Conch. 1, xiii. 55.

octoradiata, Hutton. Cat. M.M.N. Zeal. 44; A. perplexa Pils. xiii. 50.

corticata, Hutton. P.L.S.N.S.W. 1, ix. 372; A. lacunosa, Pilsbry, non Reeve.

flammea, Hutton, non Quoy and Gaimard. T.N.Z.I. xv. 128. cingulata, Hutton. P.L.S.N.S.W. 1, ix. 372; Man. Conch. 1, xiii. 53.

conoidea, Hutton, non Quoy and Gaimard. T.N.Z.I. xv. 127.

chathamensis, Pilsbry. Man. Conch. 1, xiii. 56.

helmsi, E. A. Smith. P.Mal.S. i. 58. ? campbelli, Filhol. Mission Ile Campbell, 530.

CLASS, SCAPHOPODA.

Family DENTALIIDÆ.

Dentalium, Linnæus, 1758.

nanum, Hutton. Cat. Tert. M.N. Zeal. 1; Man. Conch, 1, xvii. 9.

opacum, Sowerby. Man. Conch. 1, xvii. 70.

zelandicum, Sowerby. Thes. Conch. iii. 101; Man. Conch. 1. xvii. 70; D. pacificum, Hutton.

huttoni, T. W. Kirk. T.N.Z.I. xii. 306; Man. Conch. 1, xvii. 71.

ecostatum, T. W. Kirk. T.N.Z.I. xii. 306; Man. Conch. 1, xvii. 102.

diarrhox, Watson. Challenger Reports, xv. iv.; Man. Conch. I, XVII. 100.

Cadulus, Philippi, 1844.
colubridens, Watson. Challenger Reports, xv. 18; Man.
Conch. 1, xvii. 184.

CLASS, AMPHINEURA.

Order Placophora. Family Chitonidæ.

Chiton, Linnæus, 1758.

pellisserpentis, Quoy and Gaimard. P.Mal.S. ii. 195; Man. Conch. 1, xiv. 173.

canaliculatus, Quoy and Gaimard. P.Mal.S. ii. 196; Man.

Conch. 1, xiv. 177.

quoyi, Deshayes. P.Mal.S. ii. 194; Man. Conch. 1, xiv. 172. sinclairi, Gray. P.Mal.S. ii. 196; Man. Conch. 1, xiv. 174. æreus, Reeve. Conch. Icon. sp. 36; Man. Conch. 1, xiv. 179. stangeri, Reeve. P.Mal.S. ii. 196. limans, Sykes. P.Mal.S. ii. 197; Man. Conch. i. xiv. 175.

Eudoxochiton, Shuttleworth, 1853. nobilis, Gray. P.Mal.S. ii. 197; Man. Conch. 1, xiv. 193. huttoni, Pilsbry. Man. Conch. 1, xiv. 194.

Acanthopleura, Guilding, 1835. granuluta, Gmelin. Man. Conch. 1, xiv. 227; A. corticata, Hutton, P.Mal.S. ii. 198.

Onithochiton, Gray, 1847.

undulatus, Quoy and Gaimard. P.Mal.S. ii. 199; Man. Conch. 1, xiv. 245. semisculptus, Pilsbry. Man. Conch. 1, xiv. 247.

Family Acanthochitidæ.

Spongiochiton, Carpenter, 1873. productus, (Cpr.) Pilsbry. Man. Conch. 1, xiv. 26.

Acanthochites, Risso, 1826.

porosus, Burrow. P.Mal.S. ii. 193; Man. Conch. 1, xv. 36. zelandicus, Quoy and Gaimard. P.Mal.S. ii. 192; Man. Conch. 1, xv. 16.

violaceus, Quoy and Gaimard. P.Mal.S. ii. 193; Man.

Conch. 1, xv. 39.

rubiginosus, Hutton. Man. N.Z. Moll. 114; Man. Conch. 1. xv. 107; A. costatus, Suter, non Ad. and Ang., P.Mal.S. ii. 194.

Family Mopaliidæ.

Plaxiphora, Gray, 1847.

biramosa, Quoy and Gaimard. P.Mal.S. ii. 188; Man Conch. 1, xiv. 319.

Plaxiphora superba, (Cpr.) Pilsbry. P.Mal.S. ii. 188; Man. Conch. 1, xiv. 319.

cælata, Reeve. P.Mal.S. ii. 189; Man. Conch. 1, xiv. 328. suteri, Pilsbry. Nautilus, viii. 8; P.Mal.S. ii. 190.

subatrata (Pilsbry), Suter. P.Mal.S. ii. 190.

obtecta, (Cpr.) Pilsbry. Man. Conch. 1, xiv. 330; P.Mal.S. ii. 192.

ovata, Hutton. P.Mal.S. ii. 192; Man. Conch. 1, xiv. 332.

Family Ischnochitonidæ.

Callochiton, Gray, 1847.

platessa, Gould. P.Mal.S. ii. 184; Man. Conch. 1, xiv. 49. illuminatus, Reeve. P.Mal.S. ii. 185; Man. Conch. 1, xiv. 51. empleurus, Hutton. Man. N.Z. Moll. 113; P.Mal.S. ii. 185.

Ischnochiton, Gray, 1847.

longicymba, Quoy and Gaimard. P.Mal.S. ii. 186; Man. Conch. 1, xiv. 87.

parkeri, Suter. P.Mal.S. ii. 186.

Family LEPIDOPLEURIDÆ.

Lepidopleurus, Risso, 1826.

inguinatus, Reeve. P.Mal.S. ii. 184; Man. Conch. 1, xiv. 90; L. liratus, Adams and Angas.

CLASS, PELECYPODA.

Order Septibranchia. Family Cuspidariidæ.

Cuspidaria, Nardo, 1840.

trailli, Hutton. Man. N.Z. Moll. 137.

Order Eulamellibranchia. Sub-order SINUPALLIATA. Family Periplomidæ.

Cochlodesma, Couthouy, 1839.

angasi, Crosse and Fischer. Journ. de Conch. xii. 349; xiii. 427; Anatina tasmanica, Hutton, non Reeve.

Family THRACHDÆ.

Thracia, Blainville, 1824. vitrea, Hutton. Plioc. M.N.Z. 75.

Family CHAMOSTREIDÆ.

Chamostrea, F. de Roissy, 1825. albida, Lamarck. Man. N.Z. Moll. 138; Fischer, Man. de Conch. pl. xxiii. fig. 14; Cheidothærus chamoides, Sowerby.

Family Myochamidæ.

Myodora, Gray, 1840.

striata, Quoy and Gaimard, Voy. Astrol. iii. 537; P.L.S.N.S.W. 1, ix. 514.

rotundata, Sowerby. P.Z.S. 1875, 129; P.L.S.N.S.W. 1, ix. 515.

brevis, Sowerby. P.L.S.N.S.W. 1, ix. 515.

pandoriformis, Stutchbury. P.L.S.N.S.W. 1, ix. 515.

crassa, Stutchbury. P.L.S.N.S.W. 1. ix. 516.

novæ - zealandiæ, E. A. Smith. P.Z.S. 1880, 584; P.L.S.N.S.W. 1, ix. 516.

subrostrata, E. A. Smith. P.Z.S. 1880, 584; P.L.S.N.S.W. 1, 1x. 516.

antipodum, E. A. Smith. P.Z.S. 1880, 585; P.L.S.N.S.W. 1, ix. 516.

boltoni, E. A. Smith. P.Z.S. 585; P.L.S.N.S.W. 1, ix. 517.

Family Teredinidæ.

Nausitora, Wright, 1864.

antarctica, Hutton. Man. N.Z. Moll. 133; P.L.S.N.S.W. 2, ix. pl. xxxii. figs. 6, 7.

Family Pholadidæ.

Barnea, Leach, 1826.

similis, Gray. Man. N.Z. Moll. 132; P.L.S.N.S.W. 1, ix. 512.

Pholadidea, Goodall, 1819.

tridens, Gray. Man. N.Z. Moll. 133; P.L.S.N.S.W. 1, ix. 512.

Family Saxicavidæ.

Panopea, M. de la Groye, 1807.

zelandica, Quoy and Gaimard, Voy. Astrol. iii. 547; P.L.S. N.S.W. 1, ix. 513.

Saxicava, F. de Belluvue, 1802.

arctica, Linnæus. Man. N.Z. Moll. 134; S. australis, Lamarck, Challenger Reports, xiii. 78.

Family Corbulidæ.

Corbula (Bruguière), Lamarck, 1797.

zelandica, Quoy and Gaimard, Voy. Astrol. iii. 511; Man. N.Z. Moll. 135.

erythrodon, Lamarck. Man. N.Z. Moll. 135; P.L.S.N.S.W. 1, ix. 513.

haastiana, Hutton. Man. N.Z. Moll. 135.

Family PSAMMOBIIDÆ.

Psammobia, Lamarck, 1818.

stangeri, Gray. Man. N.Z. Moll. 141.

Psammobia lineolata, Gray. Man. N.Z. Moll. 142. zealandica, Deshayes. Man. N.Z. Moll. 142. affinis, Reeve. Man. N.Z. Moll. 142.

Solenotellina, Blainville, 1824. nitida, Gray. Man. N.Z. Moll. 142. radiata, Deshayes. Man. N.Z. Moll. 145 (*Capsella*). siliqua, Reeve. Man. N.Z. Moll. 142. incerta, Reeve. Man. N.Z. Moll. 143; S. nitens, Tryon.

Family CARDIIDÆ.

Cardium, Linnæus, 1758.

pulchellum, Gray (non Reeve). Man. N.Z. Moll. 153;

C. striatulum, Sowerby, non Brocchi.

Family VENERIDÆ.

Meretrix, Lamarck, 1799.

multistriata, Sowerby. Man. N.Z. Moll. 149; Challenger Reports, xiii. pl. i. fig. 5.

Dosinia, Scopoli, 1777. subrosea, Gray. Man. N.Z. Moll. 150; Ereb. and Terr. pl. iii. fig. 2.

australis, Gray. Man. N.Z. Moll. 150; Reeve, Conch. Icon. sp. 10.

lambata, Gould. Man. N.Z. Moll. 150; D. carpenteri, Roemer; Cyclina kroyeri, Philippi. grayi, Zittel. Man. N.Z. Moll. 151.

Chione, M. von Muehlfeldt, 1811.

oblonga, Hanley. Man. N.Z. Moll. 147; Ereb. and Terr. pl. ii. fig. 1.

stutchburyi, Gray. Man. N.Z. Moll. 148; Ereb. and Terr. pl. iii. fig. 4.

costata, Quoy and Gaimard. Man. N.Z. Moll. 148; Voy. Astrol. pl. lxxxiv. figs. 1, 2. crassa, Quoy and Gaimard. Man. N.Z. Moll. 148; Voy.

crassa, Quoy and Gaimard. Man. N.Z. Moll. 148; Voy. Astrol. pl. lxxxiv. figs. 7, 8; C. denticulata, C. mesodesma, Quoy and Gaimard.

crebra, Hutton. Man. N.Z. Moll. 147.

Anaitis, Roemer, 1857.

disjecta, Perry = lamellata, Lamarck. Man. N.Z. Moll. 147. yatei, Gray. Man. N.Z. Moll. 147; Ereb. and Terr. pl. iii. fig. 11.

Tapes, M. von Muehlfeldt, 1811. intermedia, Quoy and Gaimard. Man. N.Z. Moll. 151; Voy. Astrol. pl. lxxxiv. figs. 9, 10. Venerupis, Lamarck, 1818.

reflexa, Gray. Man. N.Z. Moll. 152; Ereb. and Terr. pl. ii. fig. 3; V. paupercula, Deshayes.

siliqua, Deshayes. Man. N.Z. Moll. 152; P.Z.S. 1853,

pl. xviii. fig. 1.

elegans, Deshayes. Man. N.Z. Moll. 152; Ereb. and Terr. pl. ii. fig. 6.

insignis, Deshayes. Man. N.Z. Moll. 152; P.Z.S. 1853, pl. xviii. fig. 4.

Family Mactridæ.

Mactra (Linnæus, 1758), Lamarck.

discors, Gray. Man. N Z. Moll. 138; Ereb. and Terr. pl. ii. fig. 4; M. murchisoni. Deshayes.

æquilatera, Deshayes. Man. N.Z. Moll. 139; Ereb. and Terr. pl. ii. fig. 10.

scalpellum, Deshayes. Man. N.Z. Moll. 138; T.N.Z.I. xxxii. pl. xx. fig. 10.

lavata, Ĥutton. Plioc. Moll. N.Z. 76, pl. viii. fig. 81. ordinaria, E. A. Smith. P.Mal.S. iii. 23.

Standella, Gray, 1852.

elongata, Quoy and Gaimard. Man. N.Z. Moll. 139; Voy. Astrol. pl. lxxxiii. figs. 1, 2; S. notata, Hutton.

ovata, Gray. Man. N.Z. Moll. 139; Ereb. and Terr. pl ii. fig. 2.

rudis, Hutton. Plioc. Moll. N.Z. 77, pl. viii. fig. 83.

Resania, Gray, 1852. Vanganella, Gray (1851), 1853.
lanceolata, Gray. Man. N.Z. Moll. 140; Ereb. and Terr.
pl. ii. fig. 5.; V. taylori, Gray.

Zenatia, Gray, 1852.

acinaces, Quoy and Gaimard. Man. N.Z. Moll. 140; Voy. Astrol. pl. lxxxiii. figs. 5, 6; Z. deshayesi, Reeve.

Raëta, Gray, 1852. perspicua, Hutton. Man. N.Z. Moll. 141.

Cyamiomactra, Bernard, 1898. problematica, Bernard. Bull. Mus. Paris, iii. 311.

Perrierina, Bernard, 1898. taxodonta, Bernard. Bull. Mus. Paris, iii. 312.

Family Mesodesmatidæ.

Mesodesma, Deshayes, 1831.

novæ-zealandiæ, Chemnitz. Man. N.Z. Moll. 145; Voy. Astrol. pl. lxxxii. figs. 9-11; M. ovalis, Deshayes.

ventricosa, Gray. Man. N.Z. Moll. 145; Ereb. and Terr. pl. iii. fig. 6.

Atactodea, Dall, 1895.

subtriangulata, Gray. Man. N.Z. Moll. 146; Griffith's Cuvier Anim. Kingd. xii. pl. xxii. fig. 4; Mesodesma spissa, Reeve, Conch. Icon. sp. 18.

Family Tellinidæ.

Tellina (Linnæus, 1758), Lamarck.

alba, Quoy and Gaimard. Man. N.Z. Moll. 143; Voy. Astrol. pl. lxxxi. figs. 1-3.

lactea, Quoy and Gaimard. Voy. Astrol. iii. 501; pl. lxxxi. figs. 14-16; T. deltoidalis, Hutton, non Lamarck.

ticaonica, Deshayes. Man. N.Z. Moll. 144; Reeve, Conch. Icon. sp. 304.

disculus, Deshayes. Man. N.Z. Moll. 143; Reeve, Conch. Icon. sp. 306.

strangei, Deshayes. Man. N.Z. Moll. 144; T. subovata,

Sowerby; T. lintea, T. retiaria, Hutton.
glabrella, Deshayes. Man. N.Z. Moll. 144; Ereb. and
Terr. pl. ii. fig. 7.

charlottæ, E. A. Smith. Challenger Reports, xiii. 100; pl. iv. fig. 1.

huttoni, E. A. Smith. Challenger Reports, xiii. 101; pl. iv. fig. 2.

Macoma, Leach, 1819.

suteri, E. A. Smith. P. Mal.S. iii. 23.

Sub-order Integripalliata. Family SPHÆRIIDÆ.

Pisidium, C. Pfeiffer, 1821.

novæ-zealandiæ, Prime. P.L.S.N.S.W. 2, vii. 664; P. lenticulata, Dunker.

Sphærium, Scopoli, 1777.

novæ-zelandiæ, Deshayes. P.L.S.N.S.W. 2, vii. 664.

Family Unionidæ.

Diplodon, Spix, 1827.

menziesi, Gray. P.L.S.N.S.W. 2, vii. 662; Simpson, Pro. U.S. Nat. Mus. xxii. 889; D. aucklandicus, Gray. var. waikarensis, Colenso. P.L.S.N.S.W. 2, vii. 663. var. hochstetteri, Dunker. P.L.S.N.S.W. 2, vii. 663. var. rugata, Hutton. P.L.S.N.S.W. 2, vii. 663. var. depauperata, Hutton, P.L.S.N.S.W. 2, vii. 663. lutulentus, Gould. P.L.S.N.S.W. 2, vii. 663. zelebori, Dunker, P.L.S.N.S.W. 2, vii. 662.

Family LEPTONIDÆ.

Kellya, Turton, 1822.

cycladiformis, Deshayes. Man. N.Z. Moll. 157. citrina, Hutton. T.N.Z.I. xvi. 215.

Neolepton, Monterosato, 1875. antipodum, Filhol. Mission Ile Campbell, 543. sanguineum, Hutton. T.N.Z.I. xvi. 215.

Lasea, Leach, 1827.
miliaris, Philippi. Wiegman's Archiv. f. Naturgeschicte, 1845, 51.

Mylitta, d'Orbigny and Récluz, 1850. stowei, Hutton. Man. N.Z. Moll. 157; A.M.N.H. 6, viii. pl. xiii.

Pachykellya, Bernard, 1898. edwardsi, Bernard. Bull. Mus. Paris, iii. 310.

Family Kellyellidæ.

Cyamium, Philippi, 1845. oblongum, E. A. Smith. P.Mal.S. iii. 24.

Family DIPLODONTIDÆ.

Diplodonta, Bronn, 1831.

zelandica, Gray. Man. N.Z. Moll. 156; Ereb. and Terr.
pl. iii. fig. 8.
globularis, Lamarck. Man. N.Z. Moll. 156.

striata, Hutton. Man. N.Z. Moll. 156.

Family Lucinidæ.

Divaricella, v. Martens, 1880.

cumingi, Adams and Angas. P.Z.S. 1863, 426; pl. xxxvii. fig. 20.

var. huttoni, Vanatta. Proc. Acad. Nat. Sci. Philadelphia, 1901, 184; pl. v. figs. 14, 15.

Family Crassatellitidæ.

Crassatellites, Krueger, 1823.

obesa, Adams. P.Z.S. 1852, 90; pl. xvi. fig. 2. bellula, Adams. P.Z.S., 1852,95; Gouldia isabella, Hutton.

Family CONDYLOCARDIDÆ.

Condylocardia, Bernard, 1897.

crassicosta, Bernard. Jour. de Conch. xliv. 175; pl. vi. fig. 1.

concentrica, Bernard. Journ. de Conch. xliv. 176; pl. vi. fig. 2.

Family CARDITIDÆ.

Cardita, Lamarck, 1799. aviculina, Lamarck. *C. excavata*, Deshayes; *C. tasmanica*, J. Woods: Man. N.Z. Moll. 160. Venericardia, Lamarck, 1801.

australis, Lamarck. Man. N.Z. Moll. 158; Voy. Astrol. pl. lxxviii. figs. 11-14.

difficilis, Deshayes. Man. N.Z. Moll. 159; P.Z.S. 1852, pl. xvii. figs. 16–17.

compressa, Reeve. P.L.S.N.S.W. 1, ix. 257.

Order Pseudo-Lamellibranchia. Family Spondylidæ.

Spondylus, Linnæus, 1758. ostreoides, E. A. Smith, Challenger Reports, xiii. 326.

Family Limidæ.

Lima (Bruguière), Cuvier, 1798.

lima, Linnæus = zealandica, Sowerby. P.L.S.N.S.W. 1, ix.

angulata, Sowerby. Man. N.Z. Moll. 172. bullata, Born. P.L.S.N.S.W. 1, ix. 531.

Family Pectinidæ.

Pecten, Mueller, 1776.

medius, Lamarck = laticostatus, Gray. Man. N.Z. Moll. 171. asperrimus, Lamarck. P.L.S.N.S.W. 1, ix. 531. zelandiæ, Gray. P.L.S.N.S.W. 1, ix. 531. var. gemmulata, Reeve. Conch. Icon. sp. 111. radiatus, Hutton. Man. N.Z. Moll. 171. convexus, Quoy and Gaimard. P.L.S.N.S.W. 1, ix. 532. kermadecensis, E. A. Smith. Challenger Reports, xiii. 302; pl. xxi. fig. 7.

Family Ostreidæ.

Ostrea, Linnæus, 1758.

angasi, Sowerby. Reeve, Conch. Icon. sp. 28; P.L.S.N.S.W. 1, ix. 533; O. edulis, auct., non Linnæus.

purpurea, Hanley. P.Z.S. 1867, 934.

glomerata, Gould. P.L.S.N.S.W. 1, ix. 533; O. cucullata, Angas; O. mordax, T.-Woods.

reniformis, Sowerby. Reeve, Conch. Icon. sp. 57.

Family Pteriidæ.

Philobrya, P. Carpenter, 1872.

meleagrina, Bernard. Journ. de Conch. xlv. 12; pl. i. fig. 3. costata, Bernard. Journ. de Conch. xlv. 15; pl. i. fig. 5. filholi, Bernard. Journ. de Conch. xlv. 16; pl. i. fig. 6.

Hochstetteria, M. Chalmas and Vélain, 1876. trapezina, Bernard. Journ. de Conch. xlv. 18; pl. 1, fig. 7. Family PINNIDÆ.

Pinna (Linnæus), Lamarck, 1799.

zelandica, Gray. Man. N.Z. Moll. 169; Ereb. and Terr. pl. iii. fig. 7.

Order FILIBRANCHIA. Family MYTILIDÆ.

Mytilus (Linnæus, 1758), Bolten, 1798.

edulis, Linnæus. Man. N.Z. Moll. 167; M. latus, Lamarck, non Chemnitz; M. chorus, Hutton, non Molina. latus, Chemnitz. P.L.S.N.S.W. 1, 529.

magellanicus, Chemnitz. P.L.S.N.S.W. ix. 529.

Volsella, Scopoli, 1777. Modiolus, Risso, 1799. australis, Gray. P.L.S.N.S.W. 1, ix. 530. ater, Frauenfeld. P.L.S.N.S.W. 1, ix. 530. fluviatilis, Hutton. Man. N.Z. Moll, 168.

Modiolaria, Beck, 1840.

barbata, Reeve. Conch. Icon. *Lithodomus*, sp. 27; P.Z.S. 1867, 911; *Lith. lanigerus*, Reeve. impacta, Herrmannsen. Man. N.Z. Moll. 168.

Adula, H. and A. Adams, 1857. Myrina, H. and A. Adams, 1857. minuta, E. A. Smith. P.Mal.S. iii. 24.

Lithophago, Bolten, 1798. Lithodomus, Cuvier, 1817. truncata, Gray. Man. N.Z. Moll. 168; Ereb. and Terr. pl. ii. fig. 12.

Family Modiolarcidæ.

Modiolarca, Gray, 1847.

pusilla, Gould. U.S. Expl. Exp. xii. 455.

trapezina, Lamarck. Anim. s. Vert. 2nd ed. vii. 24.
bicolor, E. A. Smith; P. Mal. S. iii. 25.

Family ARCIDÆ.

Barbatia, Gray, 1840.
decussata, Sowerby. Man. N.Z. Moll. 162.
reticulata, Chemnitz. Lamarck, Anim. s. Vert. 2nd ed. vi.
475; A. domingensis, Lamarck, etc.

Glycymeris, Da Costa, 1778. *Pectunculus*, Lamarck, 1799. laticostata, Quoy and Gaimard. Man. N.Z. Moll. 163. striatularis, Lamarck. Man. N.Z. Moll. 163.

Family Limopsidæ.

Limopsis, Sassi, 1827. lata, E. A. Smith. Challenger Report, xiii. 257. Family Anomida.

Anomia, (Linnæus, 1758) O. F. Mueller, 1775. cytæum, Gray Man. N.Z. Moll. 174. alectus, Gray. Man. N.Z. Moll. 173. stowei, Hutton. Man. N.Z. Moll. 173. walteri, Hector. T.N.Z.I. xxvii. 292.

Placunanomia, Broderip, 1832.

zelandica, Gray. Man. N.Z. Moll. 174; Ereb. and Terr. pl. iii. fig. 10. ione, Gray. Man. N.Z. Moll. 174.

Order Protobranchiata. Family Nuculidæ.

Nucula, Lamarck, 1799.

nitidula, A. Adams. Man. N.Z. Moll. 164. strangei, A. Adams. Man. N.Z. Moll. 164; Ereb. and Terr. pl. ii. fig. 14.

lacunosa, Hutton. P.L.S.N.S.W. 1, ix. 528. castanea, A. Adams. Man. N.Z. Moll. 164.

Family Ledidæ.

Leda, Schumacher, 1817. concinna, A. Adams. Man. N.Z. Moll. 165.

Malletia, C. des Moulins, 1832. Solenella, Sowerby, 1832. australis, Quoy and Gaimard. Man. N.Z. Moll. 166.

Family SOLENOMYACIDÆ.

Solenomya, Lamarck, 1818.

parkinsoni, E. A. Smith. Man. N.Z. Moll. 157; Ereb. and Terr. pl. iii. fig. 1.

PHYLUM, ARTHROPODA.

CLASS, INSECTA.

Order Hymenoptera. Sub-order Petiolata. Series Tubulifera. Family Anthophila.

Leioproctus, Smith, 1853. imitatus, Smith. Cat. Hymen. B.M. i. 9.

Lamprocolletes, Smith, 1853. fulvescens, Smith. T.E.S. 1876, 486. obscurus, Smith. Cat. Hymen. B.M. 11.

Dasycolletes, Smith, 1853.
hirticeps, Smith. T.E.S. 1878, 7.
vestitus, Smith. T.E.S. 1876, 485.
purpureus, Smith. Cat. Hymen. B.M. 15.
metallicus, Smith. Cat. Hymen. 15; A. trichopus, White,
Voy. Ereb. and Terr. Ins. pl. vii. fig. 12.

Halictus, Latreille, 1804. sordidus, Smith. Cat. Hymen. B.M. 56. familiaris, Smith. T.E.S. 1876, 486. huttoni, Cameron. T.N.Z.I. xxxii. 17.

Prosopis, Fabricius, 1804.

agilis, Smith. T.E.S. 1876, 484.
regelatus, Smith. T.E.S. 1876, 485.
capitosus, Smith. T.E.S. 1876, 485.
lævigatus, Smith. Cat. Hymen. B.M. ii. 420.
sulcifrons, Cameron. Man. Mem. 1895, 51.
innocens, Cameron. Man. Mem. 1895, 52.

Series Aculeata. Family Formicidæ. Sub-family Camponostinæ.

Lasius, Fabricius, 1804.

advena, Smith. T.E.S. 1862, 53; W. W. Smith, T.N.Z.I.

xxviii. 477.

zealandica, Smith. T.E.S. 1878, 6.

Sub-family Ponerinæ.

Ponera, Latreille, 1804. castanea, Mayr. Reise Novara, Formicidæ, 69.

Ectatomma, Smith, 1858. brounii, Forel. Mitt. Schw. Ent. Ges. 1892, 330.

Discothyrea, Rogers, 1863. antarctica, Emery. T.N.Z.I. xxvii. 635.

Amblypone, Erichson, 1842. cephalotes, Smith. T.E.S. 1876, 490. saundersii, Forel. Mitt. Sch. Ent. Ges. 1892, 336.

Sub-family MYRMICINÆ.

Orectognathus, Smith, 1854. antennatus, Smith. T.E.S. 2, ii. 228. perplexus, Smith. T.E.S. 1876, 491.

Strumigenys, Smith, 1861. antarctica, Forel. Mitt. Schw. Ent. Ges. 1892, 338.

Huberia, Forel, 1890. striata, Smith. T.E.S. 1876, 481; T.N.Z.I. xxiv. 304; W. W. Smith, T.N.Z.I. xxviii. 470.

Monomorium, Mayr, 1855. fulvum, Mayr. Reise Novara, Formicidæ, 93; W. W. Smith, T.N.Z.I. xxviii. 473. nitidum, Smith. T.E.S. 1876, 480; W. W. Smith, T.N.Z.I.

xxviii. 473. suteri, Forel. Mitt. Schw. Ent. Ges. 1892, 340; W. W. Smith, T.N.Z.I. xxviii. 475.

smithii, Forel. Mitt. Schw. Ent. Ges. 1892, 342.

Aphaenogaster, Mayr, 1852. antarcticus, Smith. Cat. Hymen. B.M. vi. 167.

Family Pompilidæ.

Pseudagenia, Kohl, 1884. huttoni, Cameron. Man. Mem. 1898, 49.

Salius, Fabricius, 1804.
monachus, Smith. Cat. Hymen. B.M. iii. 164.
carbonarius, Smith. Cat. Hymen. B.M. iii. 162.
nitidiventris, Smith. T.E.S. 1878, 6.
marginatus, Smith. T.E.S. 1876, 483.
conformis, Smith. T.E.S. 1876, 482.
triangularis, Cameron. Man. Mem. 1898, 45.
diligens, Smith. T.E.S. 1876, 483.
wakefieldi, Kirby. T.E.S. 1881, 39.

Salius fugax, Fabricius. Syst. Ent. 350; P. maculipennis, Smith, T.E.S. 1876, 482.
huttoni, Kirby. T.E.S. 1883, 199.
xenos, Kirby. T.E.S. 1883, 200.
brouni, Gribodo. Bull. Ent. Ital. xvi. 280.

Family SPHEGIDÆ.

Rhopalum, Stephens, 1829.
carbonarium, Smith. Cat. Hymen. B.M. iv. 424.
perforator, Smith. T.E.S. 1876, 483.
albipes, Smith. T.E.S. 1878, 7.
cora, Cameron. Man. Mem. 1888, 181.

Gorytes, Latreille, 1804. carbonarius, Smith. Cat. Hymen. B.M. iv. 366. trichiosoma, Cameron. Man. Mem. 1888, 180.

Tachytes, Panzer, 1806.
nigerrimus, Smith. Cat. Hymen. B.M. iv. 302; White, Voy.
Ereb. and Terr. Insects, pl. xii. fig. 14.
sericops, Smith. Cat. Hymen. B.M. iv. 302.
depressus, Saussure. Reise Novara, Hym. 69.
helmsi, Cameron. Man. Mem. 1888, 182.

Pison, Spinola, 1808.

pruinosus, Cameron. Man. Mem. 1898, 44.

morosus, Smith. Cat. Hymen. B.M. iv. 315.

tuberculatus, Smith. T.E.S. 1869, 296.

dubius, Kirby. T.E.S. 1883, 201 (Taranga).

Sub-order Parasitica. Family Proctotrupidæ. Sub-family Proctotrupinæ.

Proctotrupes, Latreille, 1796. maculipennis, Cameron. Man. Mem. 1888, 175. intrudens, Smith. T.E.S. 1878, 5.

Sub-family Betylinæ.

Betyla, Cameron, 1889. fulva, Cameron. Man. Mem. 1889, 13; Hudson, T.N.Z.I. xxv. 169; Tanyzonus bolitophilæ, Marshall, Ent. Mon. Mag. 1892.

Sub-family DIAPRINÆ.

Diapria, Latreille, 1804. coccophaga, Maskell. T.N.Z.I. xi. 228.

Spilomicrus, Westwood, 1832. quadriceps, Smith. T.E.S. 1878, 6. Sub-family MYMARINÆ.

Prosacantha, Nees, 1834. crimitaeri, Quail. T.N.Z.I. xxxiii. 153 (Mymar).

Sub-family Bethylinæ.

Sierola, Cameron, 1881.

antipoda, Asmead. P.L.S.N.S.W. 1900, 326; Fauna Hawaiiensis, Hymen. 286.

Family CHALCIDIDÆ. Sub-family TORYMINÆ.

Torymus, Dalman, 1820. antipoda, Kirby. T.E.S. 1883, 202.

Sub-family EURYTOMINÆ.

Eurytoma, Rossi, 1807. oleariæ, Maskell. T.N.Z.I. xxi. 255.

Aphobetus, Howard, 1896. maskelli, Howard. Canadian Ent. xxviii. 166.

Sub-family APHELININÆ.

Pteroptrix, Westwood, 1833. maskelli, Ashmead. P.L.S.N.S.W. 1900, 346.

Sub-family EUPELMINÆ.

Eupelmus, Dalman, 1820.
messene, Walker. Mon. Chal. ii. 95; Kirby, T.E.S. 1881,
48.

Pteromalus, Swederus, 1795.
lelex, Walker. Mon. Chal. ii. 95; Kirby, T.E.S. 1881, 48.
iambe, Walker. Mon. Chal. ii. 95; Kirby, T.E.S. 1881, 49.

Family Evanidæ.

Gasteruption, Latreille, 1796.

pedunculatum, Schletterer. Ann. K.K. Nat. Wien, 1890,
467; F. unguiculatus, Smith. T.E.S. 1869, 480.

Family Braconidæ. Sub-family Rhogadinæ.

Doryctomorpha, Ashmead, 1900. antipoda, Ashmead. Ent. News, 1900, 630.

Rhogas, Nees, 1818.
penetrator, Smith. T.E.S. 1878, 5.

Sub-family METEORINÆ.

Meteorus, Haliday, 1835. nova-zealandicus, Cameron. Man. Mem. 1898, 38. Fhogra, Cameron, 1891. rubromaculata, Cameron. T.N.Z.I. xxxiii. 105.

Sub-family CHELONINÆ.

Ascogaster, Wesmael, 1835. crenulatus, Cameron. Man. Mem. 1898, 37.

Sub-family Heliconinæ.

Schauinslandica, Ashmead, 1900.
femorata, Ashmead, Ent. News, 1900, 627.
alfkenii, Ashmead. Ent. News, 1900, 628.
pallidipes, Ashmead. Ent. News, 1900, 628.

Family Opine.

Diachasma, Forster, 1862.
carpocapsæ, Ashmead. P.L.S.N.S.W. 1900, 357.

Sub-family ALYSIINÆ.

Alysia, Latreille, 1804. stramineipes, Cameron. Man. Mem. 1898, 37. Asobara, Forster, 1862.

antipoda, Ashmead. Ent. News, 1900, 625.

Family ICHNEUMONIDÆ. Sub-family ICHNEUMONINÆ.

Ichneumon, Linnæus, 1735.

pyrastis, Cameron. T.N.Z.I. xxxiii. 115.
frederici, Cameron. T.N.Z.I. xxxiii. 116.
richardi, Cameron. T.N.Z.I. xxxiii. 117.
wellingtoni, Cameron. T.N.Z.I. xxxiii. 117.
actista, Cameron. Man. Mem. 1898, 8.
helmsi, Cameron. Man. Mem. 1898, 13.
ixia, Cameron. Man. Mem. 1898, 13.
colensii, Cameron. Man. Mem. 1898, 15.
ursula, Cameron. Man. Mem. 1898, 15.
ursula, Cameron. Man. Mem. 1898, 16.
brounii, Cameron. Man. Mem. 1898, 17.
leodacus, Cameron. Man. Mem. 1898, 19.
falsus, Cameron. Man. Mem. 1898, 19.
falsus, Cameron. Man. Mem. 1898, 21.
thyelma, Cameron. Man. Mem. 1898, 21.
thyelma, Cameron. Man. Mem. 1898, 22.
nova zealandicus, Cameron. Man. Mem. 23.

The following species require generic revision: decoratorius, Fabricus. Syst. Ent. 333. insidiator, Smith. T.E.S. 1876, 476. deceptus, Smith. T.E.S. 1876, 477.

Ichneumon exhilaratus, Smith. T.E.S. 477. consanguineus, Smith. T.E.S. 476. placidus, Smith. T.E.S. 476. conspiratus, Smith. T.E.S. 476. perfidiosus, Smith. T.E.S. 475. huttoni, Kirby. T.E.S. 1881, 44. hersilia, Cameron. Man. Mem. 1898, 7.

Probolus, Wesmael, 1844.
lotatorius, Fabricius. Syst. Ent. 330; Priocnemis pascai,
Kirby; T.E.S. 1883, 200; Eristicus cinctus, Ashmead;
Pro. U.S. Nat. Mus. xii. 389.
invectus, Smith. T.E.S. 1876, 475; Eristicus basilaris,
Ashmead, Pro. U.S. Nat. Mus. xii. 389.
sollicitorius, Fabricius. Syst. Ent. 332; E. apicalis,
Ashmead, Pro. U.S. Nat. Mus. xii. 388.

Amblytetes, Wesmael, 1844. zealandicus, Cameron. T.N.Z.I. xxxiii. 108. hudsoni, Cameron, T.N.Z.I. xxxiii. 109.

Colobacis, Cameron, 1900. forticornis, Cameron. T.N.Z.I. xxxiii. 110.

Degithina, Cameron, 1900.

buchanani, Cameron. T.N.Z.I. xxxiii. 112.
caroli, Cameron. T.N.Z.I. xxxiii. 113.
davidi, Cameron. T.N.Z.I. xxxiii. 114.
hectori, Cameron. T.N.Z.I. xxxiii. 114.

Zestocormus, Cameron, 1900. melanoplus, Cameron. T.N.Z.I. xxxiii. 119.

Dicœlotus, Westmael, 1844. striatifrons, Cameron. Man. Mem. 1898, 24.

Sub-family CRYPTINÆ.

Cryptus, Fabricius, 1804.
penetrator, Smith. T.E.S. 1878, 2.

Mesostenus, Gravenhorst, 1829. albopictus, Smith. T.E.S. 1876, 477.

Hemiteles, Gravenhorst, 1829. destructivorus, Cameron. Man. Mem. 1898, 26

Bathymetis, Forster, 1862. antipoda, Ashmead. Ent. News, 1900, 624.

Sub-family Ophioninæ.

Ophion, Gravenhorst, 1829. inutilis, Smith. T.E.S. 1876, 478. punctatus, Cameron. Man. Mem. 1898, 39. Ophion ferrugineus, Smith. T.E.S. 1878, 2. peregrinus, Smith. T.E.S. 1876, 478. skelloni, Kirby. T.E.S. 1881, 46. insularis, Kirby. T.E.S. 1881, 46.

Paniscus, Gravenhorst, 1829.
productus, Brullé. Hist. Nat. des. Hym. iv.; P. ephippia us, Smith, T.E.S. 1876, 478.
foveatus, Cameron. Man. Mem. 1898, 36.

Limnerium, Holmgren, 1860. zealandicum, Cameron. Man. Mem. 1898, 36. hudsoni, Cameron. T.N.Z.I. xxxiii. 105.

Sub-family PIMPLIDINÆ.

Rhyssus, Gravenhorst, 1829.
fractinervis, Vollenhoven. Tijd Ent. 2, viii. 67; R. antipodum, Smith, T.E.S. 1876, 479.
clavula, Colenso. T.N.Z.I. xvii. 158.

Allotheronia, Ashmead, 1900. 12-guttata, Ashmead. P.L.S.N.S.W. 1900, 351.

Lissonota, Gravenhorst, 1829.
flavopicta, Smith. T.E.S. 1878, 4.
albopicta, Smith. T.E.S. 1878, 4.
multicolor, Colenso. T.N.Z.I. xvii. 159.
tinctipennis, Cameron. Man. Mem. 1898, 28.
rubriplagiata, Cameron. T.N.Z.I. xxxiii. 106.

Euctenopus, Ashmead, 1900. nova-zealandica, Ashmead. P.L.S.N.S.W. 1900, 351.

Sub-family TRYPHONINÆ. **Tryphon**, Fallen, 1813.

obstructor, Smith. T.E.S. 1878, 4.

Mesoleptus, Gravenhorst, 1829. mulleri, Butler. Voy. Erebus and Terror, Insects, 27. sybarita, Cameron. Man. Mem. 1898, 32. comparatus, Cameron. Man. Mem. 1898, 33.

Chorinæus, Holmgren, 1855. forticeps, Cameron. Man. Mem. 1898, 29. nigripes, Cameron. Man. Mem. 1898, 33.

Scolobates, Gravenhorst, 1829. intrudens, Smith. T.E.S. 1878, 3; genus doubtful.

Family Cynipidæ.

Anacharis, Dalman, 1823.

zealandica, Ashmead. P.L.S.N.S.W. 1900, 329.

Sub-order Sessiliventres. Family Siricidæ.

Xiphydria, Latreille, 1802.

decepta, Smith. T.E.S. 1876, 474; X. flavopicta, Smith, T.E.S. 1878, 1; Brachyixiphus deceptus, Kirby, T.E.S. 1881, 49.

Order LEPIDOPTERA. Section Papilionina. Family Nymphalidæ. Sub-family Danainæ.

Anosia, Hübner, 1816.

erripus, Cramer. Hudson, N.Z. Lep. 102; Fereday, T.N.Z.I. xxx. 327 (*Danais archippus*).

Sub-family SATYRINÆ.

Percnodaimon, Butler, 1876.

pluto, Fereday. T.N.Z.I. xxx. 327; Hudson, 114 (Erebia).

Erebiola, Fereday, 1879.

butleri, Fereday. L.c. 327; Hudson, 115.

Argyrophenga, Doubleday, 1845.

antipodum, Doubleday. Fereday, l.c. 327; Hudson, 110.

Dodonidia, Butler, 1884.

helmsi, Fereday. L.c. 327; Hudson, 112.

Sub-family NYMPHALINÆ.

Vanessa, Fabricius, 1805.

gonerilla, Fab. Hudson, 105; Fereday, l.c. 327 (Pyrameis); T.N.Z.I. ix. 355.

ida, Alfken. Zool. Anz. xxii. 5 (1899).

itea, Fab. Hudson, 107; Fereday, l.c. 328.

cardui, Linnæus. Hudson, 108; P. kershawi, Fereday.

Junonia, Hübner, 1816.

vellida, Fabricius. Hudson, 109; T.E.S. 1888, 146, pl. 6, fig. 11.

Family LYCÆNIDÆ.

Chrysophanus, Hübner, 1816.

salustius, Fab. Hudson, 116; Fereday, l.c. 328; C. maui, Fereday.

feredayi, Bates. Fereday, l.c. 329; Hutton, T.N.Z.I. xxxiii. 97; C. enysi, Hudson, l.c. 117.

rauparaha, Fereday. L.c. 328; Hutton, T.N.Z.I. xxxiii. 97. boldenarum, White. Fereday, l.c. 329; Hudson, 118.

Lycæna, Fabricius, 1808.

oxleyi, Felder. Fereday, l.c. 329; Hudson, 119. phæbe, Murray. Fereday, l.c. 329; Hudson, 119.

Section CARADRININA. Family ARCTIADÆ.

Metacrias, Meyrick, 1886.

strategica, Hudson, 4. Fereday, T.N.Z.I. xxx. 331; Howes, T.N.Z.I. xxxiii. 188; Quail, T.N.Z.I. xxxiv. 227. erichrysa, Meyrick. Hudson, 4; Fereday, l.c. 331; huttoni, Butler. Hudson, 5; Fereday, l.c. 331; Hampton, Cat. Lep. Phal. in Brit. Mus. iii. 468.

Family HYPSIDÆ.

Nyctemera, Hübner, 1816. annulata, Boisduval. Hudson, 2; Fereday, l.c. 331; T.N.Z.I. ix. 355.

Family CARADRINIDÆ. Sub-family POLIANÆ.

Miselia, Ochsenheimer, 1816. pessota, Meyrick. Hudson, 6; Fereday, l.c. 335.

Orthosia, Ochsenheimer, 1816.

margarita, Hawthorne. T.N.Z.I. xxix. 283; Hudson, 6.

comma, Walker. Hudson, 7; Fereday, l.c. 335; T.N.Z.I.

ix. 356.

impurity. Walker. Hudson, 7; Fereday, l.c. 227

immunis, Walker. Hudson, 7; Fereday, l.c. 335. fortis, Butler. (*Toxocampa*), Meyrick, T.E.S. 1901, 565.

Xanthia, Ochsenheimer, 1816. purpurea, Butler. Hudson, 8; Fereday, l.c. 335.

Sub-family MELANCHRINÆ.

Physetica, Meyrick, 1887. cærulea, Guenée. Hudson, 8; Fereday, l.c. 332.

Leucania, Hübner, 1816.

griseipennis, Felder. Hudson, 9; Fereday, l.c. 332.

moderata, Walker. Hudson, 9; Fereday, l.c. 332.

temperata, Walker. Hudson, 9; Fereday, l.c. 332.

nullifera, Walker. Hudson, 10; Fereday, l.c. 332.

purdii, Fereday. Hudson, 10; Fereday, l.c. 332.

atristriga, Walker. Hudson, 10; Fereday, l.c. 332.

propria, Walker. Hudson, 11; Fereday, l.c. 332.

acontistis, Meyrick. Hudson, 11; Fereday, l.c. 332.

phaula, Meyrick. Hudson, 11; Fereday, l.c. 332.

alopa, Meyrick. Hudson, 12; Fereday, l.c. 332.

micrastra, Meyrick. Hudson, 12:

unica, Walker. Hudson, 12; Fereday, l.c. 333.

arotis, Meyrick. Hudson, 12; Fereday, l.c. 333.

sulcana, Fereday. Hudson, 13; Fereday, l.c. 333.

semivittata, Walker. Hudson, 13; Fereday, l.c. 333.

Leucania blenheimensis, Fereday. Hudson, 13; Fereday, T.N.Z.I. xxx. 333.

unipuncta, Hawthorne. Hudson, 13; Fereday, l.c. 333 (extranea).

toroneura, Meyrick. T.E.S. 1901, 565.

Ichneutica, Meyrick, 1887.

dione, Hudson, 14.

ceraunias, Meyrick. Hudson, 14; Fereday, l.c. 333.

Melanchra, Hübner, 1816.

disjungens, Walker. Hudson, 15; Fereday, l.c. 333 (Mamestra).

paracausta, Meyrick. Hudson, 15; Fereday, l.c. 333 (Ma-

mestra).

insignis, Walker. Hudson, 16; Fereday, l.c. 333 (Mamestra).

maya, Hudson, 17.

plena, Walker. Hudson, 17; Fereday, l.c. 333 (Mamestra). lithias, Meyrick. Hudson, 17; Fereday, l.c. 333 (Mamestra). mutans, Walker. Hudson, 18; Fereday, l.c. 333 (Mamestra); T.N.Z.I. xii. 273; Quail, T.N.Z.I. xxxiv 232.

agorastis, Meyrick. Hudson, 18; Fereday, l.c. 334 (Ma-

mestra).

pictula, White. Hudson, 19; Fereday, l.c. 334 (Mamestra). rhodopleura, Meyrick. Hudson, 19; Fereday, l.c. 334 (Mamestra).

merope, Hudson, 19.

pelistis, Meyrick. Hudson, 19; Fereday, l.c. 334 (Mamestra). proteastis, Meyrick. Hudson, 20; Fereday, l.c. 334 (Mamestra).

vitiosa, Butler. Hudson, 20; Fereday, l.c. 334 (Mamestra).

diatmeta, Meyrick. Hudson, 21.

tartarea, Butler. Hudson, 21; Fereday, l.c. 334 (Mamestra). homoscia, Meyrick. Hudson, 21; Fereday, l.c. 334 (Mamestra).

omicron, Hudson, 22.

composita, Guenée. Hudson, 22; Fereday, l.c. 334 (Mamestra); T.N.Z.I. ix. 357.

steropastis, Meyrick. Hudson, 23; Fereday, l.c. 334 (Mamestra).

infensa, Walker. Hudson, 23; Fereday, l.c. 334 (Mamestra). omoplaca, Meyrick. Hudson, 23; Fereday, l.c. 334 (Mamestra).

alcyone, Hudson, 24.

dotata, Walker. Hudson, 24; Fereday, l.c. 334 (Mamestra). asterope, Hudson, 24.

stipata, Walker. Hudson, 25; Fereday, l.c. 334 (Mamestra). octans, Hudson, 25.

Melanchra rubescens, Butler. Hudson, 25; Fereday, T.N.Z.I. xxx. 334 (Mamestra).

lignana, Walker. Hudson, 26; Fereday, l.c. 335 (Mamestra); T.N.Z.I. ix. 357 (H. lignifurea).

cœleno, Hudson, 26.

ustistriga, Walker. Hudson, 26; Fereday, l.c. 335 (Ma-

mestra); E. insignis, T.N.Z.I. ix. 356. prionistis, Meyrick. Hudson, 27; Fereday, l.c. 335 (Mamestra).

phricias, Meyrick. Hudson, 27; Fereday, l.c. 335 (Mamestra).

cucullina, Guenée. Hudson, 27; Fereday, l.c. 335 (Mamestra).

bromias, Meyrick. T.E.S. 1900, 273.

Erana, Walker, 1857.

graminosa, Walker. Hudson, 28; Fereday, l.c. 335.

Sub-family CARADRININÆ.

Bityla, Walker, 1865.

defigurata, Walker. Hudson, 29; Fereday, l.c. 335. sericea, Butler. Hudson, 29; Fereday, l.c. 336.

Agrotis, Ochsenheimer, 1816.

ypsilon, Bott. Hudson, 30; Fereday, l.c. 336. admirationis, Guenée. Hudson, 31; Fereday, l.c. 336. innominata, Hudson, 31. sericea, Butler, 31; Fereday, l.c. 336. ceropachoides, Guenée. Hudson, 32; Fereday, l.c. 336.

Heliothis, Ochsenheimer, 1816. armigera, Hübner. Hudson, 32; Fereday, l.c. 336.

Cosmodes, Guenée, 1852. elegans, Donovan, Hudson, 33; Fereday, l.c. 336.

> Family Plusiadæ. Sub-family HYPNINÆ.

Hypenodes, Guenée, 1882.

exsularis, Meyrick. Hudson, 34; Fereday, l.c. 337. anticlina, Meyrick. T.E.S. 1901, 566; R. octias, Hudson, not of Meyrick.

Sub-family Plusianæ.

Plusia, Ochsenheimer, 1816.

chalcites, Esper. Hudson, 35; Fereday, l.c. 336 (eriosoma).

Dasypodia, Guenée, 1852.

selenophora, Guenée. Hudson, 35; Fereday, l.c. 336; Colenso, T.N.Z.I. xi. 300.

Rhapsa, Walker, 1865.

scotosialis, Walker. Hudson, 36; Fereday, l.c. 337.

Series Notodontina. Family Hydriomenidæ.

Tatosoma, Butler, 1874.

lestevata, Walker. Hudson, 39; Fereday, T.N.Z.I. xxx. 339. agrionata, Walker. Hudson, 40; Fereday, l.c. 340. timora, Meyrick. Hudson, 40; Fereday, l.c. 340.

Paradetis, Meyrick, 1886.

porphyrias, Meyrick. Hudson, 41; Fereday, l.c. 338.

Microdes, Guenée, 1857.

epicryptis, Meyrick. T.E.S. 1897, 384.

Chloroclystis, Hübner, 1816.

plinthina, Meyrick. Hudson, 41; Fereday, l.c. 339 (Pasiphila).

bilineolata, Walker. Hudson, 41; Fereday, l.c. 339 (Pasiphila).

antarctica, Hudson, 42.

aristias, Meyrick. Hudson, 42.

nereis, Meyrick. Hudson, 43; Fereday, l.c. 339 (*Pasiphila*). dryas, Meyrick. Hudson, 43; Fereday, l.c. 339 (*Pasiphila*). sphragitis, Meyrick. Hudson, 43; Fereday, l.c. 339 (*Pasiphila*).

lichenodes, Purdie. Hudson, 44; Fereday, l.c. 339 (Pasi-

phila).

indicataria, Walker. Hudson, 44; Fereday, l.c. 339 (Pasiphila).

inductáta, Walker. Hudson, 44; Fereday, l.c. 339 (*Pasiphila*). maculata, Hudson, 44. rectilineata, Hudson, 45.

Phrissogonus, Butler, 1882.

denotatus, Walker. Hudson, 45; Fereday, l.c. 339.

Elvia, Walker, 1862.

glaucata, Walker. Hudson, 46; Fereday, l.c. 339.

Hydriomena, Hübner, 1816.

globiata, Felder. Hudson, 47; Fereday, l.c. 340 (*Scotosia*). prionota, Meyrick. Hudson, 47.

deltoidata, Walker. Hudson, 47; Fereday, l.c. 340 (Ce-phalissa).

hemizona, Meyrick. Hudson, 48.

subochraria, Doubleday. Hudson, 48; Fereday, l.c. 341 (Anachloris).

triphragma, Meyrick. Hudson, 49; Fereday, l.c. 341 (Cidaria).

rixata, Felder. Hudson, 49; Fereday, l.c. 341 (*Cidaria*). purpurifera, Fereday. Hudson, 49; Fereday, l.c. 341 (*Cidaria*).

Hydriomena similata, Walker. Hudson, 50; Fereday,

T.N.Z.I. xxx. 341 (Cidaria).

callichlora, Butler. Hudson, 50; Fereday, l.c. 341 (Cidaria). arida, Butler. Hudson, 50; Fereday, l.c. 341 (Cidaria). siria, Meyrick. Hudson, 51; Fereday, l.c. 344 (Cephalissa).

Euchœca, Hübner, 1816.

rubropunctaria, Doubleday. Hudson, 51; Fereday, l.c. 338. (Epicyme).

Asthena, Hübner, 1816.

pulchraria, Doubleday. Hudson, 52; Fereday, l.c. 340. schistaria, Walker. Hudson, 52; Fereday, l.c. 34c.

Venusia, Curtis, 1839.

verriculata, Felder. Hudson, 53; Fereday, l.c. 338 (Paneyma).

xanthaspis, Meyrick. Hudson, 54; Fereday, l.c. 338 (Aulopola).

undosata, Felder. Hudson, 54; Fereday, l.c. 338 (Epi-phryne).

Asaphodes, Meyrick, 1886.

abrogata, Walker. Hudson, 55; Fereday, l.c. 338. siris, Hawthorn. Hudson, 55.

megaspilata, Walker. Hudson, 55; Fereday, l.c. 338 (Probolæa); Quail, T.N.Z.I. xxxiv. 235.

parora, Meyrick. Hudson, 56; Fereday, l.c. 338 (Probolæa). rufescens, Butler. Hudson, 56; Fereday, l.c. 338 (Homodotis).

Xanthorhoë, Hubner, 1816.

limonodes, Meyrick. Hudson, 57; Fereday, l.c. 341 (Epvaxa).

subductata, Walker. Hudson, 57; Fereday, l.c. 341 (Epvaxa).

rosearia, Doubleday. Hudson, 57; Fereday, l.c. (Epyaxa).

orophyla, Meyrick. Hudson, 58; Fereday, l.c. 341 (Epyaxa). semifissata, Walker. Hudson, 59; Fereday, l.c. 341 (Epyaxa).

lophogramma, Meyrick. Hudson, 59.

chlamydota, Meyrick. Hudson, 59; Fereday, l.c. 341 (Epyaxa).

stinaria, Guenée. Hudson, 60; Fereday, l.c. 342 (Larentia). mnesichola, Meyrick. Hudson, 60; Fereday, l.c. 343 (Larentia).

præfectata, Walker. Hudson, 60; Fereday, l.c. 342 (Larentia).

nephelias, Meyrick. Hudson, 61; Fereday, l.c. 342 (Larentia).

Xanthorhoe cataphracta, Meyrick. Hudson, 61; Fereday,

T.N.Z.I. xxx. 342 (Larentia).

clarata, Walker. Hudson, 61; Fereday, l.c. 342 (*Larentia*). cosmodosa, Meyrick. Hudson, 62; Fereday, l.c. 343 (*Larentia*).

bryopis, Meyrick. Hudson, 62; Fereday, l.c. 343 (Larentia). beata, Butler. Hudson, 63; Fereday, l.c. 342 (Larentia).

adonis, Hudson, 63.

chlorias, Meyrick. Hudson, 63; Fereday, l.c. 342 (*Larentia*). ægrota, Butler. Hudson, 64; Fereday, l.c. 342 (*Larentia*). lucidata, Walker. Hudson, 64; Fereday, l.c. 342 (*Larentia*). helias, Meyrick. Hudson, 64; Fereday, l.c. 342 (*Larentia*). prasinias, Meyrick. Hudson, 65; Fereday, l.c. 342 (*Larentia*).

chionogramma, Meyrick. Hudson, 65; Fereday, l.c. 342

(Larentia).

camelias, Meyrick. Hudson, 65; Fereday, l.c. 343 (Larentia). falcata, Butler. Hudson, 66; Fereday, l.c. 343 (Larentia). obarata, Felder. Hudson, 66; Fereday, l.c. 342 (Larentia). chorica, Meyrick. Hudson, 66; Fereday, l.c. 343 (Larentia). subobscurata, Walker. Hudson, 66; Fereday, l.c. 342 (Larentia).

cinerearia, Doubleday. Hudson, 67; Fereday, l.c. 343

(Larentia).

anthracias, Meyrick. Hudson, 67; Fereday, l.c. 343 (Larentia).

bulbulata, Guenée. Hudson, 68; Fereday, l.c. 343 (La-rentia.)

homalocyma, Meyrick. T.E.S. 1902, 274.

Lythria, Hübner, 1816.

chrysopeda, Meyrick. Hudson, 68; Fereday, l.c. 339 (Arcteuthes).

euclidiata, Guenée. Hudson, 58; Fereday, l.c. 338 (Arcteuthes).

Dasyuris, Guenée, 1868.

enysii, Butler. Hudson, 69; Fereday, l.c. 344 (Strathmonyma).

anceps, Butler. Hudson, 69; Fereday, l.c. 344 (Strathmonyma).

partheniata, Guenée. Hudson, 70; Fereday, l.c. 344. hectori, Butler. Hudson, 70; Fereday, l.c. 344 (Strathmonyma).

Notoreas, Meyrick, 1886.

insignis, Butler. Hudson, 71; Fereday, l.c. 343. orphnæa, Meyrick. Hudson, 71; Fereday, l.c. 343. isoleuca, Meyrick. Hudson, 72.

Notoreas mechanitis, Meyrick. Hudson, 72; Fereday, T.N.Z.I. xxx. 343.

paradelpha, Meyrick. Hudson, 72; Fereday, l.c. 343. perornata, Walker. Hudson, 72; Fereday, l.c. 344. strategica, Meyrick. Hudson, 73; Fereday, l.c. 343. callicrena, Meyrick. Hudson, 73; Fereday, l.c. 344. niphocrena, Meyrick. Hudson, 74; Fereday, l.c. 344. simplex, Hudson, 74; Fereday, l.c. 344. zopyra, Meyrick. Hudson, 74; Fereday, l.c. 344.

zopyra, Meyrick. Hudson, 74; Fereday, l.c. 344. vulcanica, Meyrick. Hudson, 75; Fereday, l.c. 344. brephosata, Walker. Hudson, 75; Fereday, l.c. 344. omichlias, Meyrick. Hudson, 76; Fereday, l.c. 344.

Samana, Walker, 1863. falcatella, Walker. Hudson, 76; Fereday, l.c. 344. acutata, Butler. Hudson, 76; Fereday, l.c. 344.

Family STERRHIDÆ.

Leptomeris, Hübner, 116.

rubraria, Doubleday. Hudson, 77; Fereday, l.c. 337 (Acidalia).

Family Monocteniadæ.

Dichromodes, Guenée, 1857. nigra, Butler. Hudson, 78; Fereday, l.c. 345. gypsotis, Meyrick. Hudson, 78; Fereday, l.c. 345. petrina, Meyrick. Hudson, 78; Fereday, l.c. 345.

Theoxena, Meyrick, 1884. scissaria, Guenée. Hudson, 79; Fereday, l.c. 337.

Family ORTHOSTIXIDÆ.

Epirranthis, Hübner, 1816.

alectoraria, Walker. Hudson, 80; Fereday, l.c. 345 (*Lyrcea*); Marriner, T.N.Z.I. xxxiii. 147.

hemipteraria, Guenée. Hudson, 80; Fereday, l.c. 337 (*Xyridacma*).

Family Selidosemidæ.

Selidosema, Hübner, 1816. fenerata, Felder. Hudson. 82; Fereday, l.c. 345.

rudisata, Walker. Hudson, 82; Fereday, l.c. 346.
suavis, Butler. Hudson, 83; Fereday, l.c. 345.
humillima, Hudson, 83.
cremnopa, Meyrick. T.E.S. 1897, 387.
productata, Walker. Hudson, 84; Fereday, l.c. 345.
aristarcha, Meyrick. Hudson, 85; Fereday, l.c. 346.
melinata, Felder. Hudson, 85; Fereday, l.c. 346.
dejectaria, Walker. Hudson, 87; Fereday, l.c. 346.
panagratta, Walker. Hudson, 87; Fereday, l.c. 346.
ombrodes, Meyrick. T.E.S. 1902, 275.

Hybernia, Latreille, 1825.

indocilis, Walker. Hudson, 88; Fereday, T.N.Z.I. xxx. 345.

Chalastra, Walker, 1862.

pelurgata, Walker. Hudson, 88; Fereday, l.c. 347.

Sestra, Walker, 1862.

humeraria, Walker. Hudson, 89; Fereday, l.c. 347. flexata, Walker. Hudson, 90.

Gonophylla, Meyrick, 1886.

nelsonaria, Felder. Hudson, 90; Fereday, l.c. 347. gallaria, Walker. Hudson, 92; Fereday, l.c. 347. ophiopa, Meyrick. Hudson, 93. fortinata, Guenée. Hudson, 93; Fereday, l.c. 347.

Drepanodes, Guenée, 1856. muriferata, Walker. Hudson, 91; Fereday, l.c. 347.

Ipana, Walker, 1858.

leptomera, Walker. Hudson, 94; Fereday, l.c. 347.

Declana, Walker, 1858.

atronivea, Walker. Hudson, 95; Fereday, l.c. 346 (*Detunda*).

egregia, Walker. Hudson, 96; Fereday, l.c. 346 (*Detunda*). floccosa, Walker. Hudson, 96; Fereday, l.c. 346; T.N.Z.I. ix. 356, and xii. 273.

junctilinea, Felder. Hudson, 98; Fereday, l.c. 347.

hermione, Hudson, 98. griseata, Hudson, 98.

niveata, Butler. Hudson, 98; Fereday, 347 (Epicasis).

Family Sphingidæ.

Sphinx, Linnæus, 1767.

convolvuli, Linnæus. Hudson, 99; Fereday, l.c. 331.

Section Pyralidina. Family Phycitidæ.

Crocydopora, Meyrick, 1888.

cinigerella, Walker. Fereday, T.N.Z.I. xxx. 357. œnospora, Meyrick. T.E.S. 1897, 388.

Homœosoma, Curtis, 1833. anaspila, Meyrick. T.E.S. 1901, 566.

Family CRAMBIDÆ.

Tauroscopa, Meyrick, 1888.

gorgopis, Meyrick. Fereday, l.c. 355.

Hednota, Meyrick, 1886.

leucophthalma, Meyrick. Fereday, T.N.Z.I. xxx. 354.

Diptychophora, Zeller, 1866.

pyrsophanes, Meyrick. Fereday, I.c. 354.
chrysochyta, Meyrick. Fereday, l.c. 354.
interrupta, Felder. Fereday, l.c. 354.
lepidella, Walker. Fereday, l.c. 354.
leucoxantha, Meyrick. Fereday, l.c. 354.
metallifera, Butler. Fereday, l.c. 354.
auriscriptella, Walker. Fereday, l.c. 354.
helioctypa, Meyrick. Fereday, l.c. 355.
elaina, Meyrick. Fereday, l.c. 355.
selenæa, Meyrick. Fereday, l.c. 355.
holanthes, Meyrick. Fereday, l.c. 355.
bipunctella, Walker. Fereday, l.c. 355.
epiphæa, Meyrick. Fereday, l.c. 355.
harmonica, Meyrick. Fereday, l.c. 355.

Cryptomima, Meyrick, 1883. acerella, Walker. Fereday, l.c. 354.

Scenoploca, Meyrick, 1883. petraula, Meyrick. Fereday, l.c. 354.

Thinasotia, Heinemann. claviferella, Walker. Fereday, l.c. 355.

Crambus, Fabricius, 1798. æthonellus, Meyrick. Fereday, l.c. 355. corruptus, Butler. Fereday, l.c. 355. ramosellus, Walker. Fereday, l.c. 356. angustipennis, Zeller. Fereday, l.c. 356. dicrenellus, Walker. Fereday, l.c. 356. haplotomus, Meyrick. Fereday, l.c. 356. callirrhoiis, Meyrick. Fereday, l.c. 356. simplex, Butler. Fereday, l.c. 356. seriellus, Meyrick. Fereday, l.c. 356. apicellus, Zeller. Fereday, l.c. 356. vitellus, Doubleday. Fereday, l.c. 356. flexuosellus, Doubleday. Fereday, l.c. 356. tuhualis, Felder. Fereday, l.c. 356. cyclopicus, Meyrick. Fereday, l.c. 356. harpophorus, Meyrick. Fereday, l.c. 356. xanthogrammus, Meyrick. Fereday, l.c. 356. ephorus, Meyrick. Fereday, l.c. 356. crenæus, Meyrick. Fereday. l.c. 356. enchophorus, Meyrick. Fereday, l.c. 357. diplorrhous, Meyrick. Fereday, l.c. 357. pedias, Meyrick. Fereday, l.c. 357. paraxenus, Meyrick. Fereday, l.c. 357. sophronellus, Meyrick. Fereday, l.c. 357. oncobolus, Meyrick. Fereday, l.c. 357.

Crambus heliotes, Meyrick. Fereday, T.N.Z.I. xxx. 357. isochytus, Meyrick. Fereday, l.c. 357. heteranthes, Meyrick. T.E.S. 1901, 568. antimorus, Meyrick. T.E.S. 1901, 567. horistes, Meyrick. T.E.S. 1902, 276.

Orocrambus, Meyrick, 1885.
melampetrus, Meyrick. Fereday, l.c. 355.
catacaustus, Meyrick. Fereday, l.c. 355.
tritonellus, Meyrick. Fereday, l.c. 355.
mylites, Meyrick. Fereday, l.c. 355.
thymniastes, Meyrick. T.E.S. 1901, 567.

Family Pyraustidæ.

Hymenia, Hubner, 1816. recurvalis, Fabricius. Fereday, l.c. 349.

Heliothela, Guenée, 1854. atra, Butler. Fereday, l.c. 349.

Scoparia, Hawthorn, 1811. oreas, Meyrick. Fereday, l.c. 349. philerga, Meyrick. Fereday, l.c. 350. chlamydota, Meyrick. Fereday, l.c. 350. minusculalis, Walker. Fereday, l.c. 350. hemiplaca, Meyrick. Fereday, l.c. 350. linealis, Walker. Fereday, l.c. 350. (sp. dub.) minualis, Walker. Fereday, l.c. 350. chimeria, Meyrick. Fereday, l.c. 350. dinodes, Meyrick. Fereday, l.c. 350. acharis, Meyrick. Fereday, l.c. 350. cymatias, Meyrick. Fereday, l.c. 350. microphthalma, Meyrick. Fereday, l.c. 350. hemicycla, Meyrick. Fereday, l.c. 350. ergatis, Meyrick. Fereday, l.c. 350. encapna, Meyrick. Fereday, l.c. 350. critica, Meyrick. Fereday, l.c. 350. characta, Meyrick. Fereday, l.c. 350. ustimacula, Felder. Fereday, l.c. 350. pongalis, Felder. Fereday, l.c. 350. melanægis, Meyrick. Fereday, l.c. 350. trapezophora, Meyrick. Fereday, l.c. 350. philetachra, Meyrick. Fereday, l.c. 351. colpota, Meyrick. Fereday, l.c. 351. periphanes, Meyrick. Fereday, l.c. 351. diphtheralis, Walker. Fereday, l.c. 351. submarginalis, Walker. Fereday, l.c. 351. cataxesta, Meyrick. Fereday, l.c. 351. tetracycla, Meyrick. Fereday, l.c. 351.

Scoparia indistinctalis, Walker. Fereday, T.N.Z.I. xxx. 351chalicodes, Meyrick. Fereday, l.c. 351. leptalea, Meyrick. Fereday, l.c. 351. psammitis, Meyrick. Fereday, l.c. 351. epicomia, Meyrick. Fereday, l.c. 351. feredayi, Knaggs. Fereday, l.c. 351. acompa, Meyrick. Fereday, l.c. 351. manganentis, Meyrick. Fereday, l.c. 351. crypsinoa, Meyrick. Fereday, l.c. 351. axena, Meyrick. Fereday, l.c. 351. steropæa, Meyrick. Fereday, l.c. 352. exilis, Knaggs. Fereday, l.c. 352. elaphra, Meyrick. Fereday, 352. paltomacha, Meyrick. Fereday, l.c. 352. deltophora, Meyrick. Fereday, l.c. 352. sabulosella, Walker. Fereday, l.c. 352. panopla, Meyrick. Fereday, l.c. 352. trivirgata, Felder. Fereday, l.c. 352. petrina, Meyrick. Fereday, l.c. 352. cyamenta, Meyrick. Fereday, l.c. 352. astragalota, Meyrick. Fereday, l.c. 352. rotuella, Felder. Fereday, l.c. 352. harpalea, Meyrick. Fereday, l.c. 352. ejuncida, Knapps. Fereday, l.c. 352. niphospora, Meyrick. Fereday, l.c. 352. apheles, Meyrick. Fereday, l.c. 352. aspidota, Meyrick. Fereday, l.c. 352. nomentis, Meyrick. Fereday, l.c. 353. epicremna, Meyrick. Fereday, l.c. 353. legnota, Meyrick. Fereday, l.c. 353. octophora, Meyrick. Fereday, l.c. 353. asterisca, Meyrick. Fereday, l.c. 353. leucogramma, Meyrick. Fereday, l.c. 353. torodes, Meyrick. T.E.S. 1901, 568. parachalca, Meyrick. T.E.S. 1901, 569. organæa, Meyrick. T.E.S. 1901, 569. alopecias, Meyrick. T.E.S. 1901, 570. leptophæa, Meyrick. T.E.S. 1902, 277.

Clepsicosma, Meyrick, 1888. iridia, Meyrick. Fereday, l.c. 354.

Paraponyx, Hubner, 1816. nitens, Butler. Fereday, l.c. 354.

Musotima, Meyrick, 1884. aduncalis, Felder. Fereday, l.c. 348. nitidalis, Walker. Fereday, l.c. 348.

Diasemia, Guenée, 1854. grammalis, Doubleday. Fereday, l.c. 348. Sceliodes, Guenée, 1854. cordalis, Doubleday. Fereday, T.N.Z.I. xxx. 348.

Mecyna, Guenée, 1854.
deprivalis, Walker. Fereday, l.c. 349.
marmarina, Meyrick. Fereday, l.c. 349; Meyrick, T.E.S.
1902, 276.
flavidalis, Doubleday. Fereday, l.c. 349.
notata, Butler. Fereday, l.c. 349.
daiclesalis, Walker. Fereday, l.c. 349.

Protenia, Meyrick, 1884. philocapna, Meyrick. Fereday, l.c. 349.

Nesarcha, Meyrick, 1884. hybreadalis, Walker. Fereday, l.c. 349.

Family Pyralididæ.

Deana, Butler. paronalis, Walker. Fereday, l.c. 348.

Diplopseustis, Meyrick, 1884. minima, Butler. Fereday, l.c. 348.

Family PTEROPHORIDÆ.

Platyptilia, Hubner, 1816. haasti, Felder. Fereday, l.c. 353. falcatalis, Walker. Fereday, l.c. 353. heliastis, Meyrick. Fereday, l.c. 353. ælodes, Meyrick. T.E.S. 1902, 278.

Stenoptilia, Hubner, 1816.
orites, Meyrick. Fereday, l.c. 353.
charadrias, Meyrick. Fereday, l.c. 353.
lithoxesta, Meyrick. Fereday, l.c. 353.

Pterophorus, Geoffroy, 176
furcatilis, Walker. Fereday, l.c. 353.
lycosemus, Meyrick. Fereday, l.c. 353.
monospilalis, Walker. Fereday, l.c. 353.
innotatalis, Walker. Fereday, l.c. 353.
celidotus, Meyrick. Fereday, l.c. 353.

Family Siculodidæ.

Siculodes, Schaeffer, 1855. subfasciata, Walker. Fereday, l.c. 348.

Section Psychina. Family Psychidæ.

Eceticus, Guilding, 1827.
omnivorus, Fereday. Hudson, N.Z. Lep. 123; Fereday, l.c. 330.

Orophora, Fereday, 1878. unicolor, Butler. Hudson, l.c. 126; Fereday, l.c. 330. Section TORTRICINA. Family EPIBLEMIDÆ.

Epiblema, Hubner, 1816. aphrias, Meyrick. T.E.S. 1901, 578.

Epalxiphora, Meyrick, 1881. axenana, Meyrick. Fereday, T.N.Z.I. xxx. 360.

Bactra, Stephens, 1829. lanceolana, Hubner. Fereday, l.c. 360.

Protithona, Meyrick, 1883. fugitivana, Meyrick. Fereday, l.c. 361.

Noteraula, Meyrick, 1892. straminea, Meyrick. Fereday, l.c. 361.

Strepticrates, Meyrick, 1881.
ejectana, Walker. Fereday, l.c. 361.
zopherana, Meyrick. Fereday, l.c. 361.
charopa, Meyrick. Fereday, l.c. 361.
parthenia, Meyrick. Fereday, l.c. 361.
emplasta, Meyrick. T.E.S. 1901, 571.

Hendecasticha, Meyrick, 1881. æthaliana, Meyrick. Fereday, l.c. 361.

Exoria, Meyrick, 1883. mochlophorana, Meyrick. Fereday, l.c. 361.

Family Tortricidæ.

Capua, Stephens, 1834. semiferana, Walker. Fereday, l.c. 357.

Pyrgotis, Meyrick, 1883.
plagiastana, Walker. Fereday, l.c. 358.
zygiana, Meyrick. Fereday, l.c. 358.
endorana, Meyrick. Fereday, l.c. 358.
plinthoglypta, Meyrick. Fereday, l.c. 358.
pyramidias, Meyrick. T.E.S. 1901, 571.

Adoxophyes, Meyrick, 1883.
lotiana, Meyrick. Fereday, l.c. 358.
conditana, Walker. Fereday, l.c. 358.
camelina, Meyrick. Fereday, l.c. 358.
trichroa, Meyrick. T.E.S. 1901, 578.

Proselena, Meyrick, 1883.
aspistana, Meyrick. Fereday, l.c. 358.
hermionana, Meyrick. Fereday, l.c. 358.
siriana, Meyrick. Fereday, l.c. 358.
elephantina, Meyrick. Fereday, l.c. 358.
eremana, Meyrick. Fereday, l.c. 358.

Proselena loxias, Meyrick. Fereday, T.N.Z.I. xxx. 358. eribola, Meyrick. Fereday, l.c. 358. zatrophana, Meyrick. Fereday, l.c. 358. emphanes, Meyrick. T.E.S. 1901, 571.

Harmologa, Meyrick, 1883.
sityrana, Meyrick. Fereday, l.c. 358.
oblongana, Walker. Fereday, l.c. 359.
ænea, Butler. Fereday, l.c. 359.
amplexana, Zeller. Fereday, l.c. 359.
latomana, Meyrick. Fereday, l.c. 359.
sirea, Meyrick. Fereday, l.c. 359.
petrias, Meyrick. T.E.S. 1901, 572.
achrosta, Meyrick. T.E.S. 1901, 572.

Ctenopseustris, Meyrick, 1885. obliquana, Walker. Fereday, l.c. 359.

Cacœcia, Hubner, 1816.
excessana, Walker. Fereday, l.c. 359.
enoplana, Meyrick. Fereday, l.c. 359.
alopecana, Meyrick. Fereday, l.c. 359.
astrologana, Meyrick. Fereday, l.c. 359.
torogramma, Meyrick. T.E.S. 1897, 388.
fervida, Meyrick. T.E.S. 1901, 572.
orthropis, Meyrick. T.E.S. 1901, 573.

Tortrix, Treitschke, 1829.
characterana, Meyrick. Fereday, l.c. 359.
demiana, Meyrick. Fereday, l.c. 359.
pictoriana, Felder. Fereday, l.c. 360.
philopoana, Meyrick. Fereday, l.c. 360.
leucaniana, Walker. Fereday, l.c. 360.
ærodana, Meyrick. Fereday, l.c. 360.

Dipterina, Meyrick, 1883. jactatana, Walker. Fereday, l.c. 360. incessana, Walker. Fereday, l.c. 360. imbriferana, Meyrick. Fereday, l.c. 360.

Eurythecta, Meyrick, 1883. robusta, Butler. Fereday, l.c. 360.

Prothelymna, Meyrick, 1883. nephelotana, Meyrick. Fereday, l.c. 360.

Family Phalonidæ.

Heterocrossa, Meyrick, 1883.
adreptella, Walker. Fereday, l.c. 361.
gonosemana, Meyrick. Fereday, l.c. 361.
cryodana, Meyrick. Fereday, l.c. 361.

Heterocrossa epomiana, Meyrick. Fereday, T.N.Z.I. xxx. 361.

exochana, Meyrick. Fereday, l.c. 361. Fereday, l.c. 362. charaxias, Meyrick. Fereday, l.c. 362.

Isonomeutis, Meyrick, 1888. amauropa, Meyrick. Fereday, l.c. 362.

Section TINEINA. Family GELECHIADÆ.

Megacraspedus, Zeller, 1839. calamogonus, Meyrick. Fereday, l.c. 362.

Isochasta, Meyrick, 1886. paradesma, Meyrick. Fereday, l.c. 362.

Thiotrichia, Meyrick, 1886. tetrophala, Meyrick. Fereday, l.c. 362. thorybodes, Meyrick. Fereday, l.c. 362.

Scieropepla, Meyrick, 1886. typhicola, Meyrick. Fereday l.c. 362.

Gelechia, Hubner, 1816.
solanella, Boisduval. Fereday, l.c. 362.
thyraula, Meyrick. Fereday, l.c. 362.
brontophora, Meyrick. Fereday, l.c. 362.
schematica, Meyrick. Fereday, l.c. 362.
paraplura, Meyrick. Fereday, l.c. 362.
pharetria, Meyrick. Fereday, l.c. 362.
monophragma, Meyrick. Fereday, l.c. 362.
lithodes, Meyrick. Fereday, l.c. 363.
achyrota, Meyrick. Fereday, l.c. 363.
hippeis, Meyrick. T.E.S. 1901, 573.

Anisoplaca, Meyrick, 1886. ptyoptera, Meyrick. Fereday, l.c. 363.

Epiphthora, Meyrick, 1888. melanombra, Meyrick. Fereday, l.c. 363.

Family ŒCOPHORIDÆ.

Phæosaces, Meyrick, 1886. compsotypa, Meyrick. Fereday, 1 c. 363. apocrypta, Meyrick. Fereday, l.c. 363. liochroa, Meyrick. Fereday, l.c. 363.

Nymphostola, Meyrick, 1884. galactina, Felder. Fereday, l.c. 363; Hutton, T.N.Z.I. xii. 274.

Proteodes, Meyrick, 1882. carnifex, Butler. Fereday, l.c. 363. Eulechria, Meyrick, 1882. zophoëssa, Meyrick. Fereday, T.N.Z.I. xxx. 363. photinella, Meyrick. Fereday, l.c. 363.

Atomotricha, Meyrick, 1884. ommatias, Meyrick. Fereday, l.c. 363.

Brachysara, Meyrick, 1884. sordida, Butler. Fereday, l.c. 363.

Phlæopola, Meyrick, 1883. dinocosma, Meyrick. Fereday, l.c. 364.

Trachypepla, Meyrick, 1884
leucoplanetis, Meyrick. Fereday, l.c. 364.
euryleucota, Meyrick. Fereday, l.c. 364.
conspicuella, Walker. Fereday, l.c. 364.
spartodeta, Meyrick. Fereday, l.c. 364.
nyctopis, Meyrick. Fereday, l.c. 364.
galaxias, Meyrick. Fereday, l.c. 364.
hieropis, Meyrick. Fereday, l.c. 364.
protochlora, Meyrick. Fereday, l.c. 364.
aspidephora, Meyrick. Fereday, l.c. 364.
anastrella, Meyrick. Fereday, l.c. 364.
lichenodes, Meyrick. Fereday, l.c. 364.

Aschleta, Meyrick, 1884. psychra, Meyrick. Fereday, l.c. 364.

Peltophora, Meyrick, 1888. amenena, Meyrick. Fereday, l.c. 364.

Semicosma, Meyrick, 1884.

mystis, Meyrick. Fereday, l.c. 364.
peroneanella, Walker. Fereday, l.c. 365.
picarella, Walker. Fereday, l.c. 365.
prasophyta, Meyrick. Fereday, l.c. 365.
austera, Meyrick. Fereday, l.c. 365.
apodoxa, Meyrick. Fereday, l.c. 365.
platyptera, Meyrick. Fereday, l.c. 365.
platyptera, Meyrick. Fereday, l.c. 365.
caustopa, Meyrick. Fereday, l.c. 365.
paraneura, Meyrick. Fereday, l.c. 365.
balanophora, Meyrick. T.E.S. 1897, 389.

Lathicrossa, Meyrick, 1884. leucocentra, Meyrick. Fereday, l.c. 365.

Thamnosara, Meyrick, 1884. chirista, Meyrick. Fereday, l.c. 365.

Gymnobathra, Meyrick, 1884. coarctatella, Walker. Fereday, l.c. 365. Gymnobathra sarcoxantha, Meyrick. Fereday, T.N.Z.I.

xxx. 365.
parca, Butler. Fereday, l.c. 365.
tholodella, Meyrick. Fereday, l.c. 365.
flavidella, Walker. Fereday, l.c. 365.
hamatella, Walker. Fereday, l.c. 365.
hyetodes, Meyrick. Fereday, l.c. 366.
philadelpha, Meyrick. Fereday, l.c. 366.
habropis, Meyrick. Fereday, l.c. 366.
omphalota, Meyrick. Fereday, l.c. 366.
thetodes, Meyrick. T.E.S. 1901, 574.

Œcophora, Latreille, 1796. scholæa, Meyrick. Fereday, l.c. 366. letharga, Meyrick. Fereday, l.c. 366. chloritis, Meyrick. Fereday, l.c. 366. epimylia, Meyrick. Fereday, l.c. 366. contextella, Walker. Fereday, l.c. 366. hemimochla, Meyrick. Fereday, l.c. 366. griseata, Butler. Fereday, l.c. 366. phlegophylla, Meyrick. Fereday, l.c. 366. oporæa, Meyrick. Fereday, l.c. 366. horæa, Meyrick. Fereday, l.c. 366. armigerella, Walker. Fereday, l.c. 366. apanthes, Meyrick. Fereday, l.c. 366. anæma, Meyrick. Fereday, l.c. 366. macarella, Meyrick. Fereday, l.c. 366. homodoxa, Meyrick. Fereday, l.c. 366. siderodeta, Meyrick. Fereday, l.c. 366. hoplodesma, Meyrick. Fereday, l.c. 367; T.E.S. 1901, 574chrysogramma, Meyrick. Fereday, l.c. 367. politis, Meyrick. Fereday, l.c. 367. nycteris, Meyrick. Fereday, l.c. 367. actinias, Meyrick. T.E.S. 1901, 574.

Cremnogenes, Meyrick, 1884.
oxyina, Meyrick. Fereday, l.c. 367.
aphrontis, Meyrick. Fereday, l.c. 367.
siderodeta, Meyrick. Fereday, l.c. 367.

Family Elachistidæ.

Vanicela, Walker, 1864.
disjunctella, Walker. Fereday, l.c. 372.
xenadelpha, Meyrick. Fereday, l.c. 372.

Stathmopoda, Stainton, 1854. holochra, Meyrick. Fereday, l.c. 372. phlegra, Meyrick. Fereday, l.c. 372. campylocha, Meyrick. Fereday, l.c. 372. Stathmopoda skelloni, Butler. Fereday, T.N.Z.I. xxx. 372. epichlora, Meyrick. Fereday, l.c. 372. caminora, Meyrick. Fereday, l.c. 372. aposema, Meyrick. T.E.S. 1901, 575. mysteriastis, Meyrick. T.E.S. 1901, 575.

Calicotis, Meyrick, 1889. crucifera, Meyrick. Fereday, l.c. 372.

Thylacosceles, Meyrick, 1889. acridomima, Meyrick. Fereday, l.c. 372.

Zapyrastra, Meyrick, 1889. calliphana, Meyrick. Fereday, l.c. 372.

Limnœcia, Scudder, 1872. phragmitella, Stainton. Fereday, l.c. 372.

Syntomactis, Meyrick, 1889. deamatella, Walker. Fereday, l.c. 372.

Proterocosma, Meyrick, 1889. apparitella, Walker. Fereday, l.c. 373. aëllotricha, Meyrick. Fereday, l.c. 373. anarithma, Meyrick. Fereday, l.c. 373.

Elachista, Treitschke, 1833.

melanura, Meyrick. Fereday, l.c. 373.
gerasmia, Meyrick. Fereday, l.c. 373.
thallophora, Meyrick. Fereday, l.c. 373.
helonoma, Meyrick. Fereday, l.c. 373.
exaula, Meyrick. Fereday, l.c. 373.
ombrodoca, Meyrick. Fereday, l.c. 373.
archæonoma, Meyrick. Fereday, l.c. 373.

Batrachedra, Stainton, 1854.

eucola, Meyrick. Fereday, l.c. 373.
arenosella, Walker. Fereday, l.c. 373.
psithyura, Meyrick. Fereday, l.c. 373.
tristicta, Meyrick. T.E.S. 1901, 579.
agaura, Meyrick. T.E.S. 1901, 579.

Endrosis, Hubner, 1816. lacteella, Schiff. Fereday, l.c. 371.

Butalis, Treitschke, 1833. epistrota, Meyrick. Fereday, l.c. 371.

Lysiphragma, Meyrick, 1888. mixochlora, Meyrick. Fereday, l.c. 371. epixyla, Meyrick. Fereday, l.c. 371. howesii, Quail. T.N.Z.I. xxxiii. 154. Family Plutellidæ. Sub-family Glyphipteryginæ.

Heliostribes, Zeller, 1874. illita, Fèlder. Fereday, T.N.Z.I. xxx. 367. atychioides, Butler. Fereday, l.c. 367. electrica, Meyrick. Fereday, l.c. 367.

Simæthis, Leach, 1819.
combinatana, Walker. Meyrick, P.L.S.N.S.W. iv. 213.
microlitha, Meyrick. Fereday, l.c. 367.
symbolæa, Meyrick. Fereday, l.c. 367.
symbolæa, Meyrick. Fereday, l.c. 367.

Glyphipteryx, Zeller, 1839.

triselena, Meyrick. P.L.S.N.S.W. iv. 234.
euastera, Meyrick. P.L.S.N.S.W. 236.
asteronocta, Meyrick. P.L.S.N.S.W. iv. 249.
iocheæra, Meyrick. P.L.S.N.S.W. iv. 243.
acrothecta, Meyrick. P.L.S.N.S.W. iv. 244.
astrapæa, Meyrick. P.L.S.N.S.W. iv. 245.
transversella, Walker. Meyrick, P.L.S.N.S.W. iv. 246.
zelota, Meyrick. Fereday, T.N.Z.I. xxx. 367.
acronoma, Meyrick. Fereday, T.N.Z.I. xxx. 367.
leptosema, Meyrick. Fereday, T.N.Z.I. xxx. 367.
nephroptera, Meyrick. Fereday, T.N.Z.I. xxx. 367.

Phryganostola, Meyrick, 1880. oxymachæra, Meyrick. P.L.S.N.S.W. iv. 251. achlyoessa, Meyrick. P.L.S.N.S.W. iv. 252. ataracta, Meyrick. Fereday, l.c. 368.

Circica, Meyrick, 1888. cionophora, Meyrick. Fereday, l.c. 368. xestobela, Meyrick. Fereday, l.c. 368.

Pantosperma, Meyrick, 1888. holochalea, Meyrick. Fereday, l.c. 368.

Sub-family Plutellinæ.

Protosynæma, Meyrick, 1886. eratospis, Meyrick. Fereday, l.c. 368. steropucha, Meyrick. Fereday, l.c. 368..

Orthenches, Meyrick, 1886. chlorocoma, Meyrick. Fereday, l.c. 368. prasinodes, Meyrick. Fereday, l.c. 368. porphyritis, Meyrick. Fereday, l.c. 368.

Yponomeuta, Latreille, 1796. cuprea, Meyrick. T.E.S. 1901, 575. Plutella, Schranck, 1802. sera, Meyrick. Fereday, T.N.Z.I. xxx. 368. psammochroa, Meyrick. Fereday, l.c. 368. antiphona, Meyrick. T.E.S. 1901, 576.

Dolichermis, Meyrick, 1891. chloroleuca, Meyrick. Fereday, l.c. 369.

Compristis, Meyrick, 1888. bifaciella, Walker. Fereday, l.c. 368.

Hypeuryntis, Meyrick, 1897. coricopa, Meyrick. T.E.S. 1897, 389.

Eutora, Meyrick, 1889. caryochroa, Meyrick. Fereday, l.c. 369. symmophora, Meyrick. Fereday, l.c. 369.

Family Tineidæ. Sub-family Nepticulinæ.

Nepticula, Heyden, 1842. tricentra, Meyrick. Fereday, l.c. 374. ogygia, Meyrick. Fereday, l.c. 374. propalæa, Meyrick. Fereday. l.c. 374.

Sub-family Graciliariinæ.

Gracillaria, Hawthorn, 1828.
chrysitis, Felder. Fereday, l.c. 373.
chalcodelta, Meyrick. Fereday, l.c. 373.
linearis, Butler. Fereday, l.c. 373.
leucocyma, Meyrick. Fereday, l.c. 374.
aëllomacha, Meyrick. Fereday, l.c. 374.
æthalota, Meyrick. Fereday, l.c. 374.

Coriscium, Zeller, 1839. miniellum, Felder. Fereday, l.c. 374.

Conopomorpha, Meyrick, 1886. cyanospila, Meyrick. Fereday, l.c. 374.

Sub-family Argyresthiinæ.

Hofmannia, Heinemann and Wocke, 1876.
sphenota, Meyrick. Fereday, l.c. 371.

Circostola, Meyrick, 1889. copidota, Meyrick. Fereday, l.c. 371.

Cateristis, Meyrick, 1889. eustyla, Meyrick. Fereday, l.c. 371.

Bedellia, Stainton, 1849. psamminella, Meyrick. Fereday, l.c. 372. Sub-family Anaphorinæ.

Titanomis, Meyrick, 1888.
sisyrota, Meyrick. Fereday, T.N.Z.I. xxx. 371.

Sub-family LIPUSINÆ.

Scoriodyta, Meyrick, 1888. conisalia, Meyrick. Fereday, l.c. 370.

Mallobathra, Meyrick, 1888. cratæa, Meyrick. Fereday, l.c. 371. metrosema, Meyrick. Fereday, l.c. 371. microphanes, Meyrick. Fereday, l.c. 371. homalopa, Meyrick. Fereday, l.c. 371.

Sub-family Tineinæ.

Amphixystis, Meyrick, 1901.
hapsimacha, Meyrick, T.E.S. 1901, 577.

Dryadaula, Meyrick, 1893. pactolia, Meyrick. T.E.S. 1901, 577.

Ereunetis, Meyrick, 1888. technica, Meyrick. Fereday, l.c. 369. exospila, Meyrick. T.E.S. 1901, 577.

Eschatotypa, Meyrick, 1880. melichrysa, Meyrick, P.L.S.N.S.W. iv. 257.

Erechthias, Meyrick, 1880.
chasmatias, Meyrick. P.L.S.N.S.W. iv. 264.
stilbella, Walker. Meyrick, P.L.S.N.S.W. iv. 265.
charadrota, Meyrick. P.L.S.N.S.W. iv. 268.
chionodira, Meyrick. P.L.S.N.S.W. iv. 268.
sub-pavonella, Walker. Meyrick, P.L.S.N.S.W. iv. 269.
melanotricha, Meyrick. Fereday, l.c. 369.
erebistis, Meyrick. Fereday, l.c. 269.

Decadarchis, Meyrick, 1891. monastra, Meyrick. Fereday, l.c. 369.

Endophthora, Meyrick, 1888.
omogramma, Meyrick. Fereday, l.c. 369.
pharotoma, Meyrick. Fereday, l.c. 369.
mesotypa. Meyrick. Fereday, l.c. 369.
agriopa, Meyrick. Fereday, l.c. 369.

Habrophila, Meyrick, 1889. compseuta, Meyrick. Fereday, l.c. 370.

Sagephora, Meyrick, 1888. phortegella, Meyrick. Fereday, l.c. 370. steropastis, Meyrick. Fereday, l.c. 370. Blabophanes, Zeller. Lep. Holland. ethelella, Newman. Fereday, T.N.Z.I. xxx. 370. ornithias, Meyrick. Fereday, l.c. 370.

Tinea, Fabricius, 1775.
grammocosma, Meyrick. Fereday, l.c. 370.
belonota, Meyrick. Fereday, l.c. 370.
certella, Walker. Fereday, l.c. 370.
mochlota, Meyrick. Fereday, l.c. 370.
terranea, Butler. Fereday, l.c. 370.

Series MICROPTERYGINA. Family Hepialidæ.

Hepialus, Fabricius, 1776. virescens, Doubleday. Hudson, N.Z. Lep. 129; Fereday, l.c. 330; Gossett, T.N.Z.I. xi. 347.

Porina, Walker, 1856.
dinodes, Meyrick. Hudson, l.c. 132; Fereday, l.c. 329.
mairi, Buller. Hudson, l.c. 132; Fereday, l.c. 329.
enysii, Butler. Hudson, l.c. 133; Fereday, l.c. 329.
characterifera, Walker. Hudson, l.c. 133; Fereday, l.c. 329.
cervinata, Walker. Hudson, l.c. 133; Fereday, l.c. 329.
despecta, Walker. Hudson, l.c. 134; Fereday, l.c. 330.
umbraculata, Guenée. Hudson, l.c. 134; Fereday, l.c. 330.
signata, Walker. Hudson, l.c. 134; Fereday, l.c. 330.
variolaris, Guenée. Fereday, l.c. 330.

Family MICROPTERYGIDÆ.

Mnesarchæa, Meyrick, 1886. paracosma, Meyrick. Fereday, l.c. 368. loxoscia, Meyrick. Fereday, l.c. 368. hamadelpha, Meyrick. Fereday, l.c. 369.

Palæomicra, Meyrick, 1886. chalcophanes, Meyrick. Fereday, l.c. 369. chrysargyra, Meyrick. Fereday, l.c. 369. zonodoxa, Meyrick. Fereday, l.c. 369. doroxena, Meyrick. Fereday, l.c. 369.

APPENDIX.

The following Butterfly has been found several times in New Zealand, but does not appear to be naturalised:—

Diadema nerina, Fabricius. Fereday, l.c. 328; Anosia bolina, Hudson, N.Z. Lep. 104.

Order DIPTERA. Series Cyclorrhapha Schizophora. Family Tachinidæ.

Macquartia, R. Desvoidy, 1830. subtilis, Hutton. T.N.Z.I. xxxiii. 46. vexata, Hutton. T.N.Z.I. xxxiii. 46.

Tryphera, Meigen, 1838. sosilus, Walker. Hutton, T.N.Z.I. xxxiii. 47.

Calcager, Hutton, 1901.

apertum, Hutton. T.N.Z.I. xxxiii. 48.
turbidum, Hutton. T.N.Z.I. xxxiii. 49.
temerarium, Hutton. T.N.Z.I. xxxiii. 50.
humeratum, Hutton. T.N.Z.I. xxxiii. 50.

Nemoræa, R. Desvoidy, 1830. mestor, Walker. Hutton, T.N.Z.I. xxxiii. 51.

Hystricia, Macquart, 1843. lupina, Swederus. Hutton, T.N.Z.I. xxxiii. 51. pachyprocta, Nowicki. Hutton, T.N.Z.I. xxxiii. 52.

Occisor, Hutton, 1901. inscitus, Hutton. T.N.Z.I. xxxiii. 52. versutus, Hutton. T.N.Z.I. xxxiii. 53.

Tachina, Meigen, 1803. clarkii, Hutton. T.N.Z.I. xxxiii. 53.

Procissio, Hutton, 1901.
cana, Hutton. T.N.Z.I. xxxiii. 54.
modica, Hutton. T.N.Z.I. xxxiii. 55.
valida, Hutton. T.N.Z.I. xxxiii. 55.
montana, Hutton. T.N.Z.I. xxxiii. 55.

Peremptor, Hutton, 1901.
pavida, Hutton. T.N.Z.I. xxxiii. 56.
egmonti, Hutton. T.N.Z.I. xxxiii. 56.

Cerosomyia, Hutton, 1901. usitata, Hutton. T.N.Z.I. xxxiii. 57.

Phorocera, R. Desvoidy, 1830.
feredayi, Hutton. T.N.Z.I. xxxiii. 58.
clathrata, Nowicki. Hutton, T.N.Z.I. xxxiii. 58.
nyctemeriana, Hudson. Hutton, T.N.Z.I. xxxiii. 58.
marginata, Hutton. T.N.Z.I. xxxiii. 59.
nefaria, Hutton. T.N.Z.I. xxxiii. 59.
efferata, Hutton. T.N.Z.I. xxxiii. 59.
orasus, Walker. Hutton, T.N.Z.I. xxxiii. 60.
atrox, Hutton. T.N.Z.I. xxxiii. 60.
funesta, Hutton. T.N.Z.I. xxxiii. 60.
perniciosa, Hutton. T.N.Z.I. xxxiii. 60.

Gymnophania, Brauer and Bergenstamm, 1889. pernix, Hutton. T.N.Z.I. xxxiii. 61.

Phania, Meigen, 1824. verecunda, Hutton. T.N.Z.I. xxxiii. 61.

Family Muscidæ.

Calliphora, R. Desvoidy, 1830.

quadrimaculata, Swederus. Hutton, T.N.Z.I. xxxiii. 64; Travers, T.N.Z.I. iii. 116.

hortona, Walker. Hutton, T.N.Z.I. xxxiii. 65. icela, Walker. Hutton, T.N.Z.I. xxxiii. 65. antennatis, Hutton. T.N.Z.I. xxxiii. 65. læmica, White. Hutton, T.N.Z.I. xxxiii. 66. eudypti, Hutton. T.N.Z.I. xxxiv. 170. antipodea, Hutton. T.N.Z.I. xxxiv. 170.

Sepimentum, Hutton, 1901. fumosum, Hutton. T.N.Z.I. xxxiii. 67. demissum, Hutton. T.N.Z.I. xxxiii. 67.

Family Anthomyidæ.

Trichophthicus, Rondani, 1870.
melas, Schiner. Hutton, T.N.Z.I. xxxiii. 70.
dolosus, Hutton. T.N.Z.I. xxxiii. 70.
carbonarius, Hutton. T.N.Z.I. xxxiii. 71.
maculipennis, Hutton. T.N.Z.I. xxxiii. 71.
limpidus, Hutton. T.N.Z.I. xxxiii. 71.
ordinatus, Hutton. T.N.Z.I. xxxiii. 72.
villosus, Hutton. T.N.Z.I. xxxiii. 72.

Limnophora, R. Desvoidy, 1830. rapax, Hutton. T.N.Z.I. xxxiii. 72. aucklandica, Hutton. T.N.Z.I. xxxiv. 172.

Homalomyia, Bouché, 1834.
fulvescens, Hutton. T.N.Z.I. xxxiii. 73.
fuliginosa, Hutton. T.N.Z.I. xxxiii. 74.
badia, Hutton. T.N.Z.I. xxxiii. 74.
rava, Hutton. T.N.Z.I. xxxiii. 74.
fraxinea, Hutton. T.N.Z.I. xxxiii. 75.

Exsul, Hutton, 1901. singularis, Hutton. T.N.Z.I. xxxiii. 75.

Phorbia, R. Desvoidy, 1830. novæ-zealandiæ, Hutton. T.N.Z.I. xxxiii. 76.

Cœnosia, Meigen, 1826. spinipes, Walker. Hutton, T.N.Z.I. xxxiii. 76. smithii, Hutton. T.N.Z.I. xxxiii. 77. rubriceps, Hutton. T.N.Z.I. xxxiii. 77. Cœnosia purgatoria, Hutton. T.N.Z.I. xxxiii. 77. algivora, Hutton. T.N.Z.I. xxxiii. 78.

Family Cordyluridæ.

Cordylura, Fallen, 1819. debilis, Hutton. T.N.Z.I. xxxiii. 79.

Family Phycodromode.

Cœlopa, Meigen, 1830.

littoralis, Hutton. T.N.Z.I. xxxiii. 80.
monstruosa, Hutton. T.N.Z.I. xxxiii. 80.
curvipes, Hutton. T.N.Z.I. xxxiv. 172.
rufa, Hutton. T.N.Z.I. xxxiv. 173.

Family HELOMYZIDÆ.

Helomyza, Fallen, 1839. scutellata, Hutton. T.N.Z.I. xxxiii. 81. hudsoni, Hutton. T.N.Z.I. xxxiii. 81.

Heteromyza, Fallen, 1820. laquei, Hutton. T.N.Z.I. xxxiv. 173.

Leria, R. Desvoidy, 1830.
placata, Hutton. T.N.Z.I. xxxiii. 82.
fulva, Hutton. T.N.Z.I. xxxiii. 82.

Family SCIOMYZIDÆ.

Sciomyza, Fallen, 1839. nigricornis, Macquart. Hutton, T.N.Z.I. xxxiii. 83.

Tetanocera, Dumeril, 1809. rara, Hutton. T.N.Z.I. xxxiii. 84.

Limnia, R. Desvoidy, 1830. sigma, Walker. Hutton. T.N.Z.I. xxxiii. 84. tranquilla, Hutton. T.N.Z.I. xxxiii. 85. transmarina, Schiner. Hutton, T.N.Z.I. xxxiii. 85. obscura, Hutton. T.N.Z.I. xxxiii. 85.

Trigonometopus, Macquart, 1835. bipunctatus, Hutton. T.N.Z.I. xxxiii. 86.

Family Sapromyzidæ.

Sapromyza, Fallen, 1820. dichromata, Walker. Hutton, T.N.Z.I. xxxiii. 87. sciomyzina, Schiner. Hutton, T.N.Z.I. xxxiii. 87. decora, Schiner. Hutton, T.N.Z.I. xxxiii. 87.

Lauxania, Latreille, 1805. bilineata, Hutton. T.N.Z.I. xxxiii. 88. carbonaria, Hutton. T.N.Z.I. xxxiv. 173. Lonchæa, Fallen, 1820. aucklandica, Hutton. T.N.Z.I. xxxiv. 173.

Family Opomyzidæ.

Opomyza, Fallen, 1820. apicalis, Walker. Hutton, T.N.Z.I. xxxiii. 88.

Family Prophilidæ.

Prophila, Fallen, 1820. smithii, Hutton. T.N.Z.I. xxxiii. 89.

Family EPHYDRINIDÆ.

Ephydra, Fallen, 1813. aquaria, Hutton. T.N.Z.I. xxxiii. 90.

Domina, Hutton, 1901. metallica, Hutton. T.N.Z.I. xxxiii. 90.

Family Drosophilidæ.

Drosophila, Fallen, 1820.
brouni, Hutton. T.N.Z.I. xxxiii. 91.
marmoria, Huttoni. T.N.Z.I. xxxiii. 91.
clarkii, Hutton. T.N.Z.I. xxxiii. 91.
enderbyi, Hutton. T.N.Z.I. xxxiv. 174.

Asteia, Meigen, 1818. levis, Hutton. T.N.Z.I. xxxiv. 175.

Family Oscinidæ.

Oscinis, Latreille, 1804. badia, Hutton. T.N.Z.I. xxxiii. 92.

Family AGROMYZIDÆ.

Agromyza, Fallen, 1823. australensis, Mik. Hutton, T.N.Z.I. xxxiii. 93. fulvifrons, Hutton. T.N.Z.I. xxxiii. 93.

Milichia, Meigen, 1830.
picata, Hutton. T.N.Z.I. xxxiv. 195.
littorea, Hutton. T.N.Z.I. xxxiv. 174.

Ochthiphila, Fallen, 1823. australis, Hutton. T.N.Z.I. xxxiv. 174.

Family Borboridæ.

Borborus, Meigen, 1803. empiricus, Hutton. T.N.Z.I. xxxiii. 94.

Apterina, Macquart, 1835. trilineata, Hutton. T.N.Z.I. xxxiii. 93. Series Cyclorrhapha Aschiza. Family Syrphidæ.

Helophilus, Meigen, 1822.

cingulatus, Fabricius. Hutton, T.N.Z.I. xxxiii. 37.

trilineatus, Fabricius. Hutton, T.N.Z.I. xxxiii. 38.

vicinus, Hutton. T.N.Z.I. xxxiii. 38.

antipodus, Schiner. Hutton, T.N.Z.I. xxxiii. 38.

ineptus, Walker. Hutton, T.N.Z.I. xxxiii. 39.

chathamensis, Hutton. T.N.Z.I. xxxiii. 39.

campbellicus, Hutton. T.N.Z.I. xxxiii. 39.

latifrons, Schiner. Hutton, T.N.Z.I. xxxiii. 39.

Milesia, Latreille, 1802. bilineata, Walker. Hutton, T.N.Z.I. xxxiii. 40.

Syrphus, Fabricius, 1775.
novæ-zealandiæ, Macquart. Hutton, T.N.Z.I. xxxiii. 40.
ortas, Walker. Hutton, T.N.Z.I. xxxiii. 41.
ropalus, Walker. Hutton, T.N.ZI. xxxiii. 41.
obesus, Hutton. T.N.Z.I. xxxiii. 41.

Melanostoma, Schiner, 1860.
fasciatum, Macquart. Hutton, T.N.Z.I. xxxiii. 42.
apertum, Hutton. T.N.Z.I. xxxiii. 42.
decessum, Hutton. T.N.Z.I. xxxiii. 43.

Series Orthorrapha Brachycera. Family Dolichopodidæ.

Psilopus, Meigen, 1824.

mobilis, Hutton. T.N.Z.I. xxxiii. 32.
fuscatus, Hutton. T.N.Z.I. xxxiii. 32.
restrictus, Hutton. T.N.Z.I. xxxiii. 33.
malitiosus, Hutton. T.N.Z.I. xxxiii. 33.
gemmatus, Walker. Hutton, T.N.Z.I. xxxiii. 33.

Liancalus, Loëw, 1857. vagus, Hutton. T.N.Z.I. xxxiii. 34.

Ostenia, Hutton, 1901. robusta, Hutton. T.N.Z.I. xxxiii. 34.

Family Empidæ.

Empis, Linnæus, 1767.
hudsoni, Hutton. T.N.Z.I. xxxiii. 30.
smithii, Hutton. T.N.Z.I. xxxiii. 30.
brouni, Hutton. T.N.Z.I. xxxiii. 30.

Hilara, Meigen, 1822. fulvipes, Hutton. T.N.Z.I. xxxiii. 31.

Clinocera, Meigen, 1822. fumosa, Hutton. T.N.Z.I. xxxiii. 31. Family CYRTIDÆ.

Apsoma, Westwood, 1876. muscaria, Westwood. Hutton, T.N.Z.I. xxxiii. 28.

Helle, Osten-Sacken. 1896. longirostris, Hudson. Hutton, T.N.Z.I. xxxiii. 28.

Henops, Illiger, 1806. brunneus, Hutton. T.N.Z.I. xxxiii. 29. nitens, Hutton. T.N.Z.I. xxxiii. 29.

Family Therevide.

Anarbarhynchus, Macquart, 1848.
bilineatus, Fabricius. Hutton, T.N.Z.I. xxxiii. 24.
maori, Hutton. T.N.Z.I. xxxiii. 25.
innotatus, Walker. Hutton, T.N.Z.I. xxxiii. 25.
luridus, Schiner. Hutton, T.N.Z.I. xxxiii. 25.
exiguus, Hutton. T.N.Z.I. xxxiii. 26.
nebulosus, Hutton. T.N.Z.I. xxxiii. 26.
castaneus, Hutton. T.N.Z.I. xxxiii. 26.
micans, Hutton. T.N.Z.I. xxxiii. 27.
cupreus, Hutton. T.N.Z.I. xxxiii. 27.

Family Bombylldæ.

Fraudator, Hutton, 1901,
perspicuus, Hutton. T.N.Z.I. xxxiii. 23.

Family Asilidæ.

Saropogon, Loëw, 1847.

viduus, Walker. Hutton, T.N.Z.I. xxxiii. 19.
clarkii, Hutton. T.N.Z.I. xxxiii. 19.
discus, Walker. Hutton, T.N.Z.I. xxxiii. 19.
proximus, Hutton. T.N.Z.I. xxxiii. 19.
fugiens, Hutton. T.N.Z.I. xxxiii. 20.
antipodus, Schiner. Hutton, T.N.Z.I. xxxiii. 20.
hudsoni, Hutton. T.N.Z.I. xxxiii. 20.
chathamensis, Hutton. T.N.Z.I. xxxiii. 20.
extenuatus, Hutton. T.N.Z.I. xxxiii. 21.
fascipes, Hutton. T.N.Z.I. xxxiii. 21.

Asilus, Linnæus, 1748. smithii, Hutton. T.N.Z.I. xxxiii. 21.

Itamus, Loëw, 1849.
varius, Walker. Hutton, T.N.Z.I. xxxiii. 22.
bulbus, Walker. Hutton, T.N.Z.I. xxxiii. 22.

Senoprosopis, Macquart, 1839. lascus, Walker. Hutton, T.N.Z.I. xxxiii. 22. meridionalis, Hutton. T.N.Z.I. xxxiii. 23. Family Tabanidæ.

Tabanus, Linnæus, 1735.

impar, Walker. Hutton, T.N.Z.I. xxxiii. 11.

oplus, White. Hutton, T.N.Z.I. xxxiii. 12.

sordidus, Walker. Hutton, T.N.Z.I. xxxiii. 12.

bratranchii, Nowicki. Hutton, T.N.Z.I. xxxiii. 12.

gravis, Hutton. T.N.Z.I. xxxiii. 13.

sarpa, White. Hutton, T.N.Z.I. xxxiii. 13.

viridis, Hudson. Hutton, T.N.Z.I. xxxiii. 13.

transversus, Walker. Hutton, T.N.Z.I. xxxiii. 14.

truncatus, Walker. Ricardo, A.M.N.H. 7, viii. 297.

Pangonia, Latreille, 1806.

adrel, Walker. Hutton, T.N.Z.I. xxxiii. 15.
lerda, Walker. Hutton, T.N.Z.I. xxxiii. 16.
hirticeps, Nowicki. Hutton, T.N.Z.I. xxxiii. 16.
ricardoi, Hutton. T.N.Z.I. xxxiii. 16.
montana, Hutton. T.N.Z.I. xxxiii. 17.

Apatolestes, Williston, 1885. lutulentus, Hutton. T.N.Z.I. xxxiii. 18.

Family STRATIOMYIDÆ.

Exaireta, Schiner, 1867.

spiniger, Weidemann. Hutton, T.N.Z.I. xxxiii. 4.
apicalis, White. Hutton, T.N.Z.I. xxxiii. 4.
straznitzkii, Nowicki. Hutton, T.N.Z.I. xxxiii. 4.
opposita, Walker. Hutton, T.N.Z.I. xxxiii. 5.
alpina, Hutton. T.N.Z.I. xxxiii. 5.

Beris, Latreille, 1802.
violacea, Hutton. T.N.Z.I. xxxiii. 6.
micans, Hutton. T.N.Z.I. xxxiii. 6.
substituta, Walker. Hutton, T.N.Z.I. xxxiii. 6.
cuprea, Hutton. T.N.Z.I. xxxiii. 6.

Odontomyia, Latreille, 1809.
atrovirens, Bigot. Hutton, T.N.Z.I. xxxiii. 7.
chloris, Walker. Hutton, T.N.Z.I. xxxiii. 8.
collina, Hutton. T.N.Z.I. xxxiii. 8.
chathamensis, Hutton. T.N.Z.I. xxxiii. 8.
fulviceps, Walker. Hutton, T.N.Z.I. xxxiii. 9.
australiensis, Schiner. Hutton, T.N.Z.I. xxxiii. 9.
angusta, Walker. Hutton, T.N.Z.I. xxxiii. 9.

Clitellaria, Meigen, 1822. aberrans, Schiner. Hutton, T.N.Z.I. xxxiii. 10.

Cyclogaster, Macquart, 1834. peregrinus, Hutton. T.N.Z.I. xxxiii. 10. Series Orthorrhapha Nemocera. Family Simulidæ.

Simulium, Latreille, 1802.

australiense, Schiner. Marshall, T.N.Z.I. xxviii. 311; Hudson, Man. N.Z. Ent. 53. vexans, Mik. Hutton, T.N.Z.I. xxxiv. 170.

Family BIBIONIDÆ.

Dilophus, Meigen, 1803.

nigrostigma, Walker. Hutton, T.N.Z.I. xxxiv. 193; Hudson, Man. N.Z. Ent. 52. zealandicus, Walker. Hutton, T.N.Z.I. xxxiv. 193. insolitus, Hutton. T.N.Z.I. xxxiv. 193. segnis, Hutton. T.N.Z.I. xxxiv. 194.

Scatopse, Geoffroy, 1764. carbonaria, Hutton. T.N.Z.I. xxxiv. 194.

Family MYCETOPHILIDÆ.

Arctoneura, Hutton, 1903. New name for *Cyrtoneura*, which is preoccupied. hudsoni, Marshall. T.N.Z.I. xxviii. 263.

nudsoni, Marshall. 1.N.Z.1. XXVIII.

Nervijuncta, Marshall, 1896. nigrescens, Marshall. T.N.Z.I. xxviii. 266.

Casa, Hutton, 1903. New name for *Huttonia*, which is preoccupied. tridens, Hutton. Marshall, T.N.Z.I. xxviii. 268.

Macrocera, Meigen, 1803.

montana, Marshall. T.N.Z.I. xxviii. 270. howletti, Marshall. T.N.Z.I. xxviii. 270. antennatis, Marshall. T.N.Z.I. xxviii. 271. scoparia, Marshall. T.N.Z.I. xxviii. 272.

Bolitophila, Meigen, 1818. luminosa, Skuse. Marshall, T.N.Z.I. xxviii. 273; Hudson, Man. N.Z. Ent. 49; T.N.Z.I. xxiii. 43.

Ceroplatus, Meigen, 1818. dendyi, Marshall. T.N.Z.I. xxviii. 275. hudsoni, Marshall. T.N.Z.I. xxviii. 276. leucoceras, Marshall. T.N.Z.I. xxviii. 276.

Platyura, Meigen, 1803. magna, Marshall. T.N.Z.I. xxviii. 278. agricolæ, Marshall. T.N.Z.I. xxviii. 279. flava, Marshall. T.N.Z.I. xxviii. 281.

Sciophila, Meigen, 1818. fagi, Marshall. T.N.Z.I. xxviii. 282. hirta, Marshall. T.N.Z.I. xxviii. 283. Parvicellula, Marshall, 1896. triangula, Marshall. T.N.Z.I. xxviii. 285.

Tetragoneura, Winnertz, 1846. nigra, Marshall. T.N.Z.I. xxviii. 286.

Aneura, Marshall, 1896. boletinoides, Marshall. T.N.Z.I. xxviii. 288.

Cycloneura, Marshall, 1896. flava, Marshall. T.N.Z.I. xxviii. 289.

Paradoxa, Marshall, 1896. fusca, Marshall. T.N.Z.I. xxviii. 290.

Euryceras, Marshall, 1896. anaclanoides, Marshall. T.N.Z.I. xxviii. 292.

Anomalomyia, Hutton, 1903. New name for *Anomala*, which is preoccupied.
guttata, Hutton. Marshall, T.N.Z.I. xxviii. 294.
ninor, Marshall. T.N.Z.I. xxviii. 295.

Aphelomera, Skuse, 1888. skusei, Marshall. T.N.Z.I. xxviii. 296.

Zygomyia, Winnertz, 1863. flavicoxa, Marshall. T.N.Z.I. xxviii. 297. fusca, Marshall. T.N.Z.I. xxviii. 298.

Brachidicrania, Skuse, 1888. hiemalis, Marshall. T.N.Z.I. xxviii. 300.

Mycetophila, Meigen, 1803.

antarctica, Hudson. Man. N.Z. Ent. 46.
sylvatica, Marshall. T.N.Z.I. xxviii. 301.
howletti, Marshall. T.N.Z.I. xxviii. 302.
fagi, Marshall. T.N.Z.I. xxviii. 303.
variabilis, Marshall. T.N.Z.I. xxviii. 304.
robusta, Marshall. T.N.Z.I. xxviii. 305.
maculata, Marshall. T.N.Z.I. xxviii. 306.

Brevicornu, Marshall, 1896. flava, Marshall. T.N.Z.I. xxviii. 307. fragilis, Marshall. T.N.Z.I. xxviii. 308.

Family SCIARIDÆ.

Sciara, Meigen, 1803.
rufescens, Hutton. Cat. Dipt. N.Z. 13 (1881).
marcilla, Hutton. T.N.Z.I. xxxiv. 192.

Trichosia, Winnertz, 1867. remota, Hutton. T.N.Z.I. xxxiv. 192. Family Cecidomyidæ.

Miastor, Meinert, 1864. agricolæ, Marshall. difficilis, Marshall. T.N.Z.I. xxviii. 232. T.N.Z.I. xxviii. 233.

Cecidomyia, Meigen, 1803. oleariæ, Maskell. T.N.Z.I. xxi. 257.

Diplosis, Loëw, 1850.
dubia, Marshall. T.N.Z.I. xxviii. 235.
difficilis, Marshall. T.N.Z.I. xxviii. 235.
melana, Marshall. T.N.Z.I. xxviii. 236.
minuta, Marshall. T.N.Z.I. xxviii. 236.
fragilis, Marshall. T.N.Z.I. xxviii. 237.
hirta, Marshall. T.N.Z.I. xxviii. 237.
scoparia, Marshall. T.N.Z.I. xxviii. 238.
wanganuiensis, Marshall. T.N.Z.I. xxviii. 238.
flava, Marshall. T.N.Z.I. xxviii. 239.

Epidosis, Loëw, 1850.

magna, Marshall. T.N.Z.I. xxviii. 239.

agricolæ, Marshall. T.N.Z.I. xxviii. 240.

ordinaria, Marshall. T.N.Z.I. xxviii. 241.

aurea, Marshall. T.N.Z.I. xxviii. 241.

Campylomyza, Meigen, 1803.
tenuis, Marshall. T.N.Z.I. xxviii. 242.
lincolnensis, Marshall. T.N.Z.I. xxviii. 243.
minuta, Marshall. T.N.Z.I. xxviii. 243.
nitida, Marshall. T.N.Z.I. xxviii. 244.
hirta, Marshall. T.N.Z.I. xxviii. 244.
squamata, Marshall. T.N.Z.I. xxviii. 245.
magna, Marshall. T.N.Z.I. xxviii. 245.
robusta, Marshall. T.N.Z.I. xxviii. 246.
ordinaria, Marshall. T.N.Z.I. xxviii. 247.

Lestremia, Macquart, 1827. novæ-zealandiæ, Marshall. T.N.Z.I. xxviii. 247.

Family RHYPHIDÆ.

Rhyphus, Latreille, 1804.

neozealandicus, Schiner. Hutton, Cat. Dipt. N.Z. 10 (1881).

notatus, Hutton. T.N.Z.I. xxxiv. 191.

Family TIPULIDÆ.

Dolichopeza, Curtis, 1825. atropos, Hutton. T.N.Z.I. xxxii. 24.

Pachyrhina, Macquart, 1834. hudsoni, Hutton. T.N.Z.I. xxxii. 24. Tipula, Linnæus, 1740.
novaræ, Schiner. Hutton, T.N.Z.I. xxxii. 26.
fulva, Hutton. T.N.Z.I. xxxii. 26.
viridis, Walker. Hutton, T.N.Z.I. xxxii. 27.
obscuripennis, White. Hutton. T.N.Z.I. xxxii. 27.
dux, White. Hutton, T.N.Z.I. xxxii. 28.
orion, Hudson. Hutton, T.N.Z.I. xxxii. 28.
clara, White. Hutton, T.N.Z.I. xxxii. 29.
tenera, Hutton. T.N.Z.I. xxxii. 29.

Macromastix, Osten-Sacken, 1886.
vulpina, Hutton. T.N.Z.I. xxxii. 30.
fucata, Hutton. T.N.Z.I. xxxii. 31.
pallida, Hutton. T.N.Z.I. xxxii. 31.
montana, Hutton. T.N.Z.I. xxxii. 31.
lunata, Hutton. T.N.Z.I. xxxii. 32.
binotata, Hutton. T.N.Z.I. xxxii. 32.

Dicranomyia, Stephens, 1829.

monilicornis, Osten-Sacken. Hutton, T.N.Z.I. xxxii. 34.
insularis, Mik. Hutton, T.N.Z.I. xxxii. 50.
kronii, Mik. Hutton, T.N.Z.I. xxxii. 50.
vicarians, Walker. Hutton, T.N.Z.I. xxxii. 33.
fasciata, Hutton. T.N.Z.I. xxxii. 34.
nigrescens, Hutton. T.N.Z.I. xxxii. 34.

Geranomyia, Haliday, 1833. annulipes, Hutton. T.N.Z.I. xxxii. 35.

Limnobia, Meigen, 1818. fumipennis, White. Hutton, T.N.Z.I. xxxii. 35. conveniens, Walker. Hutton, T.N.Z.I. xxxii. 36.

Trochobola, Osten-Sacken, 1868.
variegata, Hutton. T.N.Z.I. xxxii. 36.
picta, Hutton. T.N.Z.I. xxxii. 37.
dohrni, Osten-Sacken. Hutton, T.N.Z.I. xxxiv. 189.
venusta, Osten-Sacken. Hutton, T.N.Z.I. xxxiv. 190.

Rhamphidia, Meigen, 1830. levis, Hutton. T.N.Z.I. xxxii. 38.

Rhypholopus, Kolenati, 1860. insulsus, Hutton. T.N.Z.I. xxxiv. 188. fatuus, Hutton. T.N.Z.I. xxxiv. 188.

Opifex, Hutton, 1902.

fuscus, Hutton. T.N.Z.I. xxxiv. 188.

Gnophomyia, Osten-Sacken, 1859. rufa, Hudson. Hutton, T.N.Z.I. xxxii. 39.

Trichocera, Meigen, 1803. antipodum, Mik. Hutton, T.N.Z.I. xxxii. 50. Limnophila, Macquart, 1834.
sinistra, Hutton. T.N.Z.I. xxxii. 40.
argus, Hutton. T.N.Z.I. xxxii. 41.
crassipes, Hutton. T.N.Z.I. xxxii. 41.
denticulata, Hutton. T.N.Z.I. xxxii. 42.
marshalli, Hutton. T.N.Z.I. xxxii. 42.
umbrosa, Hutton. T.N.Z.I. xxxii. 43.
geographica, Hutton. T.N.Z.I. xxxii. 43.
bryobia, Mik. Hutton, T.N.Z.I. xxxii. 50.
skusei, Hutton. T.N.Z.I. xxxiv. 190.

Tinemyia, Hutton, 1900. margaritifera, Hutton. T.N.Z.I. xxxii. 44.

Gynoplistia, Westwood, 1835.
subfasciata, Walker. Hutton, T.N.Z.I. xxxii. 45.
wakefieldi, Westwood. Hutton, T.N.Z.I. xxxii. 45.
cuprea, Hudson. Hutton, T.N.Z.I. xxxii. 46.
formosa, Hutton. T.N.Z.I. xxxii. 46.
fulgens, Hutton. T.N.Z.I. xxxii. 47.

Cerozodia, Westwood, 1835. plumosa, Osten-Sacken. Hutton, T.N.Z.I. xxxii. 47.

Tanyderus, Philippi, 1865. annuliferus, Hutton. T.N.Z.I. xxxii. 48. forcipatus, Osten-Sacken. Hutton, T.N.Z.I. xxxii. 49.

Family Chironomidæ.

Ceratopogon, Meigen, 1803. antipodum, Hudson. Man. N.Z. Ent. 45.

Chironomus, Meigen, 1801.

zealandicus, Hudson. Hutton, T.N.Z.I. xxxiv. 181.
lentus, Hutton. T.N Z.I. xxxiv. 182.
opimus, Hutton. T.N.Z.I. xxxiv. 182.
pavidus, Hutton. T.N.Z.I. xxxiv. 183.
ignavus, Hutton. T.N.Z.I. xxxiv. 183.

Orthocladius, Van der Wulp. 1874.
publicus, Hutton. T.N.Z.I. xxxiv. 184.
cingulatus, Hutton. T.N.Z.I. xxxiv. 184.

Camptocladius, Van der Wulp, 1874. vernus, Hutton. T.N.Z.I. xxxiv. 185.

Tanytarsus, Van der Wulp, 1874. vespertinus, Hutton. T.N.Z.I. xxxiv. 185.

Tanypus, Meigen, 1803.
languidus, Hutton. T.N.Z.I. xxxiv. 186.
debilis, Hutton. T.N.Z.I. xxxiv. 186.
malus, Hutton. T.N.Z.I. xxxiv. 187.

Family CULICIDÆ.

Culex, Linnæus, 1835.

albirostris, Macquart. Theobald, Mon. Culicidæ B.M. i. 382.

pervigilans, Bergroth. Theobald, Mon. Culicidæ B.M. ii. 88.

Tæniorhynchus, Arribalzaga, 1899.

acer, Walker. Theobald, Mon. Culicidæ B.M. ii. 211. iracundus, Walker. Theobald, Mon. Culicidæ B.M. ii. 47.

Uranotænia, Arribalzaga, 1899. argyropus, Walker. Theobald, Mon. Culicidæ B.M. ii. 264.

Corethra, Meigen, 1808. antarctica, Hudson. Man. N.Z. Ent. 43; Theobald, Mon. Culicidæ B.M. ii. 301.

Family Psychodidæ.

Psychoda, Latreille, 1796. conspicillata, Hutton. Cat. Dipt. N.Z. 13 (1881).

Pericoma, Walker, 1856. funebris, Hutton. T.N.Z.I. xxxiv. 180. variegata, Hutton. T.N.Z.I. xxxiv. 180.

> Series Pupipara. Family Hippoboscidæ.

Ornithomyia, Latreille, 1802. opposita, Walker. Hutton, Cat. Dipt. N.Z. 70.

Series Aphaniptera. Family Pulicidæ.

Pulex, Linnæus, 1735. kerguelensis, Rothschild. Nov. Zool. ii. 66 (1895).

> Order Coleoptera. Series Lamellicornia. Family Lucanidæ.

Lissotes, Westwood, 1855.
reticulatus, Westwood. Man. N.Z. Coleop. 255, No. 450.
rufipes, Sharp. Man. N.Z. Coleop. 1109, No. 1967.
elegans, Broun. Man. N.Z. Coleop. 1110, No. 1968.
squamidorsis, White. Man. N.Z. Coleop. 251, No. 442.
punctulatus, White. Man. N.Z. Coleop. 251, No. 443.
planus, Broun. Man. N.Z. Coleop. 252, No. 444.
stewarti, Broun. Man. N.Z. Coleop. 673, No. 1174.
capito, Deyrolle. T.E.S. 1873, 339.
abditus, Broun. Man. N.Z. Coleop. 673, No. 1175.
demaresti, Deyrolle. Ann. Soc. Ent. France, 1881, 239.
helmsi, Sharp. Man. N.Z. Coleop. 770, No. 1365.

Lissotes ithaginis, Broun. Man. N.Z. Coleop. 1108, No. 1966.

æmulus, Broun. Man. N.Z. Coleop. 1109, No. 2322.

acmenus, Lewis. T.N.Z.I. vol. xxxiv. 203.

menalcas, Westwood. N.Z. Jour. Sci. ii. 221.

Ceratognathus, Westwood, 1838.
helotoides, Thomson. Man. N.Z. Coleop. 254, No. 449.
alboguttatus, Bates. Man. N.Z. Coleop. 253, No. 447.
dispar, Sharp. Man. N.Z. Coleop. 1111, No. 1969.

Mitophyllus, Parry, 1845.
irroratus, Parry. Man. N.Z. Coleop. 253, No. 445.
parryanus, Hope. Man. N.Z. Coleop. 253, No. 446.
marmoratus, Watson. Ent. Mo. Mag. xi. 8.
foveolatus, Broun. Man. N.Z. Coleop. 253, No. 448.
macrocerus, Broun. Man. N.Z. Coleop. 837, No. 1488.
gibbosus, Broun. Man. N.Z. Coleop. 928, No. 1666.
tuberculatus, Broun. Man. N.Z. Coleop. 1111, No. 1970.
cylindricus, Broun. A.M.N.H. 6, xv. 199.
angusticeps, Broun. A.M.N.H. 6, xv. 199.
fusculus, Broun. Man. N.Z. Coleop. 837, No. 1489.

Dendroblax, White, 1836. earlianus, White. Man. N.Z. Coleop. 251, No. 441.

Family COPRIDÆ.

Saphobius, Sharp, 1873.
edwardsi, Sharp. Man. N.Z. Coleop. 256, No. 451.
wakefieldi, Sharp. Man. N.Z. Coleop. 256, No. 452.
nitidulus, Broun. Man. N.Z. Coleop. 256, No. 453.
squamulosus, Broun. Man. N.Z. Coleop. 954, No. 1720.
inflatipes, Broun. Man. N.Z. Coleop. 1112, No. 1971.
fuscus, Broun. Man. N.Z. Coleop. 1113, No. 1972.
setosus, Sharp. Man. N.Z. Coleop. 1113, No. 1973.
fulvipes, Broun. Man. N.Z. Coleop. 1114, No. 1974.
curvipes, Broun. Man. N.Z. Coleop. 1349, No. 2365.
tibialis, Broun. A.M.N.H. 6, xv. 198.

Family APHODIIDÆ.

Aphodius, Illiger, 1798.

exsculptus, White. Man. N.Z. Coleop. 258, No. 454.
candens, Broun. Man. N.Z. Coleop. 258, No. 455.
suspectus, Sharp. Man. N.Z. Coleop. 259, No. 456.
pascoei, Sharp. Man. N.Z. Coleop. 259, No. 457.
communis, Broun. Man. N.Z. Coleop. 260, No. 458.
brouni, Sharp. Man. N.Z. Coleop. 260, No. 459.
fortipes, Broun. Man. N.Z. Coleop. 954, No. 1721.
distans, Sharp.

Phycochus,, Broun, 1886. graniceps, Broun. Man. N.Z. Coleop. 771, No. 1366. lobatus, Broun. Man. N.Z. Coleop. 1114, No. 1975.

Family Melolonthidæ.

Stethaspis, Hope, 1837. suturalis, Hope. Man. N.Z. Coleop. 261, No. 460. prasinus, Broun. Man. N.Z. Coleop. 1115, No. 1976.

Costleya, Broun, 1886. discoidea, Broun. Man. N.Z. Coleop. 1116, No. 1977.

Pœcilodiscus, Broun, 1895. pulcher, Broun. A.M.N.H. 6, xv. 202.

Scythrodes, Broun, 1886. squalidus, Broun. Man. N.Z. Coleop. 955, No. 1722.

Xylostygnus, Broun, 1886. piceus, Broun. Man. N.Z. Coleop. 956, No. 1723.

Psilodontria, Broun, 1895. viridescens, Broun. A.M.N.H. 6, xv. 201.

Pyronota, Hope, 1837.
festiva, Fabricius. Man. N.Z. Coleop. 262, No. 461.
læta, Fabricius.
edwardsi, Sharp. Man. N.Z. Coleop. 263, No. 462.
sobrina, Sharp. Man. N.Z. Coleop. 263, No. 463.
munda, Sharp. Man. N.Z. Coleop. 264, No. 464.
electa, Broun. Man. N.Z. Coleop. 1116, No. 1978.
regalis, Broun. Man. N.Z. Coleop. 1116, No. 1979.
dives, Broun. Man. N.Z. Coleop. 1117, No. 1980.
aurata, Broun. Man. N.Z. Coleop. 1117, No. 1981.
purpurata, Broun. Man. N.Z. Coleop. 1117, No. 1982.
cærulea, Broun. Man. N.Z. Coleop. 1117, No. 1983.
lugubris, Sharp. Man. N.Z. Coleop. 1118, No. 1984.
pallida, Broun. Man. N.Z. Coleop. 1118, No. 1985.

Heteronyx, Guerin-Meneville, 1830. pumilus, Sharp. Man. N.Z. Coleop. 264, No. 465.

Eusoma, White, 1846.
rossii, White. Man. N.Z. Coleop. 268, No. 472.
costella, Broun. Man. N.Z. Coleop. 269, No. 473.

Sericospilus, Sharp, 1882. advena, Sharp. Man. N.Z. Coleop. 1119, No. 1987.

Odontria, White, 1846. striata, White. Man. N.Z. Coleop. 265, No. 466. suavis, Broun. Man. N.Z. Coleop. 266, No. 467. Odontria punctulata, Broun. Man. N.Z. Coleop. 266, No. 468.

cinnamonea, White. Man. N.Z. Coleop. 267, No. 469. xanthosticta, White. Man. N.Z. Coleop. 267, No. 470. sandageri, Broun. Man. N.Z. Coleop. 929, No. 1667. albonotata, Broun. Man. N.Z. Coleop. 1118, No. 1986. smithii, Broun. Man. N.Z. Coleop. 1450, No. 2514. piciceps, Broun. Man. N.Z. Coleop. 1450, No. 2515. occiputalis, Broun. Man. N.Z. Coleop. 1451, No. 2516. marmorata, Broun. Man. N.Z. Coleop. 1451, No. 2516. marmorata, Broun. Man. N.Z. Coleop. 1452, No. 2518. glabrata, Broun. Man. N.Z. Coleop. 1452, No. 2519. obscura, Broun. A.M.N.H. 6, xv. 203. zealandica, White. Man. N.Z. Coleop. 270, No. 474. brunnea, Broun. Man. N.Z. Coleop. 268, No. 471.

Family DYNASTIDÆ.

Pericoptus, Burmeister, 1847.

truncatus, Fabricius. Man. N.Z. Coleop. 271, No. 476. punctatus, White. Man. N.Z. Coleop. 272, No. 477. stupidus, Sharp. Man. N.Z. Coleop. 272, No. 478. nitidulus, Broun. Man. N.Z. Coleop. 273, No. 479.

Series Adephaga. Family Cicindelidæ.

Cicindela, Linnæus, 1735. tuberculata, Fabricius. Man. N.Z. Coleop. 2, No. 1. huttoni, Broun. Man. N.Z. Coleop. 2, No. 2. laticineta, White. Man. N.Z. Coleop. 3, No. 3. wakefieldi, Bates. Man. N.Z. Coleop. 3, No. 4. douei, Chenu. Man. N.Z. Coleop. 3, No. 5. parryi, White. Man. N.Z. Coleop. 4, No. 6. dunedinensis, Castelnau. Man. N.Z. Coleop. 4, No. 7. feredayi, Bates. Man. N.Z. Coleop. 4, No. 8. austromontana, Bates. Man. N.Z. Coleop. 5, No. 10. perhispida, Broun. Man. N.Z. Coleop. 4, No. 9. campbelli, Broun. Man. N.Z. Coleop. 817, No. 1451. helmsi, Sharp. Man. N.Z. Coleop. 975, No. 1757. incognita, Horn. Deutsche Ent. Zeit. 1892, 82. novaseelandica, Horn. Deutsche Ent. Zeit. 1892, 83. circumpictoides, Horn. Deutsche Ent. Zeit. 1900, 207.

Family CARABIDÆ. Sub-family MIGADOPINÆ.

Amarotypus, Bates, 1872. edwardsi, Bates. Man. N.Z. Coleop. 6, No. 11. Sub-family SCARILINÆ.

Clivina, Latreille, 1810. rugithorax, Putzeys. Man. N.Z. Coleop. 7, No. 12.

Sub-family CNEMACANTHINÆ.

Mecodema, Blanchard, 1853. sculpturatum, Blanchard. Man. N.Z. Coleop. 8, No. 13. howittii, Castelnau. Man. N.Z. Coleop. 8, No. 14. rectolineatum, Castelnau. Man. N.Z. Coleop. 8, No. 15. impressum, Castelnau. Man. N.Z. Coleop. 9, No. 16. lucidum, Castelnau. Man. N.Z. Coleop. 9, No. 17. crenicolle, Castelnau. Man. N.Z. Coleop. 9, No. 18. simplex, Castelnau. Man. N.Z. Coleop. 9, No. 19. alternans, Castelnau. Man. N.Z. Coleop. 10, No. 20. crenaticolle, Redtenbacher. Man. N.Z. Coleop. 10, No. 21. spinifer, Broun. Man. N.Z. Coleop. 10, No. 22. fulgidum, Broun. Man. N.Z. Coleop. 653, No. 1142. constrictum, Broun. Man. N.Z. Coleop. 653, No. 1143. rugicolle, Broun. Man. N.Z. Coleop. 745, No. 1322. venator, Broun. Man. N.Z. Coleop. 817, No. 1452. litoreum, Broun. Man. N.Z. Coleop. 875, No. 1557a. ducale, Sharp. Man. N.Z. Coleop. 976, No. 1758. rugiceps, Sharp. Man. N.Z. Coleop. 976, No. 1759; N.Z.J.S. i. 215.

metallicum, Sharp. Man. N.Z. Coleop. 977, No. 1760. suteri, Broun. Man. N.Z. Coleop. 977, No. 1761. scitulum, Broun. A.M.N.H. 6, xiv. 302. lineatum, Broun. A.M.N.H. 6, xiv. 303. punctifer, Broun. Man. N.Z. Coleop. 745, No. 1323. æneoniger, Broun. Man. N.Z. Coleop. 818, No. 1453. bullatum, Lewis. T.N.Z.I. xxxiv. 202.

infimate, Lewis. T.N.Z.I. xxxiv. 202.

Metaglymma, Bates, 1867. tibiale, Castlenau. Man. N.Z. Coleop. 11, No. 23. monilifer, Bates. Man. N.Z. Coleop. 11, No. 24. punctatum, Putzeys. Man. N.Z. Coleop. 11, No. 25. morio, Castelnau. Man. N.Z. Coleop. 11, No. 26. elongatum, Castelnau. Man. N.Z. Coleop. 12, No. 27. aberrans, Putzeys. Man. N.Z. Coleop. 12, No. 28. dyschirioides, Castelnau. Man. N.Z. Coleop. 12, No. 30. oblongum, Broun. Man. N.Z. Coleop. 746, No. 1324. asperum, Broun. Man. N.Z. Coleop. 978, No. 1762. junctum, Broun. Man. N.Z. Coleop. 979, No. 1763. sulcatum, Sharp. Man. N.Z. Coleop. 979, 1764. tersatum, Broun. Man. N.Z. Coleop. 980, No. 1765. rugipenne, Broun. Man. N.Z. Coleop. 1321, No. 2323. thoracicum, Broun. Man. N.Z. Coleop. 1322, No. 2324.

Metaglymma modicum, Broun. A.M.N.H. 6, xiv. 305. oregoide, Broun. A.M.N.H. 6, xiv. 305. rufipes, Broun. Man. N.Z. Coleop. 876, No. 1558.

Oregus, Putzeys, 1868. æreus, White. Man. N.Z. Coleop. 13, No. 31. inæqualis, Castelnau. Man. N.Z. Coleop. 13, No. 32.

Brullea, Castelnau, 1867. antarctica, Castelnau. Man. N.Z. Coleop. 14, No. 33.

Diglymma, Sharp, 1886.
ovipenne, Sharp. Man. N.Z. Coleop. 981, No. 1766.
dubium, Sharp. Man. N.Z. Coleop. 981, No. 1767.
punctipenne, Broun. Man. N.Z. Coleop. 982, No. 1768.
nigripes, Broun. Man. N.Z. Coleop. 982, No. 1769.
obtusum, Broun. Man. N.Z. Coleop. 819, No. 1454.
clivinoides, Castelnau. Man. N.Z. Coleop. 12, No. 29.

Acallistus, Sharp, 1886. simplex, Sharp. Man. N.Z. Coleop. 983, No. 1770.

Sub-family LICININÆ.

Rembus, Latreille, 1822. zeelandicus, Redtenbacher. Man. N.Z. Coleop. 15, No. 34.

Physolæsthus, Chaudoir, 1850. insularis, Bates. Man. N.Z. Coleop. 15, No. 35. limbatus, Bates. Man. N.Z. Coleop. 17, No. 39.

Sub-family Anchomeninæ.

Dichrochile, Guérin, 1846.

subopaca, Bates. Man. N.Z. Coleop. 16, No. 36.
aterrima, Bates. Man. N.Z. Coleop. 16, No. 37.
ovicollis, Motschulsky. Man. N.Z. Coleop. 16, No. 38.
maura, Broun. Man. N.Z. Coleop. 18, No. 40.
nitida, Broun. Man. N.Z. Coleop. 746, No. 1325.
cinctiger, Broun. Man. N.Z. Coleop. 747, No. 1326.
cephalotes, Broun. A.M.N.H. 6, xiv. 306.
fabrei, Guérin. Ann. Fr. 1846, Bull. 103.
anthracina, Broun. A.M.N.H. 6, xii. 161.

Calathus, Bonelli, 1809. rubromarginatus, Blanchard. Voy. Pole Sud, Zool. iv. 624.

Anchomenus, Bonelli, 1809.

novæ-zealandiæ, Fairmaire. Ann. Soc. Ent. 1843.
elevatus, White. Man. N.Z. Coleop. 21, No. 45; N.Z.J.S.
ii. 297.
montivagus Brown Man N.Z. Coleop. 22, No. 46.

montivagus, Broun. Man. N.Z. Coleop. 22, No. 46. feredayi, Bates. Man. N.Z. Coleop. 23, No. 48. lawsoni, Bates. Man. N.Z. Coleop. 23, No. 49.

Anchomenus submetallicus, White. Man. N.Z. Coleop. 24, No. 50.

deplanatus, White. Man. N.Z. Coleop. 25, No. 53. colensonis, White. Man. N.Z. Coleop. 25, No. 55. otagoensis, Bates. Man. N.Z. Coleop. 25, No. 54; N.Z.J.S. ii. 208.

edwardsi, Bates. Man. N.Z. Coleop. 26, No. 56. sulcitarsis, Broun. Man. N.Z. Coleop. 27, No. 58. helmsi, Sharp. Man. N.Z. Coleop. 749, No. 1328. haasti, Broun. Man. N.Z. Coleop. 747, No. 1327. sandageri, Broun. Man. N.Z. Coleop. 748, No. 46a. oreobius, Broun. Man. N.Z. Coleop. 876, No. 1559. atratus, Blanchard. Voy. Pole Sud, iv. 21. raptor, Redtenbacher. Reise Novara, Coleop. 18. marginellus, Erichson. Archives, 1842, 130.

Ctenognathus, Fairmaire, 1843.

latipennis, Sharp. Man. N.Z. Coleop. 984, No. 45. parabilis, Broun. Man. N.Z. Coleop. 20, No. 43. politulus, Broun. Man. N.Z. Coleop. 20, No. 46. batesi, Broun. Man. N.Z. Coleop. 20, No. 44. deformipes, Broun. Man. N.Z. Coleop. 20, No. 42. cheesemani, Broun. Man. N.Z. Coleop. 20, No. 57. suborbithorax, Broun. Man. N.Z. Coleop. 20, No. 51. perrugithorax, Broun. Man. N.Z. Coleop. 20, No. 52. lucifugus, Broun. Man. N.Z. Coleop. 20, No. 1455. adamsi, Broun. Man. N.Z. Coleop. 20, No. 1455. adamsi, Broun. Man. N.Z. Coleop. 20, No. 1686. pictonensis, Sharp. Man. N.Z. Coleop. 985, No. 1772. bidens, Chaudoir. Ann. Soc. Ent. Fr. 1875, 303. munroi, Broun. Man. N.Z. Coleop. 984, No. 1771. actochares, Broun. A.M.N.H. 6, xiv. 307. novæ-zealandiæ, Fairmaire. Ann. Soc. Ent. Fr. 1843, 12. neozealandicus, Chaudoir. Ann. Soc. Ent. Fr. 1875, 304. cardiophorus, Chaudoir. Ann. Soc. Ent. Fr. 1875, 305. macropterus, Chaudoir. Ann. Soc. Ent. Fr. 1875, 370.

Heterodactylus, Guérin, 1841. nebrioides, Guérin. Rev. Zool. 1841. castaneus, Blanchard. Voy. Pol. Sud, Zool. iv. 23.

Pristancylus, Blanchard, 1853. brevis, Blanchard. Voy. Pole Sud, Zool. iv. 23.

Drimostoma, Dejean, 1831. antarctica, Castelnau. Man. N.Z. Coleop. 30, No. 63.

Sub-family Feroninæ.

Prosopogmus, Chaudoir, 1865. impressifrons, Chaudoir. Man. N.Z. Coleop. 30, No. 64. Trichosternus, Chaudoir, 1865. antarcticus, Chaudoir. Man. N.Z. Coleop. 31, No. 65. guerinii, Chaudoir. Man. N.Z. Coleop. 32, No. 66. capito, White. Man. N.Z. Coleop. 32, No. 67. sylvius, Bates. Man. N.Z. Coleop. 35, No. 72. aucklandicus, Broun. Man. N.Z. 33, No. 68. difformipes, Bates. Man. N.Z. Coleop. 33, No. 69. lobipes, Bates. Man. N.Z. Coleop. 34, No. 70. temukensis, Bates. Man. N.Z. Coleop. 34, No. 71. rectangulus, Chaudoir. Man. N.Z. Coleop. 35, No. 73. planiusculus, White. Man. N.Z. Coleop. 36, No. 75. humeralis, Broun. Man. N.Z. Coleop. 750, No. 1332. enysi, Broun. Man. N.Z. Coleop. 752, No. 1334. cephalotes, Broun. Man. N.Z. Coleop. 825, No. 1466. alternus, Broun. Man. N.Z. Coleop. 877, No. 1560. urquharti, Broun. Man. N.Z. Coleop. 877, No. 1561. virens, Broun. Man. N.Z. Coleop. 937, No. 1687. compressus, Sharp. Man. N.Z. Coleop. 987, No. 1774. polychætus, Broun. Man. N.Z. Coleop. 987, No. 1775. smithii, Broun. Man. N.Z. Coleop. 1322, No. 2325. hampdenensis, Broun. Man. N.Z. Coleop. 1323, No. 2326. crassalis, Broun. Man. N.Z. Coleop. 1395, No. 2434.

Zeopœcilus, Sharp, 1886.
calcaratus, Sharp. Man. N.Z. Coleop. 989, No. 1778.
achilles, Sharp. Man. N.Z. Coleop. 990, No. 1779.
putus, Broun. Man. N.Z. Coleop. 750, No. 1330.
opulentus, Broun. Man. N.Z. Coleop. 820, No. 1457.

Pterostichus, Bonelli, 1809.

Species like Trichosternus, but without prosternal seta:fultoni, Broun. Man. N.Z. Coleop. 751, No. 1333. waihorensis, Broun. Man. N.Z. Coleop. 821, No. 1458. monticola, Broun. Man. N.Z. Coleop. 821, No. 1459. æruginosus, Broun. Man. N.Z. Coleop. 822, No. 1460. asperatus, Broun. Man. N.Z. Coleop. 822, No. 1461. chloris, Broun. Man. N.Z. Coleop. 823, No. 1462. grassator, Broun. Man. N.Z. Coleop. 823, No. 1463. amicus, Broun. Man. N.Z. Coleop. 824, No. 1464. fusulus, Broun. Man. N.Z. Coleop. 824, No. 1465. curvipes, Broun. Man. N.Z. Coleop. 878, No. 1562. optabilis, Broun. Man. N.Z. Coleop. 913, No. 1634. meritus, Broun. Man. N.Z. Coleop. 914, No. 1635. angulatus, Broun. Man. N.Z. Coleop. 914, No. 1636. meliusculus, Broun. Man. N.Z. Coleop. 915, No. 1637. agriolis, Broun. Man. N.Z. Coleop. 915, No. 1638. erraticus, Broun. Man. N.Z. Coleop. 915, No. 1639. deceptus, Broun. Man. N.Z. Coleop. 916, No. 164c.

Pterostichus curtulus, Broun. Man. N.Z. Coleop. 916, No. 1641.

suspicax, Broun. Man. N.Z. Coleop. 917, No. 1642. amplicollis, Broun. Man. N.Z. Coleop. 918, No. 1643. sandageri, Broun. Man. N.Z. Coleop. 988, No. 1776. haplopus, Broun. Man. N.Z. Coleop. 1323, No. 2327. vagans, Broun. Man. N.Z. Coleop. 825, No. 1467. arduus, Broun. Man. N.Z. Coleop. 1395, No. 2435. dentiferus, Broun. Man. N.Z. Coleop. 36, No. 76.

Holcaspis, Chaudoir, 1843.

Thorax with two seta on each side:-

prolixus, Broun. Man. N.Z. Coleop. 35, No. 74. integratus, Bates. Man. N.Z. Coleop. 40, No. 83. cavelli, Broun. Man. N.Z. Coleop. 991, No. 1780. procerulus, Broun. Man. N.Z. Coleop. 827, No. 1471. ovatellus, Chaudoir. Man. N.Z. Coleop. 39, No. 82. placidulus, Broun. Man. N.Z. Coleop. 658, No. 1150. impiger, Broun. Man. N.Z. Coleop. 879, No. 1563. mordax, Broun. Man. N.Z. Coleop. 938, No. 1688. longiformis, Sharp. Man. N.Z. Coleop. 991, No. 1781. sternalis, Broun. Man. N.Z. Coleop. 658, No. 1149. oscillator, Sharp. Man. N.Z. Coleop. 995, No. 1786. perfidiosus, Broun. Man. N.Z. Coleop. 995, No. 1787. hunuensis, Broun. Man. N.Z. Coleop. 996, No. 1788. maorinus, Bates. Man. N.Z. Coleop. 41, No. 88. disparalis, Broun. Man. N.Z. Coleop. 1324, No. 2328. edax, Broun. Man. N.Z. Coleop. 1326, No. 2332. arduus, Broun. Man. N.Z. Coleop. 1395, No. 2435. scitipennis, Broun. Man. N.Z. Coleop. 1396, No. 2436. sharpianus, Broun. A.M.H.N. 6, xii. 163.

Thorax with three setæ on each side:—elongellus, White.

Thorax with four setæ on each side :-

hispidulus, Broun. Man. N.Z. Coleop. 40, No. 84. cribralis, Broun. Man. N.Z. Coleop. 752, No. 1335. myrmidon, Sharp. Man. N.Z. Coleop. 993, No. 1783. hybridus, Broun. Man. N.Z. Coleop. 826, No. 1469. præcox, Broun. Man. N.Z. Coleop. 827, No. 1470. brounianus, Sharp. Man. N.Z. Coleop. 992, No. 1782. constrictellus, Sharp. Man. N.Z. Coleop. 994, No. 1784. detractus, Broun. Man. N.Z. Coleop. 996, No. 1789. subæneus, Guérin. Man. N.Z. Coleop. 38, No. 79. œdicnemus, Bates. Man. N.Z. Coleop. 39, No. 80. pastoricius, Broun. Man. N.Z. Coleop. 994, No. 1785. inconstans, Broun. Man. N.Z. Coleop. 999, No. 1793.

Holcaspis egmontensis, Broun. Man. N.Z. Coleop 997, No. 1790.

irregularis, Broun. Man. N.Z. Coleop. 998, No. 1791. suteri, Broun. Man. N.Z. Coleop. 1324, No. 2329. sinuellus, Broun. Man. N.Z. Coleop. 1325, No. 2330. delator, Broun. Man. N.Z. Coleop. 1397, No. 2437. rugifrons, Sharp. Man. N.Z. Coleop. 1397, No. 2437. rugifrons, Broun. A.M.N.H. 6, xii. 162. obsoletus, Broun. A.M.N.H. 6, xii. 163. lewisi, Broun. A.M.N.H. 6, xiv. 310.

Thorax with five or more set a on each side:-

catenulatus, Broun. Man. N.Z. Coleop. 753, No. 1336. mucronatus, Broun. Man. N.Z. Coleop. 826, No. 1468. insidiosus, Broun. Man. N.Z. Coleop. 999, No. 1792. sculptipes, Broun. Man. N.Z. Coleop. 1325, No. 2331.

Species of doubtful position:-

thoracicus, Broun. Man. N.Z. Coleop. 657, No. 1148. angustulus, Chaudoir. Man. N.Z. Coleop. 38, No. 77. sylvaticus, Chaudoir. Man. N.Z. Coleop. 38, No. 78. vigil, White. Man. N.Z. Coleop. 41, No. 85. politissima, White. Man. N.Z. Coleop. 41, No. 86. pellax, White. Man. N.Z. Coleop. 657, No. 1147. reflexum, Chaudoir. Bull. Mosc. xxxviii. 74. convexidorsis, Tschitschérine. Hor. Ent. Ross, 1891, 166.

Alogus, Motschulsky, 1865. monachicus, Motschulsky. Man. N.Z. Coleop. 44, No. 92.

Cerabilia, Castlenau, 1868.

maori, Castlenau. Man. N.Z. Coleop. 44, No. 93. punctigera, Broun. Man. N.Z. Coleop. 753, No. 1337. ruficornis, Broun. Man. N.Z. Coleop. 754, No. 1338.

Rhytisternus, Chaudoir, 1865. rugifrons, Broun. Man. N.Z. Coleop. 41, No. 87. erythrognathus, Broun. Man. N.Z. Coleop. 986, No. 1773.

Steropus, Megerle, 1821. helmsi, Sharp. Man. N.Z. Coleop. 989, No. 1777.

Argutor, Megerle, 1837.
erythropus, Blanchard. Man. N.Z. Coleop. 42, No. 89.
piceus, Blanchard. Man. N.Z. Coleop. 43, No. 90.
pantomelas, Blanchard. Voy. Pole Sud, Zool. iv. 27.
calathoides, Broun. Man. N.Z. Coleop. 879, No. 1564.

Sub-family Anisodactylinæ.

Triplosarus, Bates, 1874.
fulvescens, Bates. Man. N.Z. Coleop. 45, No. 94.
novæ-zealandiæ, Castelnau. Man. N.Z. Coleop. 659,
No. 1151.

Lecanomerus, Chaudoir, 1850.
latimanus, Bates. Man. N.Z. Coleop. 45, No. 95.
insignitus, Broun. Man. N.Z. Coleop. 47, No. 96.
obesulus, Bates. Man. N.Z. Coleop. 47, No. 97.
fuliginosus, Broun. Man. N.Z. Coleop. 48, No. 98.
fallax, Broun. Man. N.Z. Coleop. 48, No. 99.
stenopus, Broun. Man. N.Z. Coleop. 880, No. 1565.
marginatus, Sharp. Man. N.Z. Coleop. 1000, No. 1794pallipes, Broun. A.M.N.H. 6, xiv. 379.

Zabronothus, Broun, 1893. striatulus, Broun. Man. N.Z. Coleop. 1327, No. 2333. rufipes, Broun. Man. N.Z. Coleop. 1328, No. 2334.

Hypharpax, MacLeay, 1825. antarcticus, Castelnau. Man. N.Z. Coleop. 49, No. 100. abstrusus, Bates. Man. N.Z. Coleop. 49, No. 101.

Syllectus, Bates, 1878. anomalus, Bates. Man. N.Z. Coleop. 52, No. 102.

Sub-family HARPALINÆ.

Harpalus, Latreille, 1804. novæ-zealandiæ, Castlenau. Trans. R. Soc. Vict. 1867, 108. antarcticus, Castelnau. Trans. R. Soc. Vict. 1867, 107.

Euthenarus, Bates, 1874.
brevicollis, Bates. Man. N.Z. Coleop. 53, No. 103.
puncticollis, Bates. Man. N.Z. Coleop. 53, No. 104.
cilicollis, Broun. T.N.Z.I. xxxiv. 176.
huttoni, Broun. T.N.Z.I. xxxiv. 177.

Sub-family ZOLINÆ.

Zolus, Sharp, 1886.
helmsi, Sharp. Man. N.Z. Coleop. 1001, No. 1795.
atratus, Broun. Man. N.Z. Coleop. 1002, No. 1796.
femoralis, Broun. A.M.N.H. 6, xiv. 311.
carinatus, Broun. Man. N.Z. Coleop. 754. No. 1339.

Megadromus, Motschulsky, 1865. viridilimbatus, Motschulsky. Bull. Mosc. iv. 251.

Sub-family Pogoninæ.

Oöpterus, Guérin, 1841.
laevicollis, Bates. Man. N.Z. Coleop. 54, No. 105.
patulus, Broun. Man. N.Z. Coleop. 655, No. 1145.
fulvipes, Broun. Man. N.Z. Coleop. 936, No. 1684.
sobrinus, Broun. Man. N.Z. Coleop. 936, No. 1685.
collaris, Broun. Man. N.Z. Coleop. 1002, No. 1797.
pallidipes, Broun. Man. N.Z. Coleop. 1003, No. 1798.

Oöpterus puncticeps, Broun. Man. N.Z. Coleop. 1398, No. 2440. clivinoides, Guérin. Vov. Pole Sud. Zool. iv. 43.

clivinoides, Guérin. Voy. Pole Sud, Zool. iv. 43. plicaticollis, Blanchard. Voy. Pole Sud, Zool. iv. 44.

Cyclothorax, MacLeay, 1873.
rotundicollis, White. Man. N.Z. Coleop. 54, No. 105.
insularis, Motschulsky. Man. N.Z. Coleop. 29, No. 62.

Tarastethus, Sharp, 1883.

puncticollis, Sharp. Man. N.Z. Coleop. 1004, No. 1799. læviventris, Sharp. Man. N.Z. Coleop. 1004, No. 1800. alpinalis, Broun. Man. N.Z. Coleop. 1005, No. 1801. debilis, Sharp. Man. N.Z. Coleop. 1005, No. 1802. cinctus, Broun. Man. N.Z. Coleop. 1005, No. 1803. sulcicollis, Bates. Man. N.Z. Coleop. 28, No. 59. seriatoporus, Bates. Man. N.Z. Coleop. 28, No. 60. placens, Broun. Man. N.Z. Coleop. 28, No. 61.

Sympiestus, Sharp, 1866.
syntheticus, Sharp. Man. N.Z. Coleop. 1006, No. 1804.
fallax, Broun. Man. N.Z. Coleop. 1007, No. 1805.
oculator, Broun. Man. N.Z. Coleop. 1398, No. 2439.
modestus, Broun. A.M.N.H. 6, xiv. 311.

Sub-family Bembidiinæ.

Bembidium, Latreille, 1804. charile, Bates. Man. N.Z. Coleop. 55, No. 107. maorinum, Bates. Man. N.Z. Coleop. 55, No. 108. tairuense, Bates. Man. N.Z. Coleop. 55, No. 109. rotundicolle, Bates. Man. N.Z. Coleop. 56, No. 110. parviceps, Bates. Man. N.Z. Coleop. 56, No. 111. anchonoderum, Bates. Man. N.Z. Coleop. 57, No. 112. eustictum, Bates. Man. N.Z. Coleop. 57, No. 113. callipeplum, Bates. Man. N.Z. Coleop. 57, No. 114. orbiferum, Bates. Man. N.Z. Coleop. 58, No. 115. chalceipes, Bates. Man. N.Z. Coleop. 58, No. 116. hokitikense, Bates. Man. N.Z. Coleop. 59, No. 117. musæ, Broun. Man. N.Z. Coleop. 755, No. 1340. latiusculum, Broun. Man. N.Z. Coleop. 755, No. 1341. nesophilum, Broun. Man. N.Z. Coleop. 828, No. 1472. tantillum, Broun. Man. N.Z. Coleop. 828, No. 1473. tekapoense, Broun. Man. N.Z. Coleop. 880, No. 1566. attenuatum, Broun. Man. N.Z. Coleop. 881, No. 1567. clevedonense, Broun. Man. N.Z. Coleop. 1007, No. 1806. diaphanum, Broun. Man. N.Z. Coleop. 1007, No. 1807. dehiscens, Broun. Man. N.Z. Coleop. 1009, No. 1808. antipodum, Broun. Man. N.Z. Coleop. 1009, No. 1809. tersatum, Broun. Man. N.Z. Coleop. 1010, No. 1810.

Cillenum, Samouelle, 1819.

albescens, Bates. Man. N.Z. Coleop. 59, No. 118.

chalmeri, Broun. Man. N.Z. Coleop. 881, No. 1568.

subcæcum, Sharp. Man. N.Z. Coleop. 1010, No. 1811.

Tachys, Shaum, 1860.
antarcticus, Bates. Man. N.Z. Coleop. 60, No. 119.
latipennis, Sharp. Man. N.Z. Coleop. 1011, No. 1812.
oreobius, Broun. Man. N.Z. Coleop. 1399. No. 2441.
cavelli, Broun. Man. N.Z. Coleop. 1400, No. 2442.

Anillus, Duval, 1851.
pallidus, Broun. Man. N.Z. Coleop. 918, No. 1644.
phyllobius, Broun. A.M.N.H. 6. xii. 164.

Sub-family LEBIINÆ.

Actenonyx, White, 1846. bembidioides, White. Voy. E. & T. 61, No. 120.

Lebia, Latreille, 1804. bembidioides, Fairmaire. Rev. Zool. 1849, 32. posticalis, Guérin. Voy. Coquille, Col. 58.

Wakefieldia, Broun, 1880. vittata, Broun. Man. N.Z. Coleop. 62, No. 121.

Agonochila, Chaudoir, 1848. binotata, White. Man. N.Z. Coleop. 63, No. 122.

Demetrida, White, 1846.
lineella, White. Man. N.Z. Coleop. 64, No. 123.
nasuta, White. Man. N.Z. Coleop. 64, No. 124.
picea, Chaudoir. Man. N.Z. Coleop. 65, No. 125.
ater, Broun. Man. N.Z. Coleop. 66, No. 126.
moesta, Sharp. Man. N.Z. Coleop. 66, No. 127.

Pedalopia, Castelnau, 1867. novæ-zealandiæ, Castelnau. Man. N.Z. Coleop. 67, No-128.

Sub-family Pericalinæ.

Scopodes, Erichson, 1842.
fossulatus, Blanchard. Man. N.Z. Coleop. 68, No. 129.
elaphroides, White. Man. N.Z. Coleop. 68, No. 130.
edwardsi, Bates. Man. N.Z. Coleop. 68, No. 131.
versicolor, Bates. Man. N.Z. Coleop. 68, No. 132.
prasinus, Bates. Man. N.Z. Coleop. 69, No. 132.
multipunctatus, Bates. Man. N.Z. Coleop. 69, No. 134.
lævigatus, Bates. Man. N.Z. Coleop. 70, No. 135.
venustus, Broun. Man. N.Z. Coleop. 756, No. 1342.
planus, Broun. Man. N.Z. Coleop. 756, No. 1343.
tardus, Broun. Man. N.Z. Coleop. 757, No. 1344.

Scopodes pustulatus, Broun. Man. N.Z. Coleop. 757, No.

lævistriatus, Broun. Man. N.Z. Coleop. 829, No. 1474. bryophilus, Broun. Man. N.Z. Coleop. 882, No. 1569. cognatus, Broun. Man. N.Z. Coleop. 882, No. 1570. antennalis, Broun. Man. N.Z. Coleop. 882, No. 1571. nigrinus, Sharp. Man. N.Z. Coleop. 1011, No. 1813. basalis, Broun. Man. N.Z. Coleop. 1012, No. 1814. speciosus, Broun. Man. N.Z. Coleop. 1012, No. 1815.

Family DYTISCIDÆ.

Homœodytes, Sharp, 1882. hookeri, White. Man. N.Z. Coleop. 75, No. 141. scutellaris, Sharp. Man. N.Z. Coleop. 1331, No. 2338.

Rhantus, Sharp, 1882.

pulverosus, Stephens = C. rufimanus, White. Man. N.Z.

Coleop. 74, No. 170; Man. N.Z. Coleop. 1333, No. 2340.

plantaris, Sharp. Man. N.Z. Coleop. 1333, No. 2339.

Lancetes, Sharp, 1882. lanceolatus, Clark. Man. N.Z. Coleop. 1335, No. 2341.

Family Hydroporidæ.

Antiporus, Sharp, 1882.
uncifer, Sharp. Man. N.Z. Coleop. 1330, No. 2337.
wakefieldi, Sharp. Man. N.Z. Coleop. 71, No. 136.
duplex, Sharp. Man. N.Z. Coleop. 72, No. 137.
strigosulus, Broun. Man. N.Z. Coleop. 72, No. 138.
nitidicornis, Broun. Man. N.Z. Coleop. 73, No. 139.

Bidessus, Sharp, 1882. impressus, Sharp. Man. N.Z. Coleop. 1329, No. 2334. plicatus, Sharp. Man. N.Z. Coleop. 1329, No. 2335. huttoni, Sharp. Man. N.Z. Coleop. 1329, No. 2336.

Huxelhydrus, Sharp, 1882. syntheticus, Sharp. Trans. Roy. Dub. Soc. 1882. virgatus, Broun. Man. N.Z. Coleop. 1014, No. 1816.

Copelatus, Erichson. Sharp, 1882. sharpi, Broun. Man. N.Z. Coleop. 1014 and 939, No. 1689.

Series Polymorpha. Family Gyrinidæ.

Gyrinus, Linnæus, 1733. huttoni, Pascoe. Man. N.Z. Coleop. 76, No. 142.

Family Hydrophilidæ.

Philhydrus, Solier, 1834. tritus, Broun. Man. N.Z. Coleop. 78, No. 145. Philhydrus variolosus, Broun. Man. N.Z. Coleop. 79, No. 146. abditus, Sharp. Man. N.Z. Coleop. 1018, No. 1824.

Berosus, Leach, 1817. mergus, Broun. Man. N.Z. Coleop. 883, No. 1572.

Phelerosus, Sharp, 1884. pallidipennis, Sharp. Man. N.Z. Coleop. 1023, No. 1834.

Saphydrus, Sharp, 1884.
oblongus, Broun. Man. N.Z. Coleop. 81, No. 150.
suffusus, Sharp. Man. N.Z. Coleop. 1015, No. 1817.
obesus, Sharp. Man. N.Z. Coleop. 1016, No. 1818.
antennatus, Sharp. Man. N.Z. Coleop. 1016, No. 1819.
longulus, Sharp. Man. N.Z. Coleop. 1016, No. 1820.
monticola, Broun. Man. N.Z. Coleop. 1401, No. 2443.

Rygmodus, White, 1846.

modestus, White. Man. N.Z. Coleop. 80, No. 147.
pedinoides, White. Man. N.Z. Coleop. 80, No. 148.
incertus, Broun. Man. N.Z. Coleop. 81, No. 149.
opimus, Broun. Man. N.Z. Coleop. 82, No. 151.
cyaneus, Broun. Man. N.Z. Coleop. 659, No. 1152.
puncticeps, Broun. Man. N.Z. Coleop. 757, No. 1346.
femoratus, Sharp. Man. N.Z. Coleop. 1016, No. 1821.
tibialis, Broun. Man. N.Z. Coleop. 1017, No. 1822.
ovalis, Sharp. Man. N.Z. Coleop. 1017, No. 1823.
limbatus, Broun. Man. N.Z. Coleop. 1335, No. 2342.
alienus, Broun. Man. N.Z. Coleop. 1401, No. 2444.

Tormus, Sharp, 1884.

helmsi, Sharp. Man. N.Z. Coleop. 1019, No. 1825.

nitidus, Broun. Man. N.Z. Coleop. 1402, No. 2445.

Tormissus, Broun, 1893. marginatus, Broun. Man. N.Z. Coleop. 1021, No. 1829. magnulus, Broun. Man. N.Z. Coleop. 1021, No. 1830.

Hydrostygnus, Sharp, 1884.
linsi, Sharp. Man. N.Z. Coleop. 1020, No. 1826.
pontalis, Broun. Man. N.Z. Coleop. 84, No. 155.
minor, Broun. Man. N.Z. Coleop. 1020, No. 1827.
bifoveatus, Broun. Man. N.Z. Coleop. 1021, No. 1828.

Exydrus, Broun, 1886. flavicornis, Broun. Man. N.Z. Coleop. 84, No. 153. gibbosus, Broun. Man. N.Z. Coleop. 84, No. 154.

Stygnohydrus, Broun, 1893. nitidus, Broun. Man. N.Z. Coleop. 1336, No. 2343.

Cyloma, Sharp, 1872. lawsonus, Sharp. Man. N.Z. Coleop. 85, No. 156. Cyloma thomsonus, Sharp. Man. N.Z. Coleop. 1022, No. 1831.
guttulatus, Sharp. Man. N.Z. Coleop. 1022, No. 1832.
stewarti, Broun. A.M.N.H. 6, xiv. 379.

Cyclonotum, Dejean, 1833. marginale, Sharp. Man. N.Z. Coleop. 83, No. 152.

Psephoboragus, Broun, 1893. signatus, Broun. Man. N.Z. Coleop. 1403, No. 2446. lineatus, Broun. Man. N.Z. Coleop. 1404, No. 2447.

 Adolopus, Sharp, 1884.

 helmsi, Sharp.
 Man. N.Z. Coleop. 1023, No. 1833.

 badius, Broun.
 Man. N.Z. Coleop. 86, No. 157.

 altulus, Broun.
 Man. N.Z. Coleop. 86, No. 158.

 vicinus, Broun.
 Man. N.Z. Coleop. 939, No. 1690.

 rugipennis, Broun.
 Man. N.Z. Coleop. 939, No. 1691.

 montanus, Broun.
 Man. N.Z. Coleop. 1336, No. 2344.

 convexus, Broun.
 Man. N.Z. Coleop. 1404, No. 2448.

Cercyodes, Broun, 1893. lævigatus, Broun. Man. N.Z. Coleop. 941, No. 1692.

Family PARNIDÆ.

Potaminus, Sturm, 1837. angusticollis, Pascoe. Man. N.Z. Coleop. 248, No. 439.

Alloparnus, Broun, 1893. Substituted for *Parnida*. agrestis, Broun. Man. N.Z. Coleop. 1107 and 249, No. 440.

Protoparnus, Sharp, 1886. longulus, Sharp. Man. N.Z. Coleop. 1107, No. 1965.

Family Elmidæ.

Hydora, Broun, 1886. Substituted for *Pachycephala*. picea, Broun. Man. N.Z. Coleop. 672, No. 1173. nitida, Broun. Man. N.Z. Coleop. 927, No. 1664. obsoleta, Broun. Man. N.Z. Coleop. 928, No. 1665.

Family Buprestidæ.

Nascio, Castelnau and Gory, 1835. eremita, White. Man. N.Z. Coleop. 276, No. 481. enysi, Sharp. Man. N.Z. Coleop. 276, No. 482.

Family Eucmenidæ.

Neocharis, Sharp, 1877.

varia, Sharp. Man. N.Z. Coleop. 277, No. 483.

pubescens, Sharp. Man. N.Z. Coleop. 278, No. 484.

simplex, Sharp. Man. N.Z. Coleop. 278, No. 485.

concolor, Sharp. Man. N.Z. Coleop. 278, No. 486.

osculans, Broun. Man. N.Z. Coleop. 674, No. 1176.

Talerax, Sharp, 1877.
distans, Sharp. Man. N.Z. Coleop. 279, No. 487.
capax, Broun. Man. N.Z. Coleop. 674, No. 1177.
niger, Broun. Man. N.Z. Coleop. 675, No. 1178.
rusticus, Broun. Man. N.Z. Coleop. 675, No. 1179.
foveatus, Broun. Man. N.Z. Coleop. 676, No. 1180.
tenuis, Broun. Man. N.Z. Coleop. 772, No. 1368.

Drasterius, Eschscoltz, 1829. nigellus, White. Man. N.Z. Coleop. 279, No. 488.

micans, Broun. Man. N.Z. Coleop. 1350, No. 2366.

Melanus, Broun, 1881. sculptus, Broun. Man. N.Z. Coleop. 677, No. 1181.

Agalba, Broun, 1893.
ruficornis, Broun.
nigrescens, Broun.
cylindrata, Broun.
Man. N.Z. Coleop. 1121, No. 1989.
Man. N.Z. Coleop. 771, No. 1367.

Family Elateridæ.

Protelater, Sharp, 1877.
elongatus, Sharp. Man. N.Z. Coleop. 305, No. 545.
huttoni, Sharp. Man. N.Z. Coleop. 305, No. 546.
guttatus, Sharp. Man. N.Z. Coleop. 305, No. 547.
picticornis, Sharp. Man. N.Z. Coleop. 306, No. 548.
opacus, Sharp. Man. N.Z. Coleop. 306, No. 549.
nigricans, Sharp. Man. N.Z. Coleop. 772, No. 1369.
vitticollis, Broun. Man. N.Z. Coleop. 956, No. 1724.
atriceps, Broun. Man. N.Z. Coleop. 957, No. 1725.
urquharti, Broun. Man. N.Z. Coleop. 1121, No. 1990.
costiceps, Broun. Man. N.Z. Coleop. 1121, No. 1991.
pubescens, Broun. Man. N.Z. Coleop. 1122, No. 1992.

Geranus, Sharp, 1877.
collaris, Pascoe. Man. N.Z. Coleop. 302, No. 540.
lineicollis, White. Man. N.Z. Coleop. 304, No. 544.
fulvus, Sharp. Man. N.Z. Coleop. 303, No. 542.
similis, Sharp. Man. N.Z. Coleop. 303, No. 543.

Parinus, Sharp, 1877. villosus, Sharp. Man. N.Z. Coleop. 301, No. 538.

Corymbites, Latreille, 1834.

antipodus, Candèze. Man. N.Z. Coleop. 299, No. 532.
dubius, Sharp. Man. N.Z. Coleop. 299, No. 533.
strangulatus, White. Man. N.Z. Coleop. 300, No. 534.
myops, White. Man. N.Z. Coleop. 300, No. 535.
olivascens, White. Man. N.Z. Coleop. 300, No. 536.
agriotoides, Sharp. Man. N.Z. Coleop. 301, No. 537.
irregularis, Sharp. Man. N.Z. Coleop. 1128, No. 2006.

Corymbites mundus, Sharp. Man. N.Z. Coleop. 1129, No. 2007.
canaliculatus, Broun. Man. N.Z. Coleop. 1129, No. 2008.
munroi, Broun. Man. N.Z. Coleop. 1130, No. 2009.

Asymphus, Sharp, 1886. insidiosus, Sharp. Man. N.Z. Coleop. 1132, No. 2011.

Exœolus, Broun, 1893.

rufescens, Broun.

punctatus, Broun.

obsoletus, Broun.

Man. N.Z. Coleop. 1134, No. 2014.

Man. N.Z. Coleop. 1135, No. 2015.

Ochosternus, Candèze, 1863. zealandicus, White. Man. N.Z. Coleop. 298, No. 531. parryi, Candèze. Mon. iv. 447.

Chrosis, Candèze, 1863.

polita, Sharp. Man. N.Z. Coleop. 296, No. 527.
reversa, Sharp. Man. N.Z. Coleop. 297, No. 528.
barbata, Candèze. Man. N.Z. Coleop. 297, No. 529.
elongata, Sharp. Man. N.Z. Coleop. 298, No. 530.
livens, Broun. Man. N.Z. Coleop. 681, No. 1188.
valida, Broun. Man. N.Z. Coleop. 681, No. 1189.
setigera, Broun. Man. N.Z. Coleop. 682, No. 1190.
brevicollis, Broun. Man. N.Z. Coleop. 682, No. 1191.
castanea, Broun. Man. N.Z. Coleop. 683, No. 1192.
certa, Broun. Man. N.Z. Coleop. 683, No. 1193.
fulvipes, Broun. Man. N.Z. Coleop. 683, No. 1194.
impressa, Broun. Man. N.Z. Coleop. 1133, No. 2012.
æneola, Candèze. Mem. Belg. xvii. 1865, 54.
eximia, Broun. A.M.N.H. 6, xii. 288.

Cryptohypnus, Eschscholtz, 1833.

powelli, Sharp. Man. N.Z. Coleop. 295, No. 522.
humilis, Sharp. Man. N.Z. Coleop. 295, No. 523.
frontalis, Sharp. Man. N.Z. Coleop. 295, No. 524.
longicornis, Sharp. Man. N.Z. Coleop. 296, No. 525.
thoracicus, Sharp. Man. N.Z. Coleop. 296, No. 526.
meinertzhageni, Broun. Man. N.Z. Coleop. 680, No. 1187.
montanus, Broun. Man. N.Z. Coleop. 773, No. 1371.
sandageri, Broun. Man. N.Z. Coleop. 774, No. 1372.
pallipes, Sharp. Man. N.Z. Coleop. 1122, No. 1194.
picticornis, Broun. Man. N.Z. Coleop. 1122, No. 1195.*
monticola, Broun. Man. N.Z. Coleop. 1124, No. 1196.
sternalis, Broun. Man. N.Z. Coleop. 1125, No. 1198.
fuscipennis, Broun. Man. N.Z. Coleop. 1125, No. 1199.
attenuatus, Broun. Man. N.Z. Coleop. 1453, No. 2521.
deterius, Broun. Man. N.Z. Coleop. 1454, No. 2522.

Oxylasma, Broun, 1881.
pannosum, Broun. Man. N.Z. Coleop. 679, No. 1185.
tectum, Broun. Man. N.Z. Coleop. 680, No. 1186.
basale, Broun. Man. N.Z. Coleop. 957, No. 1726.
carinale, Broun. Man. N.Z. Coleop. 1130, No. 2010.
vittiger, Broun. Man. N.Z. Coleop. 1452, No. 2520.

Silene, Broun, 1893. brunnea, Broun. Man. N.Z. Coleop. 1136, No. 2017.

Monocrepidius, Eschscholtz, 1829. exsul, Sharp. Man. N.Z. Coleop. 294, No. 520. subrufus, Broun. Man. N.Z. Coleop. 294, No. 521. maritimus, Broun. Man. N.Z. Coleop. 1135, No. 2016.

Mecastrus, Sharp, 1877.
convexus, Sharp. Man. N.Z. Coleop. 293, No. 517.
vicinus, Sharp. Man. N.Z. Coleop. 293, No. 518.
discedens, Sharp. Man. N.Z. Coleop. 293, No. 519.
lateristrigatus, White. Man. N.Z. Coleop. 306, No. 550.
intermedius, Broun. Man. N.Z. Coleop. 1128, No. 2005.

Zeaglophus, Broun, 1895. pilicornis, Broun. A.M.N.H. 6, xv. 235.

Lomemus, Sharp, 1877. pilicornis, Sharp. Man. N.Z. Coleop. 290, No. 509. pictus, Sharp. Man. N.Z. Coleop. 290, No. 510. suffusus, Sharp. Man. N.Z. Coleop. 291, No. 511. flavipes, Sharp. Man. N.Z. Coleop. 291, No. 512. similis, Sharp. Man. N.Z. Coleop. 291, No. 513. obscuripes, Sharp. Man. N.Z. Coleop. 292, No. 514. elegans, Sharp. Man. N.Z. Coleop. 292, No. 515. collaris, Sharp. Man. N.Z. Coleop. 292, No. 516. rectus, Broun. Man. N.Z. Coleop. 774, No. 1373. vittatus, Broun. Man. N.Z. Coleop. 775, No. 1374. fulvipennis, Broun. Man. N.Z. Coleop. 1126, No. 2000. fuscicornis, Broun. Man. N.Z. Coleop. 1126, No. 2001. maurus, Broun. Man. N.Z. Coleop. 1127, No. 2002. sculpturatus, Broun. Man. N.Z. Coleop. 1127, No. 2003. frontalis, Broun. Man. N.Z. Coleop. 1128, No. 2004. fuscipes, Broun. Man. N.Z. Coleop. 1454, No. 2523. puncticollis, Broun. A.M.N.H. 6, xv. 234.

Psorochroa, Broun, 1886. granulata, Broun. Man. N.Z. Coleop. 773, No. 1370. Aglophus, Sharp, 1877.

modestus, Sharp. Man. N.Z. Coleop. 289, No. 508.

Panspœus, Sharp, 1877.
guttatus, Sharp. Man. N.Z. Coleop. 288, No. 506.
tenebrosus, Broun. Man. N.Z. Coleop. 288, No. 507.

Betarmon, Kiesenwetter, 1858.
gracilipes, Sharp. Man. N.Z. Coleop. 287, No. 502.
frontalis, Sharp. Man. N.Z. Coleop. 287, No. 503.
lætus, Sharp. Man. N.Z. Coleop. 287, No. 504.
obscurus, Sharp. Man. N.Z. Coleop. 287, No. 505.
flavipilus, Broun. Man. N.Z. Coleop. 1350, No. 2367.

Amphiplatys, Sharp, 1877. lawsoni, Sharp. Man. N.Z. Coleop. 286, No. 501.

Metablax, Sharp, 1877.
brouni, Sharp. Man. N.Z. Coleop. 284, No. 497.
acutipennis, White. Man. N.Z. Coleop. 284, No. 498.
approximans, White. Man. N.Z. Coleop. 285, No. 499.
cinctiger, White. Man. N.Z. Coleop. 285, No. 500.

Thoramus, Sharp, 1877.

wakefieldi, Sharp. Man. N.Z. Coleop. 280, No. 489.
rugipennis, Broun. Man. N.Z. Coleop. 281, No. 491.
feredayi, Sharp. Man. N.Z. Coleop. 282, No. 493.
lævithorax, White. Man. N.Z. Coleop. 282, No. 494.
perblandus, Broun. Man. N.Z. Coleop. 282, No. 495.
foveolatus, Broun. Man. N.Z. Coleop. 283, No. 496.
cervinus, Broun. Man. N.Z. Coleop. 677, No. 1182.
angustus, Broun. Man. N.Z. Coleop. 678, No. 1183.
parvulus, Broun. Man. N.Z. Coleop. 678, No. 1184.
huttoni, Sharp. Man. N.Z. Coleop. 1122, No. 1993.

Genera of doubtful position:-

Brounia, Sharp, 1878. thoracica, Sharp. Man. N.Z. Coleop. 274, No. 480.

Byrrhocryptus, Broun, 1893. urquharti, Broun. Man. N.Z. Coleop. 1137, No. 2018.

Amplectopus, Sharp, 1886.

ovalis, Sharp. Man. N.Z. Coleop. 1138, No. 2019.
latulus, Broun. Man. N.Z. Coleop. 1351, No. 2368.
fuscus, Broun. Man. N.Z. Coleop. 1351, No. 2369.
pallicornis, Broun. Man. N.Z. Coleop. 1456, No. 2526.

Family DASCILLIDÆ.

Byrrhodes, Sharp, 1878.
gravidus, Sharp. Man. N.Z. Coleop. 307, No. 551.

Cyprobius, Sharp, 1878.
nitidus, Sharp. Man. N.Z. Coleop. 308, No. 552.
undulatus, Broun. Man. N.Z. Coleop. 775, No. 1375.
terrenus, Broun. A.M.N.H. 6, xv. 236.

Cyphanus, Sharp, 1878. laticeps, Sharp. Man. N.Z. Coleop. 309, No. 553. Cyphanus punctatus, Sharp. Man. N.Z. Coleop. 309, No. 554. capax, Broun. Man. N.Z. Coleop. 309, No. 555. mollis, Sharp. Man. N.Z. Coleop. 310, No. 556. debilis, Sharp. Man. N.Z. Coleop. 310, No. 557. granulatus, Broun. Man. N.Z. Coleop. 311, No. 558. medius, Broun. Man. N.Z. Coleop. 311, No. 559. mandibularis, Broun. Man. N.Z. Coleop. 776, No. 1376. dubius, Broun. Man. N.Z. Coleop. 1139, No. 2020. scaber, Broun. Man. N.Z. Coleop. 1139, No. 2021.

Atopida, White, 1846.
lawsoni, Sharp. Man. N.Z. Coleop. 312, No. 560. suturalis, White. Man. N.Z. Coleop. 338, No. 615. brouni, Sharp. Man. N.Z. Coleop. 312, No. 561. proba, Sharp. Man. N.Z. Coleop. 313, No. 562. castanea, White. Man. N.Z. Coleop. 313, No. 563. hirta, Broun. Man. N.Z. Coleop. 313, No. 564. testacea, Broun. Man. N.Z. Coleop. 314, No. 565. dorsalis, Broun. Man. N.Z. Coleop. 1140, No. 2023. sinuata, Broun. Man. N.Z. Coleop. 1455, No. 2524.

Veronatus, Sharp, 1878.

longicornis, Sharp. Man. N.Z. Coleop. 314, No. 566.
longipalpis, Sharp. Man. N.Z. Coleop. 315, No. 567.
sharpi, Broun. Man. N.Z. Coleop. 315, No. 568.
frontalis, Broun. Man. N.Z. Coleop. 316, No. 569.
scabiosus, Broun. Man. N.Z. Coleop. 316, No. 570.
capito, Broun. Man. N.Z. Coleop. 316, No. 571.
antennalis, Broun. Man. N.Z. Coleop. 776, No. 1377.
nubilus, Broun. Man. N.Z. Coleop. 1455, No. 2525.
amplus, Broun. A.M.N.H. 6, xv. 237.

Mesocyphon, Sharp, 1878.

marmoratus, Sharp. Man. N.Z. Coleop. 317, No. 572. setiger, Sharp. Man. N.Z. Coleop. 317, No. 573. wakefieldi, Sharp. Man. N.Z. Coleop. 318, No. 574. divergens, Sharp. Man. N.Z. Coleop. 318, No. 575. monticola, Broun. Man. N.Z. Coleop. 958, No. 1727. granulatus, Broun. Man. N.Z. Coleop. 958, No. 1728. pallidus, Broun. Man. N.Z. Coleop. 1141, No. 2024. laticeps, Broun. Man. N.Z. Coleop. 1142, No. 2025.

Cyphon, Paykull, 1798.

huttoni, Sharp. Man. N.Z. Coleop. 320, No. 576.
parviceps, Sharp. Man. N.Z. Coleop. 320, No. 577.
pumilio, Sharp. Man. N.Z. Coleop. 320, No. 578.
arduus, Sharp. Man. N.Z. Coleop. 320, No. 579.
oscillans, Sharp. Man. N.Z. Coleop. 321, No. 580.
æqualis, Sharp. Man. N.Z. Coleop. 321, No. 581.
amplius, Broun. Man. N.Z. Coleop. 322, No. 582.

Cyphon viridipennis, Broun. Man. N.Z. Coleop. 322, No. 583 Man. N.Z. Coleop. 322, No. 584. graniger, Sharp. pictulus, Sharp. Man. N.Z. Coleop. 322, No. 585. zealandicus, Sharp. Man. N.Z. Coleop. 323, No. 586. suffusus, Sharp. Man. N.Z. Coleop. 323, No. 587. Man. N.Z. Coleop. 323, No. 588. laticeps, Sharp. Man. N.Z. Coleop. 324, No. 589. genalis, Sharp. remotus, Broun. Man. N.Z. Coleop. 776, No. 1378. nigropictus, Broun. Man. N.Z. Coleop. 777, No. 1379. Man. N.Z. Coleop. 777, No. 1380. laticollis, Broun. rectangulus, Broun. Man. N.Z. Coleop. 777, No. 1381. Man. N.Z. Coleop. 778, No. 1382. plagiatus, Broun. propinquus, Broun. Man. N.Z. Coleop. 778, No. 1383. acerbus, Broun. Man. N.Z. Coleop. 778, No. 1384. crassus, Broun. Man. N.Z. Coleop. 779, No. 1385. suturalis, Broun. Man. N.Z. Coleop. 779, No. 1386. nitidus, Broun. Man. N.Z. Coleop. 779, No. 1387. lateralis, Broun. Man. N.Z. Coleop. 780, No. 1388. molestus, Broun. Man. N.Z. Coleop. 780, No. 1389. dilutus, Broun. Man. N.Z. Coleop. 780, No. 1390. rectalis, Broun. Man. N.Z. Coleop. 837, No. 1490. waikatoensis, Broun. Man. N.Z. Coleop. 838, No. 1491. signatus, Broun. Man. N.Z. Coleop. 958, No. 1729. æthiops, Broun. Man. N.Z. Coleop. 959, No. 1730. trivialis, Broun. Man. N.Z. Coleop. 959, No. 1731. pauper, Broun. Man. N.Z. Coleop. 1143, No. 2026. discedens, Broun. Man. N.Z. Coleop. 1143, No. 2027. flavescens, Broun. Man. N.Z. Coleop. 1143, No. 2028. nigritulus, Broun. Man. N.Z. Coleop. 1144, No. 2029. fuscifrons, Broun. Man. N.Z. Coleop. 1144, No. 2030. fulvicornis, Broun. Man. N.Z. Coleop. 1144, No. 2031. ornatus, Broun. Man. N.Z. Coleop. 1145, No. 2032. variegatus, Sharp. Man. N.Z. Coleop. 1145, No. 2033. mackerrowi, Broun. A.M.N.H. 6, xv. 237.

Cyphotelus, Sharp, 1878. angustifrons, Sharp. Man. N.Z. Coleop. 325, No. 590.

Family CLERIDÆ.

Paupris, Sharp, 1877. aptera, Sharp. Man. N.Z. Coleop. 331, No. 601.

Parmius, Sharp, 1877.
longipes, Sharp. Man. N.Z. Coleop. 331, No. 602.
debilis, Sharp. Man. N.Z. Coleop. 332, No. 603.
rugosus, Broun. Man. N.Z. Coleop. 1148, No. 2037.

Pelonium, Spinola, 1844. pustuliferum, Westwood. P.Z.S. 1852, p. 52, pl. 24, fig. 8. Balcus, Sharp, 1877. niger, Sharp. Man. N.Z. Coleop. 333, No. 604. signatus, Broun. Man. N.Z. Coleop. 333, No. 605.

Eumede, Pascoe, 1876. æraria, Pascoe. Man. N.Z. Coleop. 334, No. 606.

Phymalophæa, Pascoe, 1876.
electa, Pascoe. Man. N.Z. Coleop. 334, No. 607.
violacea, Fabricius. Man. N.Z. Coleop. 335, No. 608.
hilaris, Sharp. Man. N.Z. Coleop. 335, No. 609.
pantomelas, Boisduval. Man. N.Z. Coleop. 335, No. 610.
longula, Sharp. Man. N.Z. Coleop. 336, No. 611.
opiloides, Pascoe. Man. N.Z. Coleop. 336, No. 611.
opiloides, Pascoe. Man. N.Z. Coleop. 336, No. 612.
fulvipalpis, Broun. Man. N.Z. Coleop. 336, No. 613.
picta, Broun. Man. N.Z. Coleop. 685, No. 1198.
dorsalis, Broun. Man. N.Z. Coleop. 686, No. 1200.
testacea, Broun. Man. N.Z. Coleop. 686, No. 1201.
atrata, Broun. Man. N.Z. Coleop. 686, No. 1201.
atrata, Broun. Man. N.Z. Coleop. 686, No. 1202.
ignea, Broun. Man. N.Z. Coleop. 784, No. 1397.
opacula, Broun. Man. N.Z. Coleop. 1352, No. 2372.

Mathesis, Waterhouse, 1877. guttigera, Waterhouse. T.E.S. 1877, p. 8.

Family Melyridæ.

Dasytes, Paykull, 1798. subcyaneus, Broun. Man. N.Z. Coleop. 328, No. 596. wakefieldi, Sharp. Man. N.Z. Coleop. 329, No. 597. cinerohirtus, Broun. Man. N.Z. Coleop. 329, No. 598. obscuricollis, Broun. Man. N.Z. Coleop. 330, No. 599. laticeps, Broun. Man. N.Z. Coleop. 330, No. 600. stewarti, Broun. Man. N.Z. Coleop. 684, No. 1197. constrictus, Broun. Man. N.Z. Coleop. 781, No. 1392. occiputalis, Broun. Man. N.Z. Coleop. 782, No. 1393. cheesemani, Broun. Man. N.Z. Coleop. 902, No. 1611. opaculus, Broun. Man. N.Z. Coleop. 202, No. 1612. helmsi, Sharp. Man. N.Z. Coleop. 1147, No. 2035. oreocharis, Broun. Man. N.Z. Coleop. 1148, No. 2036littoralis, Broun. Man. N.Z. Coleop. 1351, No. 2370. æthiops, Broun. Man. N.Z. Coleop. 1352, No. 2371. nigripes, Broun. A.M.N.H. 6, xv. 238.

Arthracanthus, Broun, 1886. planifrons, Broun. Man. N.Z. Coleop. 781, No. 1391.

Halyles, Broun, 1886.
nigrescens, Broun.
brevicornis, Broun.
semidilutus, Broun.
Man. N.Z. Coleop. 783, No. 1395.
Man. N.Z. Coleop. 783, No. 1396.

Family Telephoridæ.

Asilis, Broun, 1893.
fulvithorax, Broun.
nigricans, Broun.
subnudus, Broun.
tenuiculus, Broun.
striatus, Broun.
piliventer, Broun.
lævigatus, Broun.
coloratus, Broun.
Man. N.Z. Coleop. 327, No. 593.
Man. N.Z. Coleop. 327, No. 594.
Man. N.Z. Coleop. 328, No. 595.
Man. N.Z. Coleop. 684, No. 1195.
Man. N.Z. Coleop. 684, No. 1196.
Man. N.Z. Coleop. 901, No. 1610.
Man. N.Z. Coleop. 1147, No. 2034.

Family PTINIDÆ.

Ptinus, Linnæus, 1767.
speciosus, Broun. Man. N.Z. Coleop. 338, No. 614.
murinus, White. Man. N.Z. Coleop. 338, No. 616.
pilosus, White. Man. N.Z. Coleop. 338, No. 617.
littoralis, Broun. Man. N.Z. Coleop. 1353, No. 2373.

Sub-family Anobiinæ.

Anobium, Fabricius, 1775.

amplicolle, Broun. Man. N.Z. Coleop. 339, No. 618.
ruficorne, Broun. Man. N.Z. Coleop. 340, No. 619.
tricostellum, White. Man. N.Z. Coleop. 341, No. 623.
undulatum, Broun. Man. N.Z. Coleop. 687, No. 1204.

Xenogonus, Broun, 1882.
notatus, Broun. Man. N.Z. Coleop. 340, No. 620.
granulatus, Broun. Man. N.Z. Coleop. 341, No. 621.
sericeus, Broun. Man. N.Z. Coleop. 341, No. 622.
pullus, Broun. Man. N.Z. Coleop. 688, No. 1205.
furcus, Broun. Man. N.Z. Coleop. 689, No. 1206.
versutus, Broun. Man. N.Z. Coleop. 689, No. 1207.
plagiatus, Broun. Man. N.Z. Coleop. 689, No. 1208.
ambiguus, Broun. Man. N.Z. Coleop. 689, No. 1209.

Ochina, Sturm, 1837. vulgata, Broun. Man. N.Z. Coleop. 342, No. 624.

Sphindoteles, Broun, 1881. atriventris, Broun. Man. N.Z. Coleop. 687, No. 1203.

Methemus, Broun, 1903. griseipilus, Broun (Capnodes). Man. N.Z. Coleop. 690, No. 1210.

Dorcatoma, Herbst, 1790. oblonga, Broun. Man. N.Z. Coleop. 343, No. 625. illustris, Broun. Man. N.Z. Coleop. 343, No. 626. lauta, Broun. Man. N.Z. Coleop. 690, No. 1211. Euderia, Broun, 1880. squamosa, Broun. Man. N.Z. Coleop. 344, No. 627.

Family Bostrichidæ.

Apate, Fabricius, 1775. minuta, Fabricius. Man. N.Z. Coleop. 346, No. 628.

Family CIOIDÆ.

Cis, Latreille, 1796. undulatus, Broun. Man. N.Z. Coleop. 347, No. 630. asimilis, Broun. Man. N.Z. Coleop. 347, No. 631. rufulus, Broun. Man. N.Z. Coleop. 348, No. 632. lineicollis, Broun. Man. N.Z. Coleop. 348, No. 633. flavitarsis, Broun. Man. N.Z. Coleop. 348, No. 634. asperimus, Broun. Man. N.Z. Coleop. 349, No. 635. cornuticeps, Broun. Man. N.Z. Coleop. 349, No. 636. illustris, Broun. Man. N.Z. Coleop. 349, No. 637. perpinguis, Broun. Man. N.Z. Coleop. 350, No. 638. anthracinus, Broun. Man. N.Z. Coleop. 350, No. 639. picturatus, Broun. Man. N.Z. Coleop. 838, No. 1492. obesulus, Broun. Man. N.Z. Coleop. 839, No. 1493. recurvatus, Broun. Man. N.Z. Coleop. 784, No. 1398. picicollis, Broun. Man. N.Z. Coleop. 785, No. 1399. viridiflavus, Broun. Man. N.Z. Coleop. 785, No. 1400. fultoni, Broun. Man. N.Z. Coleop. 904, No. 1614. piciceps, Broun. Man. N.Z. Coleop. 904, No. 1615.

Family PARNIDÆ.*

Potaminus, Sturm, 1837. angusticollis, Pascoe. Man. N.Z. Coleop. 248, No. 439.

Alloparnus, Broun, 1893. agrestis, Broun. Man. N.Z. Coleop. 249 and 1107, No. 440. Protoparnus, Sharp, 1886.

longulus, Sharp. Man. N.Z. Coleop. 1107, No. 1965.

Family Byrrhidæ.

Nosodendron, Latreille, 1807. ovatum, Broun. Man. N.Z. Coleop. 242, No. 429. zealandicum, Sharp. Man. N.Z. Coleop. 1106, No. 1694.

Sub-family Byrrhinæ.

Curimus, Erichson, 1846.

zealandicus, Redtenbacher. Man. N.Z. Coleop. 243,
No. 430.

anomalus, Broun. Man. N.Z. Coleop. 243, No. 431. striatus, Broun. Man. N.Z. Coleop. 244, No. 432. squamiferus, Broun. Man. N.Z. Coleop. 1448, No. 2512.

^{*} Duplicated by mistake; see ante, p. 153.

Pedilophorus, Steffahny, 1843.

coruscans, Pascoe. Man. N.Z. Coleop. 245, No. 433. setarius, Broun. Man. N.Z. Coleop. 245, No. 434. rotundus, Broun. Man. N.Z. Coleop. 671, No. 1171. gemmeus, Broun. Man. N.Z. Coleop. 769, No. 1363. villosus, Broun. Man. N.Z. Coleop. 900, No. 1608. lætus, Broun. Man. N.Z. Coleop. 1349, No. 2364. lævipennis, Broun. A.M.N.H. 6, xii. 190. tibialis, Broun. A.M.N.H. 6, xii. 191. puncticeps, Broun. A.M.N.H. 6, xii. 191. picipes, Broun. A.M.N.H. 6, xii. 191. creperus, Broun. A.M.N.H. 6, xii. 192. probus, Broun. A.M.N.H. 6, xii. 192. granulatus, Broun. A.M.N.H. 6, xii. 193.

Liochoria, Pascoe, 1875.

huttoni, Pascoe. Man. N.Z. Coleop. 246, No. 436. sternalis, Broun. A.M.N.H. 6, xii. 194. orbicularis, Broun. Man. N.Z. Coleop. 245, No. 435. nigricans, Broun. Man. N.Z. Coleop. 671, No. 1170. insueta, Broun. Man. N.Z. Coleop. 769, No. 1364. mixta, Broun. Man. N.Z. Coleop. 901, No. 1609. nigralis, Broun. Man. N.Z. Coleop. 1348, No. 2363.

Cytilissus, Broun, 1893. claviger, Broun. A.M.N.H. 6, xii. 195.

Sub-family LIMNICHINE.

Limnichus, Latreille, 1829.

decorus, Broun. Man. N.Z. Coleop. 247, No. 437. punctatus, Broun. Man. N.Z. Coleop. 247, No. 438. picinus, Broun. Man. N.Z. Coleop. 671, No. 1172. nigripes, Broun. Man. N.Z. Coleop. 1449, No. 2513.

Sub-family ELMINÆ.*

Hydora, Broun, 1886.

picea, Broun (Pachycephala). Man. N.Z. Coleop. 672, No. 1173. nitida, Broun (Hydora). Man. N.Z. Coleop. 927, No. 1664. obsoleta, Broun (Hydora). Man. N.Z. Coleop. 928, No. 1665.

Family Dermestidæ.

Trogoderma, Latreille, 1829.

serrigerum, Sharp. Man. N.Z. Coleop. 240, No. 426. signatum, Sharp. Man. N.Z. Coleop. 240, No. 427. mæstum, Broun. Man. N.Z. Coleop. 241, No. 428. granulatum, Broun. Man. N.Z. Coleop. 900, No. 1607. punctatum, Broun. Man. N.Z. Coleop. 953, No. 1718. suffusum, Broun. Man. N.Z. Coleop. 953, No. 1719.

^{*} Duplicated by mistake; see ante, p. 153.

Trogoderma 4-fasciatum, Broun. Man. N.Z. Coleop. 1105, No. 1962. antennale, Broun. Man. N.Z. Coleop. 1106, No. 1963.

Family Lathrididæ.

Holoparamecus, Curtis, 1833. 1ucidus, Broun. Man. N.Z. Coleop. 232, No. 408. castaneus, Broun. Man. N.Z. Coleop. 1448, No. 2515.

Lathridius, Herbst, 1793.

antipodeus, White. Man. N.Z. Coleop. 233, No. 409. sculpturatus, Broun. Man. N.Z. Coleop. 233, No. 410. marginalis, Broun. Man. N.Z. Coleop. 233, No. 411. costulatus, Broun. Man. N.Z. Coleop. 234, No. 412. floridus, Broun. Man. N.Z. Coleop. 234, No. 413. bifoveatus, Broun. Man. N.Z. Coleop. 834, No. 1483. castaneus, Broun. Man. N.Z. Coleop. 894, No. 1602. puncticeps, Broun. Man. N.Z. Coleop. 898, No. 1603. caviceps, Broun. Man. N.Z. Coleop. 1447, No. 2510.

Corticaria, Marsham, 1802. angusticollis, Broun. Man. N.Z. Coleop. 235, No. 414pubera, Broun. Man. N.Z. Coleop. 235, No. 415. fasciata, Broun. Man. N.Z. Coleop. 235, No. 416. hirtalis, Broun. Man. N.Z. Coleop. 236, No. 417. finitima, Broun. Man. N.Z. Coleop. 236, No. 418. variegata, Broun. Man. N.Z. Coleop. 236, No. 419. discoidea, Broun. Man. N.Z. Coleop. 236 No. 420. obesa, Broun. Man. N.Z. Coleop. 237, No. 421. pudibunda, Broun. Man. N.Z. Coleop. 237, No. 422. alacer, Broun. Man. N.Z. Coleop. 237, No. 423. tarsalis, Broun. Man. N.Z. Coleop. 768, No. 1362. pacata, Broun. Man. N.Z. Coleop. 899, No. 1604. erythrocephala, Broun. Man. N.Z. Coleop. 899 No. 1605. platyptera, Broun. Man. N.Z. Coleop. 899, No. 1606. semirufa, Broun. Man. N.Z. Coleop. 952, No. 1716. gilvipes, Broun. Man. N.Z. Coleop. 953, No 1717. amplipennis, Broun. Man. N.Z. Coleop. 1104, No. 1960. clarula, Broun. A.M.N.H. 6, xv. 197.

Rethusus, Broun, 1886.
pictulus, Broun. Man. N.Z. Coleop. 835, No. 1485.
lachrymosus, Broun. Man. N.Z. Coleop. 836, No. 1486.

Diarthrocera, Broun, 1893. formicæphila, Broun. Man. N.Z. Coleop. 1348, No. 2362.

Family Coccinellidæ.

Coccinella, Linnæus. 1735. tasmanii, White. Man. N.Z. Coleop. 645, No. 1126. Coccinella coriacea, Broun. Man. N.Z. Coleop. 1319, No.

novæ-zealandiæ, Colenso. T.N.Z.I. xx. 40.

Leis, Mulsant, 1851.

antipodum, Mulsant. Man. N.Z. Coleop. 645, No. 1128.

Cranophorus, Mulsant, 1851. venustus, Pascoe. Man. N.Z. Coleop. 650, No. 1141.

Scymnus, Kugelann, 1794. eximius, Broun. Man. N.Z. Coleop. 646, No. 1129. flavihirtus, Broun. Man. N.Z. Coleop. 646, No. 1130. acceptus, Broun. Man. N.Z. Coleop. 647, No. 1131. consors, Broun. Man. N.Z. Coleop. 647, No. 1132. tristis, Broun. Man. N.Z. Coleop. 647, No. 1133. pallidiceps, Broun. Man. N.Z. Coleop. 648, No. 1134. fagus, Broun. Man. N.Z. Coleop. 648, No. 1135. terrenus, Broun. Man. N.Z. Coleop. 648, No. 1136. rarus, Broun. Man. N.Z. Coleop. 649, No. 1137. suffusus, Broun. Man. N.Z. Coleop. 649, No. 1138. minutulus, Broun. Man. N.Z. Coleop. 649, No. 1139. picinus, Broun. Man. N.Z. Coleop. 649, No. 1140. sedatus, Broun. Man. N.Z. Coleop. 813, No. 1446. villosus, Broun. Man. N.Z. Coleop. 814, No. 1447. circularis, Sharp. Insect Life. 1889, p. 365.

Holopsis, Broun, 1886.

nigellus, Broun. Man. N.Z. Coleop. 814, No. 1448.
pallidus, Broun. Man. N.Z. Coleop. 815, No. 1449.
lawsoni, Broun. Man. N.Z. Coleop. 815, No. 1550.
pictulus, Broun. Man. N.Z. Coleop. 1503, No. 2588.
rotundatus, Broun. Man. N.Z. Coleop. 1503, No. 2589.

Veronicobius, Broun, 1893. hirtus, Broun. Man. N.Z. Coleop. 1393, No. 2430.

Family Mycetophagidæ.

Typhæa, Stephens, 1830.

curvipes, Broun. Man. N.Z. Coleop. 238, No. 424. hirta, Broun. Man. N.Z. Coleop. 239, No. 425.

Triphyllus, Latreille, 1829.

integritus, Broun fuliginosus, Broun. Substriatus, Broun. aciculatus, Broun. serratus, Broun. punctulatus, Broun. adspersus, Broun. hispidellus, Broun. Man. N.Z. Coleop. 229, No. 404. Man. N.Z. Coleop. 229, No. 404. Man. N.Z. Coleop. 230, No. 405. Man. N.Z. Coleop. 231, No. 407.

Family EROTYLIDÆ.

Cryptodacne, Sharp, 1878.
synthetica, Sharp. Man. N.Z. Coleop. 641, No. 1122.
lenis, Broun. Man. N.Z. Coleop. 641, No. 1123.
vagepunctata, Broun. Man. N.Z. Coleop. 813, 1445.
vittata, Broun. Man. N.Z. Coleop. 873, No. 1554.
pubescens, Broun. Man. N.Z. Coleop. 1319, No. 2320.

Triplax, Paykull, 1798. brouni, Pascoe. Man. N.Z. Coleop. 642, No. 1124.

Thallis, Erichson, 1842. polita, White. Man. N.Z. Coleop. 643, No. 1125.

Family Cryptophagidæ.

Telmatophilus, Heer, 1841.
depressus, Sharp. Man. N.Z. Coleop. 224, No. 391.
nitens, Sharp. Man. N.Z. Coleop. 224, No. 392.
olivascens, Broun. Man. N.Z. Coleop. 1104, No. 1959.

Cryptophagus, Herbst, 1792.

australis, Redtenbacher. Man. N.Z. Coleop. 225, No. 393rubellus, Broun. Man. N.Z. Coleop. 225, No. 394.
rutilus, Broun. Man. N.Z. Coleop. 226, No. 395.
vestitus, Broun. Man. N.Z. Coleop. 226, No. 396.
sylvanus, Broun. Man. N.Z. Coleop. 227, No. 397.
angulifer, Broun. Man. N.Z. Coleop. 227, No. 398.
hispidulus, Broun. Man. N.Z. Coleop. 227, No. 400.
discoideus, Broun. Man. N.Z. Coleop. 1345, No. 2360.
distinctus, Broun. Man. N.Z. Coleop. 1346, No. 2361.
tumidus, Broun. Man. N.Z. Coleop. 1446, No. 2508.
anthracinus, Broun. Man. N.Z. Coleop. 1446, No. 2509.
rufescens, Blanchard. Voy. Pole Sud, iv. 53, pl. 4.

Salltius, Broun, 1893. ruficeps, Broun. Man. N.Z. Coleop. 228 and 1347, No. 399-

Paramecosoma, Curtis, 1833. maculosum, Broun. Man. N.Z. Coleop. 670, No. 1169.

Family Cucujidæ.

Chætosoma, Westwood, 1851. scaritides, Westwood. Man. N.Z. Coleop. 767, No. 1360.

Diagrypnodes, Waterhouse, 1876. wakefieldi, Waterhouse. Man. N.Z. Coleop. 217, No. 382-

Dryocora, Pascoe, 1868. howittii, Pascoe. Man. N.Z. Coleop. 218, No. 383. Dendrophagus, Schönherr, 1809. umbrinus, Smith. Cat. Coleop. Brit. Mus. 12. capito, Pascoe. Man. N.Z. Coleop. 219, No. 384.

Parabrontes, Redtenbacher, 1867. silvanoides, Redtenbacher. Man. N.Z. Coleop. 220, No. 386. setiger, Broun. Man. N.Z. Coleop. 768, No. 1361.

Cryptamorpha, Wollaston, 1854.
brevicornis, White. Man. N.Z. Coleop. 221, No. 387.
curvipes, Broun. Man. N.Z. Coleop. 221, No. 388.
suturalis, White. Man. N.Z. Coleop. 222, No. 389.
lateritia, Broun. Man. N.Z. Coleop. 222, No. 390.

Picrotus, Sharp, 1886. thoracicus, Sharp. Man. N.Z. Coleop. 1098, No. 1952. sanguineus, Broun. Man. N.Z. Coleop. 1098, No. 1953.

Brontopriscus, Sharp, 1886. sinuatus, Sharp. Man. N.Z. Coleop. 1099, No. 1954. pleuralis, Sharp. Man. N.Z. Coleop. 219, No. 385.

Cathartocryptus, Sharp, 1886. obscurus, Sharp. Man. N.Z. Coleop. 1100, No. 1955.

Saphophagus, Sharp, 1886. minutus, Sharp. Man. N.Z. Coleop. 1101, No. 1956. ferrugineus, Broun. Man. N.Z. Coleop. 1102, No. 1957.

Tularthrum, Broun, 1893. lineatum, Broun. Man. N.Z. Coleop. 1103, No. 1958.

Thortus, Broun, 1893. ovalis, Broun. Man. N.Z. Coleop. 1345, No. 2359.

Family Rhysodidæ.

Rhysodes, Dalman, 1823.

aterrimus, Broun.
eminens, Broun.
orbitosus, Broun.
proprius, Broun.
pensus, Broun.
Man. N.Z. Coleop. 215, No. 379.
Man. N.Z. Coleop. 215, No. 380.
Man. N.Z. Coleop. 216, No. 381.
pensus, Broun.
Man. N.Z. Coleop. 215, No. 378.

Family Colydidæ. Sub-family Trichopteryginæ.

Trichopteryx, Kirby, 1826. inconspicua, Matthews. Man. N.Z. Coleop. 1436, No. 2492.

Ptenidium, Erichson, 1845.

lawsoni, Matthews. Man. N.Z. Coleop. 1437, No. 2493.

posticale, Broun. Man. N.Z. Coleop. 1437, No. 2494.

proprium, Broun. Man. N.Z. Coleop. 1438, No. 2495.

cavelli, Broun. Man. N.Z. Coleop. 1438, No. 2496.

Actidium, Matthews, 1868. lineare, Matthews. Man. N.Z. Coleop. 1439, No. 2497.

Actinopteryx, Matthews. 1872. australis, Matthews. Man. N.Z. Coleop. 1440, No. 2498.

Ptinella, Motschoulski, 1844. fauvelli, Matthews. Mon. Trichop. Suppl. 19.

Sub-family COLYDIINÆ.

Tarphiomimus, Wollaston, 1873. indentatus, Wollaston. Man. N.Z. Coleop. 182, No. 324. wollastoni, Sharp. Man. N.Z. Coleop. 1080, No. 1924.

Dryptops, Broun, 1886.
dorsalis, Broun. Man. N.Z. Coleop. 763, No. 1354.
undosus, Broun. Man. N.Z. Coleop. 764, No. 1355.
acuminatus, Broun. Man. N.Z. Coleop. 183, No. 325.

Ulonotus, Erichson, 1845. antarcticus, White. Man. N.Z. Coleop. 187, No. 331. discedens, Sharp. Man. N.Z. Coleop. 187, No. 332. brouni, Sharp. Man. N.Z. Coleop. 188, No. 333. viridipictus, Wollaston. Man. N.Z. Coleop. 188, No. 334. asper, Sharp. Man. N.Z. Coleop. 189, No. 335. integer, Sharp. Man. N.Z. Coleop. 189, No. 336. lawsoni, Wollaston. Man. N.Z. Coleop. 189, No. 337. aberrans, Broun. Man. N.Z. Coleop. 189, No. 338. atratus, Broun. Man. N.Z. Coleop. 190, No. 339. punctatus, Broun. Man. N.Z. Coleop. 894, No. 1595. isostictus, Broun. Man. N.Z. Coleop. 926, No. 1661. carus, Broun. Man. N.Z. Coleop. 947, No. 1706. fuscatus, Broun. Man. N.Z. Coleop. 948, No. 1707 rufescens, Broun. Man. N.Z. Coleop. 948, No. 1708. cinereus, Broun. Man. N.Z. Coleop. 948, No. 1709. integratus, Broun. Man. N.Z. Coleop. 949, No. 1710. fulvus, Broun. Man. N.Z. Coleop. 1080, No. 1925. dissimilis, Sharp. Man. N.Z. Coleop. 1081, No. 1926.

Notoulus, Broun, 1886 (substituted for Ablabus).

ornatus, Broun. Man. N.Z. Coleop. 184, No. 326.
pallidipictus, Broun. Man. N.Z. Coleop. 185, No. 327.
scabrus, Broun. Man. N.Z. Coleop. 185, No. 328.
fervidulus, Broun. Man. N.Z. Coleop. 186, No. 329.
punctipennis, Broun. Man. N.Z. Coleop. 186, No. 330.
brevis, Broun. Man. N.Z. Coleop. 763, No. 1353.
nodosus, Broun. Man. N.Z. Coleop. 894, No. 1594.
sparsus, Broun. Man. N.Z. Coleop. 947, No. 1704.
libentus, Broun. Man. N.Z. Coleop. 947, No. 1705.
facetus, Broun. Man. N.Z. Coleop. 1341, No. 2353.

Bitoma, Herbst, 1793.

insularis, White. Man. N.Z. Coleop. 192, No. 343. vicina, Sharp. Man. N.Z. Coleop. 193, No. 344. distans, Sharp. Man. N.Z. Coleop. 193, No. 345. rugosa, Sharp. Man. N.Z. Coleop. 193, No. 346. nana, Sharp. Man. N.Z. Coleop. 194, No. 347. distincta, Broun. Man. N.Z. Coleop. 194, No. 348. discoidea, Broun. Man. N.Z. Coleop. 195, No. 349. lobata, Broun. Man. N.Z. Coleop. 833, No. 1482. scita, Broun. Man. N.Z. Coleop. 895, No. 1596. guttata, Broun. Man. N.Z. Coleop. 895, No. 1597. sellata, Sharp. Man. N.Z. Coleop. 1081, No. 1927. auriculata, Sharp. Man. N.Z. Coleop. 1082, No. 1928. serraticula, Sharp. Man. N.Z. Coleop. 1083, No. 1929. mundula, Sharp. Man. N.Z. Coleop. 1083, No. 1930.

Coxelus, Latreille, 1829.*

dubius, Sharp. Man. N.Z. Coleop. 196, No. 350. similis, Sharp. Man. N.Z. Coleop. 196, No. 351. robustus, Broun. Man. N.Z. Coleop. 197, No. 352. clarus, Broun. Man. N.Z. Coleop. 766, No. 1357. grossanus, Broun. Man. N.Z. Coleop. 927, No. 1662. chalmeri, Broun. Man. N.Z. Coleop. 949, No. 1711. rufus, Broun. Man. N.Z. Coleop. 1084, No. 1931. posticalis, Broun. Man. N.Z. Coleop. 1084, No. 1932. ovicollis, Broun. Man. N.Z. Coleop. 1084, No. 1933. longulus, Broun. Man. N.Z. Coleop. 1085, No. 1934. oculator, Broun. Man. N.Z. Coleop. 1342, No. 2354. picicornis, Broun. Man. N.Z. Coleop. 1342, No. 2355. graniceps, Broun. Man. N.Z. Coleop. 1343, No. 2356. regularis, Broun. Man. N.Z. Coleop. 1440, No. 2499. thoracicus, Broun. A.M.N.H. 6, xv. 194.

Heterargus, Sharp, 1886.

rudis, Sharp. Man. N.Z. Coleop. 1086, No. 1935. serricollis, Broun. Man. N.Z. Coleop. 1441, No. 2500.

Gathocles, Broun, 1893. nodosus, Broun. Man. N.Z. Coleop. 1086, No. 1936.

Vitiacus, Broun, 1893.
costatus, Broun. Man. N.Z. Coleop. 1087, No. 1937.
costicollis, Broun. Man. N.Z. Coleop. 1442, No. 2501.
incertus, Broun. A.M.N.H. 6, xv. 195.

Enarsus, Pascoe, 1866.

bakewellii, Pascoe. Man. N.Z. Coleop. 199, No. 355. wakefieldi, Sharp. Man. N.Z. Coleop. 199, No. 356.

^{*} For this genus see A.M.N.H. 6, xv. 194.

Enarsus rudis, Sharp. Man. N.Z. Coleop. 200, No. 357. contractifrons, Broun. Man. N.Z. Coleop. 200, No. 358. probus, Broun. Man. N.Z. Coleop. 1088, No. 1938. cucullatus, Sharp. Man. N.Z. Coleop. 1089, No. 1939.

Rytidinotus, Broun, 1880. squamulosus, Broun. Man. N.Z. Coleop. 204, No. 364.

Syncalus, Sharp, 1876.

optatus, Sharp. Man. N.Z. Coleop. 201, No. 359.
politus, Broun. Man. N.Z. Coleop. 201, No. 360.
hystrix Sharp. Man. N.Z. Coleop. 201, No. 360.

hystrix, Sharp. Man. N.Z. Coleop. 201, No. 360. hystrix, Sharp. Man. N.Z. Coleop. 202, No. 361. piciceps, Broun. Man. N.Z. Coleop. 1092, No. 1942. monroi, Broun. Man. N.Z. Coleop. 1442, No. 2502.

Acosmetus, Broun, 1880. oblongus, Broun. Man. N.Z. Coleop. 197, No. 353. granulatus, Broun. Man. N.Z. Coleop. 197, No. 354.

Protarphius, Broun, 1893.
ruficornis, Broun. A.M.N.H. 6, xii. 184.
indentatus, Broun. A.M.N.H. 6, xii. 185.
crassus, Broun. Man. N.Z. Coleop. 669, No. 1167.

Recyntus, Broun, 1886.
exiguus, Broun. Man. N.Z. Coleop. 765, No. 1356.
tuberculatus, Broun. Man. N.Z. Coleop. 191, No. 340.
insignis, Broun. Man. N.Z. Coleop. 191, No. 341.
salebrosus, Broun. Man. N.Z. Coleop. 192, No. 342.

Epistranus, Sharp, 1876.
lawsoni, Sharp. Man. N.Z. Coleop. 203, No. 362.
humeralis, Broun. Man. N.Z. Coleop. 203, No. 363.
parvus, Broun. Man. N.Z. Coleop. 950, No. 1712.
optabilis, Broun. Man. N.Z. Coleop. 1343, No. 2357.
hirtalis, Broun. A.M.N.H. 6, xii. 189.

Norix, Broun, 1893. crassus, Broun. Man. N.Z. Coleop. 1091, No. 1941.

Glenentela, Broun, 1893. serrata, Broun. Man. N.Z. Coleop. 1090, No. 1940.

Ithris, Pascoe, 1864. gracilis, Sharp. Man. N.Z. Coleop. 205, No. 365.

Rhizonium, Sharp, 1877. antiquum, Sharp. Man. N.Z. Coleop. 206, No. 366.

Chorasus, Sharp, 1882. subcæcus, Sharp. Man. N.Z. Coleop. 1093, No. 1943.

Lithostygnus, Broun, 1886. costatus, Broun. Man. N.Z. Coleop. 950, No. 1713.

Ciconissus, Broun, 1893. granifer, Broun. A.M.N.H. 6, xii. 186.

Sub-family Bothriderinæ.

Bothrideres, Erichson, 1845.

mæstus, Sharp. Man. N.Z. Coleop. 207, No. 367.
cognatus, Sharp. Man. N.Z. Coleop. 1096, No. 1951.
obsoletus, Broun. A.M.N.H. 6, xv. 196.

Sub-family Pycnomerinæ.

Pycnomerus, Erichson, 1842. sophoræ, Sharp. Man. N.Z. Coleop. 208, No. 368. simulans, Sharp. Man. N.Z. Coleop. 209, No. 369. simplex, Broun. Man. N.Z. Coleop. 209, No. 370. minor, Sharp. Man. N.Z. Coleop. 209, No. 371. ellipticus, Broun. Man. N.Z. Coleop. 210, No. 372. rufescens, Broun. Man. N.Z. Coleop. 766, No. 1358. basalis, Broun. Man. N.Z. Coleop. 766, No. 1359. carinellus, Broun. Man. N.Z. Coleop. 896, No. 1598. cæcus, Broun. Man. N.Z. Coleop. 896, No. 1599. hirtus, Broun. Man. N.Z. Coleop. 897, No. 1600. lateralis, Broun. Man. N.Z. Coleop. 897, No. 1601. arboreus, Broun. Man. N.Z. Coleop. 927, No. 1663. cognatus, Broun. Man. N.Z. Coleop. 951, No. 1714. marginalis, Broun. Man. N.Z. Coleop. 1093, No. 1944. sinuatus, Broun. Man. N.Z. Coleop. 1094, No. 1945. impressus, Broun. Man. N.Z. Coleop. 1094, No. 1946. longulus, Sharp. Man. N.Z. Coleop. 1095, No. 1947. helmsi, Sharp. Man. N.Z. Coleop. 1095, No. 1948. sulcatissimus, Sharp. Man. N.Z. Coleop. 1095, No. 1949. latitans, Sharp. Man. N.Z. Coleop. 1096, No. 1950. angulatus, Broun. Man. N.Z. Coleop. 1443, No. 2503. frontalis, Broun. Man. N.Z. Coleop. 1443, No. 2504. elongellus, Broun. Man. N.Z. Coleop. 1444, No. 2505. longipes, Broun. Man. N.Z. Coleop. 1444, No. 2506. depressiusculus, White. Voy. Ereb. and Terr. Ins. p. 18.

Pycnomerodes, Broun, 1886. peregrinus, Broun. Man. N.Z. Coleop. 952, No. 1715.

Sub-family CERYLONINÆ.

Philothermus, Aubé, 1843.

nitidus, Sharp. Man. N.Z. Coleop. 211, No. 373. sanguineus, Broun. Man. N.Z. Coleop. 211, No. 374. notabilis, Broun. Man. N.Z. Coleop. 211, No. 375.

Family Trogositidæ.

Trogosita, Olivier, 1790. affinis, White. Man. N.Z. Coleop. 177, No. 314.

Leperina, Erichson, 1844.

nigrosparsa, White. Man. N.Z. Coleop. 178, No. 315.
brounii, Pascoe. Man. N.Z. Coleop. 178, No. 316.
sobrina, White. Man. N.Z. Coleop. 178, No. 317.
wakefieldi, Sharp. Man. N.Z. Coleop. 179, No. 318.
ambigua, Broun. Man. N.Z. Coleop. 179, No. 319.
farinosa, Broun. Man. N.Z. Coleop. 179, No. 320.

Promanus, Sharp, 1877.
depressus, Sharp. Man. N.Z. Coleop. 180, No. 321.
auripilus, Broun. Man. N.Z. Coleop. 1079, No. 1922.

Grynoma, Sharp, 1877.
fusca, Sharp. Man. N.Z. Coleop. 181, No. 322.
diluta, Sharp. Man. N.Z. Coleop. 181, No. 323.
viridescens, Broun. Man. N.Z. Coleop. 893, No. 1593.
regularis, Sharp. Man. N.Z. Coleop. 1079, No. 1923.
varians, Broun. Man. N.Z. Coleop. 1340, No. 2351.
rugosa, Broun. Man. N.Z. Coleop. 1341, No. 2352.

Phycosecis, Pascoe, 1875. discoidea, Pascoe. Man. N.Z. Coleop. 359, No. 650. atomaria, Pascoe. Man. N.Z. Coleop. 359, No. 651.

Family NITIDULIDÆ.

Brachypeplus, Erichson, 1842. brevicornis, Sharp. Man. N.Z. Coleop. 168, No. 301.

Epuræa, Erichson, 1843. antarctica, White. Man. N.Z. Coleop. 169, No. 302. zealandica, Sharp. Man. N.Z. Coleop. 169, No. 303. signata, Broun. Man. N.Z. Coleop. 169, No. 304.

Homepuræa, Broun, 1893. amæna, Broun. Man. N.Z. Coleop. 171 and 1073, No. 307.

Nitidula, Fabricius, 1775. lateralis, White. Man. N.Z. Coleop. 170, No. 305. abbreviata, Fabricius. Man. N.Z. Coleop. 171, No. 306.

Soronia, Erichson, 1843. hystrix, Sharp. Man. N.Z. Coleop. 172, No. 308. optata, Sharp. Man. N.Z. Coleop. 172, No. 309. morosa, Broun. Man. N.Z. Coleop. 1074, No. 1917. micans, Broun. Man. N.Z. Coleop. 1074, No. 1918.

Omosita, Erichson, 1843. spinipes, Broun. Man. N.Z. Coleop. 173, No. 310. scutellaris, Broun. Man. N.Z. Coleop. 173, No. 311.

Xenoscelis, Wollaston, 1864. prolixus, Sharp. Man. N.Z. Coleop. 174, No. 312. Priates, Broun, 1881. optandus, Broun. Man. N.Z. Coleop. 669, No. 1156.

Ips, Fabricius, 1776. minimus, Sharp. Man. N.Z. Coleop. 1078, No. 1921.

Cyclaxyra, Broun, 1893 (substituted for *Cyclomorpha*). politula, Broun. Man. N.Z. Coleop. 668, No. 1165.

Platipidia, Broun, 1893. asperella, Broun. Man. N.Z. Coleop. 1075, No. 1919.

Priasilpha, Broun, 1893. obscura, Broun. Man. N.Z. Coleop. 1078, No. 1920.

Sub-family Rhizophaginæ.

Lenax, Sharp, 1877. mirandus, Sharp. Man. N.Z. Coleop. 175, No. 313.

Sub-family Anisotominæ.

Clambus, Fisher, 1820.
domesticus, Broun. Man. N.Z. Coleop. 762, No. 1350.
vestitus, Broun. Man. N.Z. Coleop. 762, No. 1351.
suffusus, Broun. Man. N.Z. Coleop. 762, No. 1352.

Family HISTERIDÆ.

Platysoma, Leach, 1817.
bakewelli, Marseul. Man. N.Z. Coleop. 161, No. 291.
cinnamoneus, White. Man. N.Z. Coleop. 161, No. 292.

Sternaulax, Marseul, 1862. zealandicus, Marseul. Man. N.Z. Coleop. 162, No. 293.

Epierus, Erichson, 1834.
sylvanus, Broun. Man. N.Z. Coleop. 163, No. 294.
purus, Broun. Man. N.Z. Coleop. 163, No. 295.
abrogatus, Broun. Man. N.Z. Coleop. 892, No. 1588.
planiceps, Broun. Man. N.Z. Coleop. 892, No. 1589.
crenulatus, Broun. Man. N.Z. Coleop. 892, No. 1590.
simplex, Broun. Man. N.Z. Coleop. 893, No. 1591.
rusticus, Broun. Man. N.Z. Coleop. 893, No. 1592.

Saprinus, Erichson, 1834.

pseudocyaneus, White. Man. N.Z. Coleop. 164, No. 296.

punctulipennis, Broun. Man. N.Z. Coleop. 165, No. 297.
latipes, Broun. Man. N.Z. Coleop. 666, No. 1163.

Pachylopus, Erichson, 1834.
pedator, Sharp. Man. N.Z. Coleop. 165, No. 298.
lepidulus, Broun. Man. N.Z. Coleop. 665, No. 1162.

Abræus, Leach, 1817. brouni, Lewis. Man. N.Z. Coleop. 166, No. 299. Abræus vividulus, Broun. Man. N.Z. Coleop. 166, No. 300. brunneus, Broun. Man. N.Z. Coleop. 666, No. 1164.

Family Scapidiidæ.

Scaphisoma, Leach, 1812.

concinnum, Broun. Man. N.Z. Coleop. 158, No. 287. scutellare, Redtenbacher. Man. N.Z. Coleop. 159, No. 288. tenellum, Pascoe. Man. N.Z. Coleop. 159, No. 289. apicellum, Broun. Man. N.Z. Coleop. 160, No. 290. actuosum, Broun. Man. N.Z. Coleop. 664, No. 1159.

Bæocera, Erichson, 1845.
rufa, Broun. Man. N.Z. Coleop. 665, No. 1161.
rufipes, Broun. Man. N.Z. Coleop. 833, No. 1481.
fulvicollis, Broun. Man. N.Z. Coleop. 891, No. 1586.
armata, Broun. Man. N.Z. Coleop. 891, No. 1587.

Brachynopus, Broun, 1881. latus, Broun. Man. N.Z. Coleop. 664, No. 1160.

Family Corylophidæ.

Anisomeristes, Matthews, 1886. sharpi, Matthews. Ent. Mon. Mag. 1886, xxii. 425. ater, Matthews. Ent. Mon. Mag. 1886, xxii. 425.

Sacina, Broun, 1893. oblonga, Broun. Man. N.Z. Coleop. 1071, No. 1913.

Sericoderus, Stephens, 1829.

fulvicollis, Broun. Man. N.Z. Coleop. 1072, No. 1914. scutellaris, Broun. Man. N.Z. Coleop. 1073, No. 1915. basalis, Broun. Man. N.Z. Coleop. 1073, No. 1916.

Family SILPHIDÆ.

Necrophilus, Latreille, 1829.

prolongatus, Sharp. Man. N.Z. Coleop. 760, No. 1349.

Camiarus, Sharp, 1876.

thoracicus, Sharp. Man. N.Z. Coleop. 148, No. 270. indiscretus, Broun. Man. N.Z. Coleop. 149, No. 271. convexus, Sharp. Man. N.Z. Coleop. 150, No. 272.

Inocatops, Broun, 1893.

compactus, Broun. Man. N.Z. Coleop. 1066, No. 1907. flectipes, Broun. Man. N.Z. Coleop. 1067, No. 1908. nigrescens, Broun. Man. N.Z. Coleop. 1339, No. 2349. concinnus, Broun. Man. N.Z. Coleop. 150, No. 273.

Microsilpha, Broun, 1886. littorea, Broun. Man. N.Z. Coleop. 895, No. 1584.

Asphærites, Broun, 1893. nitidus, Broun. Man. N.Z. Coleop. 1068, No. 1909. Catopsolius, Sharp, 1886.

lævicollis, Sharp. Man. N.Z. Coleop. 1069, No. 1910.

Isocolon, Broun, 1893.

hilaris, Broun. Man. N.Z. Coleop. 1070, No. 1912.

Choleva, Latreille, 1796.

antennalis, Broun. Man. N.Z. Coleop. 152, No. 274. alacris, Broun. Man. N.Z. Coleop. 152, No. 275. granifer, Broun. Man. N.Z. Coleop. 890, No. 1585. fulvitarsis, Broun. Man. N.Z. Coleop. 946, No. 1702. lugubris, Sharp. Man. N.Z. Coleop. 1069, No. 1911. relata, Broun. Man. N.Z. Coleop. 1339, No. 2350. phyllobia, Broun. Man. N.Z. Coleop. 1433, No. 2488. monticola, Broun. Man. N.Z. Coleop. 1434, No. 2489. hunuensis, Broun. Man. N.Z. Coleop. 1434, No. 2490. marginalis, Broun. A.M.N.H. 6, xv. 87. suturalis, Broun. A.M.N.H. 6, xv. 88.

Allocatops, Broun, 1893. ovalis, Broun. Man. N.Z. Coleop. 1435, No. 2491.

Mesocolon, Broun, 1880.

clathrata, Broun. Man. N.Z. Coleop. 153, No. 276. liturata, Broun. Man. N.Z. Coleop. 154, No. 277. puncticeps, Broun. Man. N.Z. Coleop. 154, No. 278. undulata, Broun. Man. N.Z. Coleop. 154, No. 279. bicolor, Broun. Man. N.Z. Coleop. 155, No. 280. nebulosa, Broun. Man. N.Z. Coleop. 155, No. 281. maculifer, Broun. Man. N.Z. Coleop. 156, No. 282. hirtalis, Broun. Man. N.Z. Coleop. 156, No. 283. punctulata, Broun. Man. N.Z. Coleop. 157, No. 284. torva, Broun. Man. N.Z. Coleop. 157, No. 285. domestica, Broun. Man. N.Z. Coleop. 158, No. 286. varia, Broun. Man. N.Z. Coleop. 946, No. 1703.

Bæosilpha, Broun, 1895. rufescens, Broun. A.M.N.H. 6, xv. 85.

Mesagyrtes, Broun, 1895. scabripes, Broun. A.M.N.H. 6, xv. 86.

Silphotelus, Broun, 1895. nitidus, Broun. A.M.N.H. 6, xv. 84.

Family Scydmænidæ.

Scydmænus, Latreille, 1802.

edwardsi, Sharp. Man. N.Z. Coleop. 144, No. 264. ambiguus, Broun. Man. N.Z. Coleop. 145, No. 265. puncticollis, Broun. Man. N.Z. Coleop. 146, No. 266. princeps, Broun. Man. N.Z. Coleop. 924, No. 1656. galerus, Broun. Man. N.Z. Coleop. 924, No. 1657.

Scydmænus elongellus, Broun. Man. N.Z. Coleop. 1338, No. 2347.
lætans, Broun. Man. N.Z. Coleop. 663, No. 1158. cilipes, Broun. A.M.N.H. 6, xii. 178. cedius, Broun. A.M.N.H. 6, xii. 179. allocerus, Broun. A.M.N.H. 6, xii. 179. brachycerus, Broun. A.M.N.H. 6, xii. 180. xanthopus, Broun. A.M.N.H. 6, xii. 181. heterarthus, Broun. A.M.N.H. 6, xii. 181. relatus, Broun. A.M.N.H. 6, xii. 182.

insignis, Broun. A.M.N.H. 6, xii. 182.

Phaganophana, King, 1864. setosa, Sharp. Man. N.Z. Coleop. 146, No. 267. picicollis, Broun. Man. N.Z. Coleop. 147, No. 268. calva, Broun. Man. N.Z. Coleop. 147, No. 269. oreas, Broun. Man. N.Z. Coleop. 925, No. 1658. lanosa, Broun. Man. N.Z. Coleop. 925, No. 1659. angustata, Broun. Man. N.Z. Coleop. 926, No. 1660. planiceps, Broun. Man. N.Z. Coleop. 1063, No. 1900. munroi, Broun. Man. N.Z. Coleop. 1063, No. 1901. antennalis, Broun. Man. N.Z. Coleop. 1064, No. 1902. stenocera, Broun. Man. N.Z. Coleop. 1064, No. 1903. latiuscula, Broun. Man. N.Z. Coleop. 1064, No. 1904. sanguinea, Broun. Man. N.Z. Coleop. 1065, No. 1905. erythronota, Broun. Man. N.Z. Coleop. 1065, No. 1906. ovipennis, Broun. Man. N.Z. Coleop. 1339, No. 2348. russata, Broun. Man. N.Z. Coleop. 1432, No. 2485. monilifer, Broun. Man. N.Z. Coleop. 1432, No. 2486.

Sciacharis, Broun, 1893. fulva, Broun. Man. N.Z. Coleop. 1062, No. 1899.

angulata, Broun.

Family Pselaphidæ.*

Man. N.Z. Coleop. 1433, No. 2487.

Tyrus, Aubé, 1833. crassipes, Broun. Man. N.Z. Coleop. 1337, No. 2345.

Euglyptus, Broun, 1893. elegans, Broun. Man. N.Z. Coleop. 1412, No. 2460. costifer, Broun. A.H.N.H. 6, xii. 166.

Microtyrus, Broun, 1893. punctatus, Broun. Man. N.Z. Coleop. 1413, No. 2461.

Tyrogetus, Broun, 1893. optandus, Broun. A.H.N.H. 6, xii. 166.

^{*} See A.M.N.H. 6, xv. 68.

Hamotulus, Schaufuss, 1887.

mutandus, Sharp. Man. N.Z. Coleop. 121, No. 225. armatus, Broun. spinipes, Broun. sternalis, Broun. curvipes, Broun. A.M.N.H. 6, xii. 168. A.M.N.H. 6, xii. 170.

Pselaphus, Herbst, 1792.

pauper, Sharp. Man. N.Z. Coleop. 122, No. 226.
pilistriatus, Broun. Man. N.Z. Coleop. 123, No. 227.
dulcis, Broun. Man. N.Z. Coleop. 660, No. 1153.
cæcus, Broun. Man. N.Z. Coleop. 943, No. 1696.
delicatus, Broun. Man. N.Z. Coleop. 943, No. 1697.
fuscopilus, Broun. Man. N.Z. Coleop. 944, No. 1698.
citimus, Broun. Man. N.Z. Coleop. 1043, No. 1867.
meliusculus, Broun. Man. N.Z. Coleop. 1044, No. 1868.
cavelli, Broun. Man. N.Z. Coleop. 1414, No. 2462.
sulcicollis, Broun. Man. N.Z. Coleop. 1415, No. 2463.

Gastrobothrus, Broun, 1886 = Physa, Raffray, 1890 (not of Draparnaud, 1801).
inflata, Sharp. Man. N.Z. Coleop. 124, No. 228.
sharpi, Broun. Man. N.Z. Coleop. 124, No. 229.
abdominalis, Broun. Man. N.Z. Coleop. 125 and 758, No. 230.

Eupines, King, 1864.

rudicornis, Broun. Man. N.Z. Coleop. 759, No. 1347. micans, Sharp. Man. N.Z. Coleop. 126, No. 231. clavata, Broun. Man. N.Z. Coleop. 126, No. 232. picipes, Broun. Man. N.Z. Coleop. 127, No. 233. dispar, Sharp. Man. N.Z. Coleop. 127, No. 234. impressifrons, Broun. Man. N.Z. Coleop. 128, No. 235. munda, Broun. Man. N.Z. Coleop. 129, No. 236. crassicornis, Broun. Man. N.Z. Coleop. 129, No. 237. deformis, Sharp. Man. N.Z. Coleop. 130, No. 238. impar, Sharp. Man. N.Z. Coleop. 130, No. 239. grata, Sharp. Man. N.Z. Coleop. 131, No. 240. altula, Broun. Man. N.Z. Coleop. 131, No. 241. nasuta, Broun. Man. N.Z. Coleop. 132, No. 242. sanguinea, Broun. Man. N.Z. Coleop. 132, No. 242. pagana, Broun. Man. N.Z. Coleop. 660, No. 1154. ignota, Broun. Man. N.Z. Coleop. 661, No. 1155. glabrata, Broun. Man. N.Z. Coleop. 830, No. 1476. nemoralis, Broun. Man. N.Z. Coleop. 831, No. 1477. punctata, Broun. Man. N.Z. Coleop. 831, No. 1478. calcarata, Broun. Man. N.Z. Coleop. 831, No. 1479. sylvicola, Broun. Man. N.Z. Coleop. 919, No. 1645. fraudulenta, Broun. Man. N.Z. Coleop. 944, No. 1699.

Eupines euplectoides, Broun. Man. N.Z. Coleop. 1045, No. 1869.

decens, Broun. Man. N.Z. Coleop. 1046, No. 1870. munroi, Broun. T.N.Z.I. xxii. 231; Man. N.Z. Coleop. 1046, No. 1871.

forficulida, Broun. T.N.Z.I. xxii. 232; Man, N.Z. Coleop. 1047, No. 1872.

foveatissima, Broun. T.N.Z.I. xxii. 233; Man. N.Z. Coleop. 1047, No. 1873.

platynota, Broun. Man. N.Z. Coleop. 1338, No. 2346. conspicua, Broun. Man. N.Z. Coleop. 1415, No. 2464. costata, Broun. Man. N.Z. Coleop. 1416, No. 2465. platyarthra, Broun. Man. N.Z. Coleop. 1417, No. 2466. mundula, Broun. Man. N.Z. Coleop. 1417, No. 2467. fulvitarsis, Broun. Man. N.Z. Coleop. 1418, No. 2468.

Parmipalpus, Broun, 1881. montivagus, Broun. Man. N.Z. Coleop. 662, No. 1156.

Startes, Broun, 1886. sculpturata, Broun. Man. N.Z. Coleop. 830, No. 1475. foveata, Broun. A.M.N.H. 6, xii. 170.

Dalma, Sharp, 1874. pubescens, Sharp. Man. N.Z. Coleop. 133, No. 244.

Dalmisus, Sharp, 1886. batrisodes, Sharp. Man. N.Z. Coleop. 1049, No. 1874.

Sagola, Sharp, 1874. major, Sharp. Man. N.Z. Coleop. 135, No. 246. prisca, Sharp. Man. N.Z. Coleop. 136, No. 247. misella, Sharp. Man. N.Z. Coleop. 136, No. 248. parva, Sharp. Man. N.Z. Coleop. 136, No. 249. pulcher, Broun. Man. N.Z. Coleop. 137, No. 250. notabilis, Broun. Man. N.Z. Coleop. 137, No. 251. deformipes, Broun. Man. N.Z. Coleop. 138, No. 252. denticollis, Broun. Man. N.Z. Coleop. 138, No. 253. genalis, Broun. Man. N.Z. Coleop. 663, No. 1157. terricola, Broun. Man. N.Z. Coleop. 832, No. 1480. castanea, Broun. Man. N.Z. Coleop. 884, No. 1573. excavata, Broun. Man. N.Z. Coleop. 884, No. 1574. sulcator, Broun. Man. N.Z. Coleop. 885, No. 1575. osculans, Broun. Man. N.Z. Coleop. 885, No. 1576. fovealis, Broun. Man. N.Z. Coleop. 886, No. 1577. elevata, Broun. Man. N.Z. Coleop. 886, No. 1578. brevitarsis, Broun. Man. N.Z. Coleop. 887, No. 1579. bipunctata, Broun. Man. N.Z. Coleop. 887, No. 1580. duplicata, Broun. Man. N.Z. Coleop. 888, No. 1581. tenuis, Broun. Man. N.Z. Coleop. 888, No. 1582.

Sagola convexa, Broun. Man. N.Z. Coleop. 889, No. 1583. Man. N.Z. Coleop. 1049, No. 1875. insignis, Broun. Man. N.Z. Coleop. 1050, No. 1876. hirtalis, Broun. Man. N.Z. Coleop. 1050, No. 1877. sobrina, Broun. rectipes, Broun. Man. N.Z. Coleop. 1051, No. 1878. Man. N.Z. Coleop. 1051, No. 1879. insolens, Broun. punctata, Broun. Man. N.Z. Coleop. 1052, No. 1880. fulva, Broun. Man. N.Z. Coleop. 1052, No. 1881. Man. N.Z. Coleop. 1053, No. 1882. ruficeps, Broun. parallela, Broun. Man. N.Z. Coleop. 1053, No. 1883. Man. N.Z. Coleop. 1053, No. 1884. anisarthra, Broun. macronyx, Broun. Man. N.Z. Coleop. 1418, No. 2466. Man. N.Z. Coleop. 1419, No. 2467. mimica, Broun. robusta, Broun. Man. N.Z. Coleop. 1420, No. 2468. laminata, Broun. Man. N.Z. Coleop. 1421, No. 2469. Man. N.Z. Coleop. 1422, No. 2470. immota, Broun. flavipes, Broun. Man. N.Z. Coleop. 1422, No. 2471. elongata, Broun. Man. N.Z. Coleop. 1423, No. 2472. Man. N.Z. Coleop. 1424, No. 2473. gracilis, Broun. lineata, Broun. A.M.N.H. 6, xii. 175. pertinax, Broun. A.M.N.H. 6, xii. 176. citima, Broun. A.M.N.H. 6, xii. 177. rugifrons, Broun. A.M.N.H. 6, xv. 73. spinifer, Broun. A.M.N.H. 6, xv. 75. eminens, Broun. A.M.N.H. 6, xv. 75. punctulata, Raffray. Rev. Ent. Fr. 1893, 22. frontalis, Raffray. Rev. Ent. Fr. 1893, 23. sharpi, Raffray. Rev. Ent. Fr. 1893, 26. brevicornis, Raffray. Rev. Ent. Fr. 1893, 27.

Exeirarthra, Broun, 1893. enigma, Broun. Man. N.Z. Coleop. 1054, No. 1885. pallida, Broun. Man. N.Z. Coleop. 1424, No. 247.

Vidanus, Raffray, 1898. convexus, Sharp. Man. N.Z. Coleop. 139, No. 254.

Sagolonus, Raffray, 1898. patronus, Broun. Man. N.Z. Coleop. 1060, No. 1896.

Zelandius, Raffray, 1898. asper, Broun. Man. N.Z. Coleop. 140, No. 256.

Whitea, Hutton, 1894 = Brounia, Raffray, 1898 (not of Sharp, 1878).

lævifrons, Broun. Man. N.Z. Coleop. 1425, No. 2475.

Plectomorphus, Raffray, 1898. spinifer, Broun. Man. N.Z. Coleop. 1426, No. 2476.

Euplectus (?), Leach, 1817. trisulcicollis, Broun. Man. N.Z. Coleop. 140, No. 255. Euplectus longulus, Broun. Man. N.Z. Coleop. 141, No. 257.

opacus, Sharp. Man. N.Z. Coleop. 141, No. 258. sculpturatus, Broun. Man. N.Z. Coleop. 142, No. 259. frontalis, Broun. Man. N.Z. Coleop. 142, No. 260. brevitarsis, Broun. Man. N.Z. Coleop. 143, No. 261. ovicollis, Broun. Man. N.Z. Coleop. 143, No. 262. foveolatus, Broun. Man. N.Z. Coleop. 143, No. 263. tuberigerus, Broun. Man. N.Z. Coleop. 760, No. 1348. crassipes, Broun. Man. N.Z. Coleop. 919, No. 1646. patruelis, Broun. Man. N.Z. Coleop. 919, No. 1647. monticola, Broun. Man. N.Z. Coleop. 920, No. 1648. ovithorax, Broun. Man. N.Z. Coleop. 920, No. 1649. obnisus, Broun. Man. N.Z. Coleop. 921, No. 1650. vacuus, Broun. Man. N.Z. Coleop. 921, No. 1651. incomptus, Broun. Man. N.Z. Coleop. 921, No. 1652. mirificus, Broun. Man. N.Z. Coleop. 922, No. 1653. u-impressus, Broun. Man. N.Z. Coleop. 923, No. 1654. cereus, Broun. Man. N.Z. Coleop. 923, No. 1655. eminens, Broun. Man. N.Z. Coleop. 945, No. 1700. auripilus, Broun. Man. N.Z. Coleop. 945, No. 1701. mærens, Broun. Man. N.Z. Coleop. 1055, 1886. lepiphorus, Broun. Man. N.Z. Coleop. 1056, No. 1887. validus, Broun. Man. N.Z. Coleop. 1056, No. 1888. scruposus, Broun. Man. N.Z. Coleop. 1057, No. 1889. allocephalus, Broun. Man. N.Z. Coleop. 1057, No. 1890. acuminatus, Broun. Man. N.Z. Coleop. 1058, No. 1891. clevedonensis, Broun. Man. N.Z. Coleop. 1058, No. 1892. sandageri, Broun. Man. N.Z. Coleop. 1059, No. 1893. personatus, Broun. Man. N.Z. Coleop. 1059, No. 1894. unicus, Broun. Man. N.Z. Coleop. 1060, No. 1895. verticalis, Broun. Man. N.Z. Coleop. 1061, No. 1897. Man. N.Z. Coleop. 1061, No. 1898. antiquus, Broun. munroi, Broun. Man. N.Z. Coleop. 1426, No. 2477. obscurus, Broun. Man. N.Z. Coleop. 1427, No. 2478. coxalis, Broun. Man. N.Z. Coleop. 1428, No. 2479. inscitus, Broun. Man. N.Z. Coleop. 1428, No. 2480. iracundus, Broun. Man. N.Z. Coleop. 1429, No. 2481. caudatus, Broun. Man. N.Z. Coleop. 1429, No. 2482. claviger, Broun. Man. N.Z. Coleop. 1480, No. 2483. tumipes, Broun. A.M.N.H. 6, xv. 76. parvulus, Broun. A.M.N.H. 6, xv. 77. modestus, Broun. A.M.N.H. 6, xv. 78. arohaensis, Broun. A.M.N.H. 6, xv. 79. foveiceps, Broun. A.M.N.H, 6, xv. 80. semiopacus, Broun. A.M.N.H. 6, xv. 81. pusillus, Broun. A.M.N.H. 6, xv. 82.

Family STAPHYLINIDÆ. Sub-family ALEOCHARINÆ.

Falagria, Mannerheim. 1830. micans, Broun. Man. N.Z. Coleop. 96, No. 176. subopaca, Broun. Man. N.Z. Coleop. 1405, No. 2449.

Ocalea, Erichson, 1837. socialis, Broun. Man. N.Z. Coleop. 90, No. 167. crepera, Broun. A.M.N.H. 6, xiv. 380.

Aleochara. Gravenhorst, 1802.
puber, Broun. Man. N.Z. Coleop. 90, No. 166.
semifusca, Broun. A.M.N.H. 6, xiv. 386
subænea, Fauvel. Man. N.Z. Coleop. 91, No. 167.

Calodera, Mannerheim, 1830.
flavescens, Broun. Man. N.Z. Coleop. 93, No. 171.
optabilis, Broun. Man. N.Z. Coleop. 94, No. 172.
æraria, Broun. Man. N.Z. Coleop. 94, No. 173.
thoracica, Broun. Man. N.Z. Coleop. 95, No. 174.
fulgens, Broun. Man. N.Z. Coleop. 95, No. 175.
algophila, Broun. Man. N.Z. Coleop. 941, No. 1693.
sericophora, Broun. A.M.N.H. 6, xiv. 381.
granifer, Broun. A.M.N.H. 6, xiv. 382.
vestita, Broun. A.M.N.H. 6, xiv. 383.
tumidella, Broun. A.M.N.H. 6, xiv. 383.
bituberculata, Broun. A.M.N.H. 6, xiv. 384.
fungicola, Broun. A.M.N.H. 6, xiv. 384.
rufipennis, Broun. Man. N.Z. Coleop. 92, No. 170.

Tachyusa, Erichson, 1837. fuscicornis, Broun. Man. N.Z. Coleop. 92, No. 169.

Homalota, Mannerheim, 1825. cornigera, Broun. Man. N.Z. Coleop. 91, No. 165. atriceps, Broun. Man. N.Z. Coleop. 91, No. 164.

Polylobus, Solsky, 1851. sternalis, Broun. Man. N.Z. Coleop. 88, No. 160.

Aphytopus, Sharp, 1886. gracilis, Sharp. Man. N.Z. Coleop. 1025, No. 1835.

Gyrophæna, Mannerheim, 1830.

punctata, Broun. Man. N.Z. Coleop. 87, No. 159.

nugax, Broun. Man. N.Z. Coleop. 88, No. 161.

densicornis, Broun. Man. N.Z. Coleop. 89, No. 162.

versicolor, Broun. Man. N.Z. Coleop. 89, No. 163.

atriceps, Broun. Man. N.Z. Coleop. 89, No. 164.

Encephalus, Stephens, 1832. latulus, Broun. A.M.N.H. 6, xiv. 386. Sub-family DIGRAMMINÆ.

Digrammus, Fauvel, 1900. miricollis, Fauvel. Rev. Ent. Fr. xix. 124.

Sub-family TACHYPORINÆ.

Conurus, Stephens, 1832.

largulus, Broun. Man. N.Z. Coleop. 97, No. 177.

austerus, Broun. Man. N.Z. Coleop. 97, No. 178.

subruber, Broun. Man. N.Z. Coleop. 98, No. 179.

badius, Broun. Man. N.Z. Coleop. 98, No. 180.

flavithorax, Broun. Man. N.Z. Coleop. 98, No. 181.

acerbus, Broun. Man. N.Z. Coleop. 99, No. 182.

atricapillus, Broun. Man. N.Z. Coleop. 99, No. 183.

auricomus, Broun. Man. N.Z. Coleop. 100, No. 184.

nubilus, Broun. Man. N.Z. Coleop. 100, No. 186.

maculosus, Broun. Man. N.Z. Coleop. 1025, No. 1836.

brevicornis, Broun. Man. N.Z. Coleop. 1405, No. 2450.

niticollis, Broun. Man. N.Z. Coleop. 1406, No. 2451.

Sub-family STAPHYLININÆ.

Quedius, Stephens, 1832.

ruficornis, Broun. Man. N.Z. Coleop. 111, No. 205. æneoceps, Broun. Man. N.Z. Coleop. 111, No. 206. enodis, Broun. Man. N.Z. Coleop. 111, No. 207. veteratorius, Broun. Man. N.Z. Coleop. 112, No. 208. vividus, Broun. Man. N.Z. Coleop. 112, No. 209. arctifrons, Broun. Man. N.Z. Coleop. 112, No. 210. fuscatus, Broun. Man. N.Z. Coleop. 1027, No. 1839. antipodus, Sharp. Man. N.Z. Coleop. 1028, No. 1840. edwardsi, Sharp. Man. N.Z. Coleop. 1029, No. 1841. insolitus, Sharp. Man. N.Z. Coleop. 1029, No. 1842. latifrons, Sharp. Man. N.Z. Coleop. 1030, No. 1843. discrepans, Broun. Man. N.Z. Coleop. 1030, No. 1844. latimanus, Broun. Man. N.Z. Coleop. 1031, No. 1845. collinus, Broun. Man. N.Z. Coleop. 1031, No. 1846. cavelli, Broun. Man. N.Z. Coleop. 1032, No. 1847. agathis, Broun. Man. N.Z. Coleop. 1407, No. 2453. sciticollis, Broun. A.M.N.H. 6, xiv. 420. conspicuellus, Broun. A.M.N.H. 6, xiv. 421. scutellaris, Broun. A.M.N.H. 6, xiv. 422. puncticollis, Broun. A.M.N.H. 6, xiv. 422. ambiguus, Broun. A.M.N.H. 6, xiv. 423. taieriensis, Broun. A.M.N.H. 6, xiv. 424.

Cafioquedus, Sharp, 1866. gularis, Sharp. Man. N.Z. Coleop. 1033, No. 1848. Staphylinus, Linnæus, 1758.
oculatus, Fabricius. Man N.Z. Coleop. 107, No. 199.
huttoni, Broun. Man. N.Z. Coleop. 108, No. 200.

Xantholinus, Serville, 1825.
sharpi, Broun. Man. N.Z. Coleop. 102, No. 188.
cultus, Broun. Man. N.Z. Coleop. 103, No. 189.
arecæ, Broun. Man. N.Z. Coleop. 103, No. 190.
mediocris, Broun. Man. N.Z. Coleop. 104, No. 191.
labralis, Broun. Man. N.Z. Coleop. 104, No. 192.
socius, Fauvel. Man. N.Z. Coleop. 104, No. 193.
puncticeps, Broun. Man. N.Z. Coleop. 104, No. 195.

Pachycorynus, Motschulsky, 1858. dimorphus, Fauvel. Rev. Ent. Soc. Fr. 1892, 92.

Metoponcus, Kraatz, 1857. brouni, Sharp. Man. N.Z. Coleop. 106, No. 196. fulvipes, Broun. Man. N.Z. Coleop. 106, No. 197. rufulus, Broun. Man. N.Z. Coleop. 106, No. 198.

Cafius, Leach, 1830.
litoreus, Broun. Man. N.Z. Coleop. 108, No. 201.
maritimus, Broun. Man. N.Z. Coleop. 109, No. 202.
quadri-impressus (fem.), White. Man. N.Z. Coleop. 108,
No. 201 = caviceps (male), Broun. Man. N.Z. Coleop.
942, No. 1694.
algophilus, Broun. A.M.N.H. 6, xiv. 419.

Othius, Stephens, 1832.

adustus, Broun. Man. N.Z. Coleop. 101, No. 187.

angustus, Broun. Man. N.Z. Coleop. 1026, No. 1837.

puncticeps, Broun. A.M.N.H. 6, xiv. 419.

Sub-family Pæderinæ.

Lithocharis, Lacordaire, 1835.

zealandicus, Redtenbacher. Man. N.Z. Coleop. 114, No. 212.

mandibularis, Broun. Man. N.Z. Coleop. 114, No. 213.

ventralis, Broun. Man. N.Z. Coleop. 115, No. 214.

cæcus, Broun. A.M.N.H. 6, xiv. 424.

Phanophilus, Sharp, 1886.
comptus, Broun. Man. N.Z. Coleop. 1026 and 114, No. 211.

Hyperomma, Fauvel, 1878.

dispersum, Fauvel. Man. N.Z. Coleop. 1408, No. 2454.
mandibulare, Broun. Man. N.Z. Coleop. 1409, No. 2455.
duplicatum, Broun. Man. N.Z. Coleop. 1409, No. 2456.
sanguineum, Broun. A.M.N.H. 6, xiv. 425.

Sub-family OXYTELINÆ.

Coprostygnus, Sharp, 1886

sculptipennis, Sharp. Man. N.Z. Coleop. 1027, No. 1838. optandus, Broun. Man. N.Z. Coleop. 1409, No. 2457.

Holotrochus, Erichson, 1840.

ferrugineus, Broun. Man. N.Z. Coleop. 1034, No. 1849. brevipennis, Broun. Man. N.Z. Coleop. 1034, No. 1850.

Sub-family OMALINÆ.

Omalium, Gravenhorst, 1802.

hebes, Broun. Man. N.Z. Coleop. 116, No. 215. sulcithorax, Broun. Man N.Z. Coleop. 116, No. 216. agrestis, Broun. Man. N.Z. Coleop. 117, No. 217. spadix, Broun. Man. N.Z. Coleop. 117, No. 218. pullum, Broun. Man. N.Z. Coleop. 120, No. 223. tibiale, Broun. Man. N.Z. Coleop. 120, No. 224. littoreum, Broun. Man. N.Z. Coleop. 942, No. 1695. sagoloide, Sharp. Man. N.Z. Coleop. 1035, No. 1851. actobium, Broun. Man. N.Z. Coleop. 1035, No. 1852. cariniferum, Broun. Man. N.Z. Coleop. 1036, No. 1853. antipodum, Broun. Man. N.Z. Coleop. 1036, No. 1854. chalmeri, Broun. Man. N.Z. Coleop 1037, No. 1855. miciarthrum, Broun. Man. N.Z. Coleop. 1037, No. 1856. cognatum, Broun. Man. N.Z. Coleop. 1038, No. 1857. monilifer, Broun. Man. N.Z. Coleop. 1038, No. 1858. debile, Broun. Man. N.Z. Coleop. 1039, No. 1859. prolixum, Broun. Man. N.Z. Coleop. 1039, No. 1860. stenosoma, Broun. Man. N.Z. Coleop. 1040, No. 1861. tenellum, Broun. Man. N.Z. Coleop. 1410, No. 2458. fusciventre, Broun. A.M.N.H. 6, xiv. 426. australe, Broun. A.M.N.H. 6, xiv. 426. philpoti, Broun. A.M.N.H. 6, xiv. 427. perplexum, Broun. A M.N.H. 6, xiv. 428.

Ischnoderus, Fauvel, 1867.

 tectus, Broun.
 Man. N.Z. Coleop. 117, No. 219.

 genalis, Broun.
 Man. N.Z. Coleop. 118, No. 220.

 pictulus, Broun.
 Man. N.Z. Coleop. 1040, No. 1862.

 morosus, Broun.
 Man. N.Z. Coleop. 1041, No. 1863.

 fultoni, Broun.
 Man. N.Z. Coleop. 1041, No. 1864.

 politulus, Broun.
 Man. N.Z. Coleop. 119, No. 221.

Omalissus, Broun, 1893.

castaneus, Broun. Man. N.Z. Coleop 1042, No. 1865.

Trogophlæus, Mannerheim, 1830.

zealandicus, Sharp. Ent. Mag. xxxvi. 233.

Blediotrogus, Sharp, 1900.

guttiger, Sharp. Ent. Mag. xxxvi. 234. cribricollis, Fauvel. Rev. Ent. Fr. xix 184.

Series HETEROMERA. Family TENEBRIONIDÆ. Sub-family OPATRINÆ.

Opatrum, Fabricius, 1775. lævigatum, Fabricius. Ent. Syst. i. 89, 5.

Pseudopatrum, Sharp, 1886. tuberculicostatum, White. Man. N.Z. Coleop. 353, No. 642. sordidum, Sharp. Man. N.Z. Coleop. 1152, No. 2041.

Mesopatrum, Broun, 1893. granulosum, Broun. Man. N.Z. Coleop. 1355, No. 2376.

Periatrum, Sharp, 1886. helmsi, Sharp. Man. N.Z. Coleop. 1153, No. 2042. tumipes, Broun. Man. N.Z. Coleop. 1456, No. 2527.

Syrphetodes, Pascoe, 1875.

marginatus, Pascoe. Man. N.Z. Coleop. 352, No. 640.

crenatus, Broun. Man. N.Z. Coleop. 352, No. 641.

decoratus, Broun. Man. N.Z. Coleop. 353, No. 643.

bullatus, Sharp. Man. N.Z. Coleop. 1150, No. 2039.

sylvius, Broun. Man. N.Z. Coleop. 1150, No. 2040.

cordipennis, Broun. Man. N.Z. Coleop. 1457, No. 2528.

dorsalis, Broun. Man. N.Z. Coleop. 1458, No. 2529.

punctatus, Broun. Man. N.Z. Coleop. 1458, No. 2530.

Paraphylax. Broun, 1880. squamiger, Broun. Man. N.Z. Coleop. 355, No. 644. varius, Broun. Man. N.Z. Coleop. 355, No. 645. binodosus, Broun. A.M.N.H. 6, xv. 240.

Exohadrus, Broun, 1893.
volutithorax, Broun. Man. N.Z. Coleop. 356 and 1153,
No. 646.

Sub-family Trachyscelinæ.

Chærodes, White, 1846.
trachyscelides, White. Man. N.Z. Coleop. 357, No. 647.
lætus, Broun. Man. N.Z. Coleop. 358, No. 648.
concolor, Sharp. Man. N.Z. Coleop. 358, No. 649.
fuscatus, Broun. A.M.N.H. 6, xv. 241.

Actizeta, Pascoe, 1875. ammobioides, Pascoe. Man. N.Z. Coleop. 359, No. 652. albata, Pascoe. Man. N.Z. Coleop. 360, No. 653.

Sub-family DIAPERINÆ.

Menimus, Sharp, 1876. batesi, Sharp. Man. N.Z. Coleop. 361, No. 654. Menimus puncticeps, Broun. Man. N.Z. Coleop. 361, No. 655. oblongus, Broun. Man. N.Z. Coleop. 362, No. 656. cæcus, Sharp. Man. N.Z. Coleop. 362, No. 657. crinalis, Broun. Man. N.Z. Coleop. 363, No. 658. crassus, Sharp. Man. N.Z. Coleop. 363, No. 659. dubius, Broun. Man. N.Z. Coleop. 363, No. 660. obscurus, Broun. Man. N.Z. Coleop. 364, No. 661. thoracicus, Broun. Man. N.Z. Coleop. 364, No. 662. curtulus, Broun. Man. N.Z. Coleop. 785, No. 1401. piceus, Broun. Man. N.Z. Coleop. 786, No. 1402. striatulus, Broun. Man. N.Z. Coleop. 842, No. 1497. sinuatus, Broun. Man. N.Z. Coleop. 842, No. 1498. vicinus, Broun. A.M.N.H. 6, xii. 288. lævicollis, Broun. A.M.N.H. 6, xv. 242.

Bolitophagus, Illiger, 1798. angulifer, Blanchard. Voy. Pole Sud. iv. p. 167.

Uloma, Castelnau, 1840. tenebrionoides, White. Man. N.Z. Coleop. 366, No. 663lævicostata, Blanchard. Voy. Pole Sud, iv. 165.

Ulomotypus, Broun, 1886. lævigatus, Broun. Man. N.Z. Coleop. 841, No. 1496.

Apthora, Bates, 1872: ruficeps, Bates. Man. N.Z. Coleop. 367, No. 664. glabritarsis, Sharp. Man. N.Z. Coleop. 1153, No. 2043.

Cilibe, Brême, 1842.

opacula, Bates. Man. N.Z. Coleop. 368, No. 665.
nitidula, Bates. Man. N.Z. Coleop. 369, No. 666.
otagensis, Bates. Man. N.Z. Coleop. 370, No. 667.
elongata, Brême. Man. N.Z. Coleop. 371, No. 668.
pascoei, Bates. Man. N.Z. Coleop. 372, No. 669.
humeralis, Bates. Man. N.Z. Coleop. 373, No. 670.
thoracica, Bates. Man. N.Z. Coleop. 373, No. 671.
brevipennis, Bates. Man. N.Z. Coleop. 374, No. 672.
granulosa, Brême. Man. N.Z. Coleop. 375, No. 673.
rugosa, Bates. Man. N.Z. Coleop. 375, No. 674.
tibialis, Bates. Man. N.Z. Coleop. 376, No. 675.
impressifrons, Bates. Man. N.Z. Coleop. 376, No. 675.
impressifrons, Bates. Man. N.Z. Coleop. 377, No. 677.
huttoni, Sharp. Man. N.Z. Coleop. 378, No. 678.
marginalis, Broun. Man. N.Z. Coleop. 1155, No. 2047.
phosphugoides, White. Voy. Ereb. and Terr., Insects, 11.

Zolodinus, Blanchard, 1853. zealandicus, Blanchard. Man. N.Z. Coleop. 379, No. 679...

Lorelus, Sharp, 1876. priscus, Sharp. Man. N.Z. Coleop. 381, No. 680. Lorelus pubescens, Broun. Man. N.Z. Coleop. 381, No. 681. crassicornis, Broun. Man. N.Z. Coleop. 382, No. 682. quadricollis, Broun. Man. N.Z. Coleop. 786, No. 1403.

Demtrius, Broun, 1895. carinulatus, Broun. A.M.N.H. 6, xv. 243.

Arthopus, Sharp, 1876. brouni, Sharp. Man. N.Z. Coleop. 383, No. 683.

Edalus, Broun, 1893.

alienus, Broun. Man. N.Z. Coleop. 391, No. 695.

opacus, Broun. Man. N.Z. Coleop. 1160, No. 2057.

pleuralis, Broun. A.M.N.H. 6, xii. 289.

Sub-family CNODALONINÆ.

Artystona, Bates, 1873.
erichsoni, White. Man. N.Z. Coleop. 384, No. 684.
wakefieldi, Bates. Man. N.Z. Coleop. 385, No. 685.
rugiceps, Bates. Man. N.Z. Coleop. 385, No. 686.
obscura, Sharp. Man. N.Z. Coleop. 1154, No. 2044.
collaris, Sharp. Man. N.Z. Coleop. 1154, No. 2045.
obsoleta, Sharp. Man. N.Z. Coleop. 1154, No. 2046.
interrupta, Redtenbacher. Reise Novara, Coleop. 128.

Sub-family HELOPINÆ.

Adelium, Kirby, 1818. harpaloides, White. Voy. Ereb. and Terror, Insects, 11. bullatum, Pascoe. Man. N.Z. Coleop. 386, No. 687. intricatum, Bates. Man. N.Z. Coleop. 387, No. 688. aucklandicum, Broun. Man. N.Z. Coleop. 387, No. 689. amaroides, White. Man. N.Z. Coleop. 388, No. 690. æratum, Broun. Man. N.Z. Coleop. 388, No. 691. lentum, Broun. Man. N.Z. Coleop. 389, No. 692. zealandicum, Bates. Man. N.Z. Coleop. 390, No. 693. thoracicum, Bates. Man. N.Z. Coleop. 390, No. 694. cheesemani, Broun. Man. N.Z. Coleop. 787, 1404. chalmeri, Broun. Man. N.Z. Coleop. 787, No. 1405. Man. N.Z. Coleop. 839, No. 1494. indagator, Broun. rufilabrum, Broun. Man. N.Z. Coleop. 840, No. 1495. hanseni, Broun. Man. N.Z. Coleop. 929, No 1668. nigritulum, Broun. Man. N.Z. Coleop. 930, No. 1669. Man. N.Z. Coleop. 1155, No. 2048, multistriatum, Sharp. simplex, Sharp. Man. N.Z. Coleop. 1156, No. 2049. sericatum, Sharp. Man. N.Z. Coleop. 1156, No. 2050. intermedium, Sharp. Man. N.Z. Coleop. 1156, No. 2051. dunedinis, Sharp. Man. N.Z. Coleop. 1157, No. 2052. urquharti, Broun. Man. N.Z. Coleop. 1157, No. 2053. miniatum, Broun. Man. N.Z. Coleop. 1157, No. 2054. gratiosum, Broun. Man. N.Z. Coleop. 1158, No. 2055.

Adelium turgidulum, Broun. Man. N.Z. Coleop. 1158, No. 2056.

tuberculatum, Guerin. Voy. Pole Sud, iv. 175. simulans, Redtenbacher. Reise Novara, 32.

Cerodolus, Sharp, 1886. chrysomeloides, Sharp. Man. N.Z. Coleop. 1161, No. 2058. genialis, Broun. Man. N.Z. Coleop. 1162, No. 2059. æneus, Broun. Man. N.Z. Coleop. 1162, No. 2060.

Leiopeplus, Broun, 1893. expolitus, Broun. Man. N.Z. Coleop. 392 and 1160, No. 696.

Sub-family AMARYGMINÆ.

Amarygmus, Dalman, 1823. zealandicus, Bates. Man. N.Z. Coleop. 394, No. 697.

Family CISTELIDÆ.

Amarosoma, Redtenbacher, 1868. metallicus, White. Man. N.Z. Coleop. 395, No. 698. sophoræ, Broun. Man. N.Z. Coleop. 396, No. 699.

Xylochus, Broun, 1880.
substriatus, Broun. Man. N.Z. Coleop. 397, No. 700.
tibialis, Broun. Man. N.Z. Coleop. 397, No. 701.
dentipes, Broun. Man. N.Z. Coleop. 788, No. 1406.
spiniter, Broun. Man. N.Z. Coleop. 1168, No. 2075.

Omedes, Broun, 1893.
nitidus, Broun. Man. N.Z. Coleop. 1169, No. 2076.
fuscatus, Broun. Man. N.Z. Coleop. 1170, No. 2077.
apterus, Broun. A.M.N.H. 6, xv. 244.

Family LAGRIDÆ.

Lagrioda, Fairmaire et Germain, 1860.
brounii, Pascoe. Man N.Z. Coleop. 408, No. 721.

Family MELANDRYIDÆ.

Ctenoplectron, Redtenbacher, 1868.
fasciatum, Redtenbacher. Man. N.Z. Coleop. 401, No. 706.
fuliginosum, Broun. Man. N.Z. Coleop. 402, No. 708.
maculatum, Broun. Man. N.Z. Coleop. 691, No. 1213.
costatum, Broun. Man. N.Z. Coleop. 691, No. 1214.
vittatum, Broun. Man. N.Z. Coleop. 844, No. 1500.
coloratum, Broun. Man. N.Z. Coleop. 959, No. 1732.
dignum, Broun. Man. N.Z. Coleop. 960, No. 1733.

Allopterus, Broun, 1886.
reticulatus, Broun. Man. N.Z. Coleop. 790, No. 1410.
ornatus. Broun. Man. N.Z. Coleop. 401, No. 707.
instabilis, Broun. Man. N.Z. Coleop. 844, No. 1501.
cavelli, Broun. Man. N.Z. Coleop. 1356, No. 2377

Hylobia, Broun, 1880.

velox, Broun. Man. N.Z. Coleop. 404, No. 710.
undulata, Broun. Man. N.Z. Coleop. 404, No. 711.
nubeculosa, Broun. Man. N.Z. Coleop. 404, No. 712.
pulla, Broun. Man. N.Z. Coleop. 405, No. 713.
nigricornis, Broun. Man. N.Z. Coleop. 405, No. 714.
calida, Broun. Man. N.Z. Coleop. 405, No. 715.
bifasciata, Broun. Man. N.Z. Coleop. 406, No. 716.
minor, Broun. Man. N.Z. Coleop. 406, No. 717.
cylindrata, Broun. Man. N.Z. Coleop. 406, No. 718.
usitata, Broun. Man. N.Z. Coleop. 407, No. 719.
nigella, Broun. Man. N.Z. Coleop. 407, No. 720.

Chalcodrya, Redtenbacher, 1868.
variegata, Redtenbacher. Man. N.Z. Coleop. 403, No. 709.
mollis, Broun. Man. N.Z. Coleop. 960, No. 1734.

Onysius, Broun, 1886. anomalus, Broun. Man. N.Z. Coleop. 843, No. 1499.

pulcher, Broun. Man. N.Z. Coleop. 1357, No. 2378. Family Pythidæ.

Salpingus, Gyllenhal, 1810.

perpunctatus, Broun. Man. N.Z. Coleop. 398, No. 702. bilunatus, Pascoe. Man. N.Z. Coleop. 398, No. 703. angusticollis, Broun. Man. N.Z. Coleop. 399, No. 704. unguiculus, Broun. Man. N.Z. Coleop. 399, No. 704a. lautus, Broun. Man. N.Z. Coleop. 400, No. 705. hirtus, Broun. Man. N.Z. Coleop. 789, No. 1407. simplex, Broun. Man. N.Z. Coleop. 789, No. 1408. quisquilius, Broun. Man. N.Z. Coleop. 789, No. 1408. fossulatus, Broun. Man. N.Z. Coleop. 1459, No. 2531. ornatus, Broun. A.M.N.H. 6, xv. 245.

Family Anthicidæ. Sub-family Anthicinæ.

Cotes, Sharp, 1877.

vestita, Sharp. Man. N.Z. Coleop. 411, No. 724.
proba, Broun. Man. N.Z. Coleop. 691, No. 1215.
crispi, Broun. Man. N.Z. Coleop. 412, No. 727.
optima, Broun. Man. N.Z. Coleop. 1165, No. 2067.
punctata, Broun. Man. N.Z. Coleop. 1165, No. 2068.
dorsalis, Broun. Man. N.Z. Coleop. 1166, No. 2069.
distincta, Broun. Man. N.Z. Coleop. 1166, No. 2070.
proxima, Broun. Man. N.Z. Coleop. 1167, No. 2071.
rufa, Broun. Man. N.Z. Coleop. 1167, No. 2072.

Anthicus, Paykull, 1798. obscuricornis, Broun. Man. N.Z. Coleop. 411, No. 725. pellucidipes, Broun. Man. N.Z. Coleop. 412, No. 726. Anthicus minor, Broun. Man. N.Z. Coleop. 930, No. 1670. anthracinus, Broun. Man. N.Z. Coleop. 1168, No. 2073. fallax, Broun. Man. N.Z. Coleop. 1168, No. 2074.

Sub-family Pedilinæ.

Macratria, Newman, 1838. exilis, Pascoe. Man. N.Z. Coleop. 409, No. 722. verticalis, Sharp. Man. N.Z. Coleop. 409, No. 723.

Scraptogetus, Broun, 1893. anthracinus, Broun. Man. N.Z. Coleop. 1358, No. 2379.

Family ŒDEMERIDÆ.

Selenopalpus, White, 1846. cyaneus, Fabricius. Man. N.Z. Coleop. 420, No. 736. subviridis, White. Voy. Ereb. and Terr., Insects, 13., aciphyllæ, Broun. Man. N.Z. Coleop. 845, No. 1502.

Sessinia, Pascoe, 1863.
strigipennis, White. Man. N.Z. Coleop. 420, No. 737.
latiuscula, Broun. Man. N.Z. Coleop. 421, No. 738.
lineata, Fabricius. Man. N.Z. Coleop. 421, No. 739.
pauperata, Pascoe. Man. N.Z. Coleop. 422, No. 740.
nemoralis, Broun. Man. N.Z. Coleop. 845, No. 1503.
longicornis, Broun. Man. N.Z. Coleop. 1459, No. 2532.
thoracica, Broun. A.M.N.H. 6, xii. 290.
reversa, Broun. A.M.N.H. 6, xii. 291.

Thelyphassa, Pascoe, 1876.
diaphana, Pascoe. Man. N.Z. Coleop. 422, No. 741.
obscura, Broun. Man. N.Z. Coleop. 422, No. 742.
conspicua, Broun. Man. N.Z. Coleop. 790, No. 1411.
limbata, Broun. Man. N.Z. Coleop. 961, No. 1735.

Dammarobius, Broun, 1886. mollis, Broun. Man. N.Z. Coleop. 846, No. 1504.

Baculipalpus, Broun, 1880. rarus, Broun. Man. N.Z. Coleop. 423, No. 743.

Exocalopus, Broun, 1893. pectinatus, Broun. Man. N.Z. Coleop. 1170, No. 2078.

Phytilea, Broun, 1893. propera, Broun. Man. N.Z. Coleop. 1172, No. 2079.

Techmessa, Bates, 1874.
concolor, Bates. Man. N.Z. Coleop. 424, No. 744.
telephoroides, Bates. Man. N.Z. Coleop. 424, No. 745.
attenuata, Broun. Man. N.Z. Coleop. 1172, No. 2080.
varians, Broun. Man. N.Z. Coleop. 1173, No. 2081.

Techmessodes, Broun, 1893.
picticornis, Broun. Man. N.Z. Coleop. 424, No. 746.
versicolor, Broun. Man. N.Z. Coleop. 1173, No. 2082.

Family Mordellidæ. Sub-family Mordellinæ.

Mordella, Linnæus, 1758.

antarctica, White. Voy. Ereb. and Terror, Insects, 12.
funerea, Pascoe. Man. N.Z. Coleop. 414, No. 728.
tibialis, Broun. Man. N.Z. Coleop. 414, No. 729.
detracta, Pascoe. Man. N.Z. Coleop. 414, No. 730.
tairuensis, Broun. Man. N.Z. Coleop. 414, No. 731.

Mordellistena, Costa, 1855. jucunda, Broun. Man. N.Z. Coleop. 415, No. 732. neglecta, Broun. Man. N.Z. Coleop. 415, No. 733.

Zeamordella, Broun, 1880. monacha, Broun. Man. N.Z. Coleop. 847, No. 1505.

Apeosina, Broun, 1881. stewarti, Broun. Man. N.Z. Coleop. 693, No. 1216. tener, Broun. Man. N.Z. Coleop. 693, No. 1217.

Cryptomera, Broun, 1893. nigra, Broun. Man. N.Z. Coleop. 1359, No. 2380.

Sub-family Rhipiphorinæ.

Rhipistena, Sharp, 1878. lugubris, Sharp. Man. N.Z. Coleop. 417, No. 734.

Sharpia, Broun, 1880 (not of Tournier, 1873). hirtella, Broun. Man. N.Z. Coleop. 418, No. 735.

Series Phytophaga. Family Cerambycidæ. Sub-family Prioninæ.

Prionoplus, White, 1846.
reticularis, White. Man. N.Z. Coleop. 566, No. 991.
T.N.Z.I. xii. 284.

Ochrocydus, Pascoe, 1876. huttoni, Pascoe. Man. N.Z. Coleop. 567, No. 992.

Sub-family CERAMBYCINÆ.

Liogramma, Bates, 1874. zealandica, Blanchard. Man. N.Z. Coleop. 568, No. 993.

Didymocantha, Newman, 1840. sublineata, White. Man. N.Z. Coleop. 568, No. 994. Didymocantha diversicornis, White. Man. N.Z. Coleop. 569, No. 995.

picta, Bates. Man. N.Z. Coleop. 569, No. 996.

ægrota, Bates. Man. N.Z. Coleop. 569, No. 997.

brevicornis, Broun. Man. N.Z. Coleop. 570, No. 998.

clavipes, Broun. Man. N.Z. Coleop. 808, No. 1435.

robusta, Sharp. Man. N.Z. Coleop. 1271, No. 2238.

quadriguttata, Broun. Man. N.Z. Coleop. 1272, No. 2239.

jucunda, Broun. Man. N.Z. Coleop. 1272, No. 2240.

binotata, Broun. Man. N.Z. Coleop. 1273, No. 2241.

vittata, Broun. Man. N.Z. Coleop. 1273, No. 2241.

pallida, Broun. A.M.N.H. 6, xii. 388.

Œmona, Newman, 1842.

hirta, Fabricius. Man. N.Z. Coleop. 570 and 1275, No. 999. villosa, Fabricius. Man. N.Z. Coleop. 1275, No. 2244. simplicollis, Broun. Man. N.Z. Coleop. 571 and 1276, No. 1000.

humilis, Newman. Man. N.Z. Coleop. 1274, No. 2243. inæqualis, Sharp. Man. N.Z. Coleop. 1275, No. 2245. mutica, Sharp. Man. N.Z. Coleop. 1276, No. 2246. plicicollis, Sharp. Man. N.Z. Coleop. 1276, No. 2247. debilis, Sharp. Man. N.Z. Coleop. 1277, No. 2248.

Leptachrous, Bates, 1874. strigipennis, Westwood. Man. N.Z. Coleop. 752, No. 1001.

Votum, Broun, 1880. mundum, Broun. Man. N.Z. Coleop. 753, No. 1002.

Pseudocalliprason, Broun, 1880. marginatum, White. Man. N.Z. Coleop. 574, No. 1003.

Ambeodontus, tristis, Fabricius. Man. N.Z. Coleop. 574, No. 1004.

Agapanthida, White, 1846. pulchella, White. Man. N.Z. Coleop. 575, No. 1005. scutellaris, Pascoe. Man. N.Z. Coleop. 575, No. 1006.

Ophryops, White, 1846.
pallidus, White. Man. N.Z. Coleop. 576, No. 1007.
dispar, Sharp. Man. N.Z. Coleop. 1277, No. 2249.
nigropictus, Broun. Man. N.Z. Coleop. 1278, No. 2250.
testaceus, Broun. Man. N.Z. Coleop. 1278, No. 2251.
lentiginosus, Broun. Man. N.Z. Coleop. 1279, No. 2252.

Pseudosemnus, Broun, 1893. amabilis, Broun. Man. N.Z. Coleop. 1280, No. 2253.

Hesperophanes, Mulsant, 1839. unicolor, Fabricius. Mantissa Insectorum, 147. Astetholea, Bates, 1874.

pauper, Bates. Man. N.Z. Coleop. 577, No. 1008.
lepturoides, Bates. Man. N.Z. Coleop. 577, No. 1009.
aubreyi, Broun. Man. N.Z. Coleop. 577, No. 1010.

Astetholida, Broun, 1880. lucida, Broun. Man. N.Z. Coleop. 578, No. 1011.

Epheus, Broun, 1886. costifer, Broun. Man. N.Z. Coleop. 871, No. 1551.

Blosyropus, Redtenbacher, 1868. spinosus, Redtenbacher. Man. N.Z. Coleop. 579, No. 1012.

Ptychopterus, Broun, 1886. rugosus, Broun. Man. N.Z. Coleop. 809, No. 1013.

Psilomorpha, Saunders, 1850. tenuipes, Saunders. Man. N.Z. Coleop. 580, No. 1014.

Xuthodes, Pascoe, 1875.

punctipennis, Pascoe. Man. N.Z. Coleop. 580, No. 1015a.

apicalis, Sharp. Man. N.Z. Coleop. 580, No. 1015.

batesi, Sharp. Man. N.Z. Coleop. 581, No. 1016.

divergens, Broun. Man. N.Z. Coleop. 581, No. 1017.

lepidus, Broun. Man. N.Z. Coleop. 1280, No. 2254.

Calliprason, White, 1846. sinclairi, White. Man. N.Z. Coleop. 582, No. 1018.

Stenopotes, Pascoe, 1875.
pallidus, Pascoe. Man. N.Z. Coleop. 583, No. 1019.

Cacodrotus, Broun, 1893. bifasciatus, Broun. Man. N.Z. Coleop. 1281, No. 2255.

Drotus, Sharp, 1877. elegans, Sharp. Man. N.Z. Coleop. 583, No. 1020.

Zorion, Pascoe, 1867.
minutum, Fabricius. Man. N.Z. Coleop. 584, No. 1021.
guttigerum, Westwood. Man. N.Z. Coleop. 585, No. 1022.
castum, Broun. Man. N.Z. Coleop. 1281, No. 2256.

Gnornodes, Broun, 1893. piceus, Broun. Man. N.Z. Coleop. 1282, No. 2257.

Gastrosarus, Bates, 1874.
nigricollis, Bates. Man. N.Z. Coleop. 586, No. 1023.
urbanus, Broun. Man. N.Z. Coleop. 1283, No. 2258.
lautus, Broun. Man. N.Z. Coleop. 1283, No. 2259.
picticornis, Broun. Man. N.Z. Coleop. 1284, No. 2260.

Eburida, Broun, 1880. sericea, Smith. Man. N.Z. Coleop. 587, No. 1024.

Acrocyrta, Pascoe, 1856. spinicornis, Newman. Man. N.Z. Coleop. 587, No. 1025.

Clytus, Laichorting, 1784. rugulosus, Broun. Man. N.Z. Coleop. 588, No. 1026.

Coptomma, Newman, 1840. variegata, Fabricius. Man. N.Z. Coleop. 589, No. 1027.

Navomorpha, Blanchard, 1853.

lineatus, Fabricius.
sulcatus, Fabricius.
neglectus, Broun.
sticticus, Broun.
Man. N.Z. Coleop. 590, No. 1029.
Man. N.Z. Coleop. 591, No. 1030.
Man. N.Z. Coleop. 1284, No. 2261.

Ceresium, Newman, 1842. zealandicum, Blanchard. Voy. Pole Sud, iv. 272.

Aphanasium, Thomson, 1860. australe, Boisduval. Voy. Astrolabe, ii. 480.

Phlyctænodes, Newman, 1840. retifer, Lacordaire. Gen. Col. 1869, 374.

Sub-family LAMIINÆ.

Hexatricha, Lacordaire, 1869.
pulverulenta, Westwood. Man. N.Z. Coleop. 592, No. 1031.
heteromorpha, Boisduval. Voy. Astrolabe, ii. 21.

Xyloteles, Newman, 1840. lynceus, Fabricius. Man. N.Z. Coleop. 593, No. 1032. griseus, Westwood. Man. N.Z. Coleop. 593, No. 1033. humeratus, Bates. Man. N.Z. Coleop. 593, No. 1034. subpinguis, White. Man. N.Z. Coleop. 594, No. 1035. nudus, Bates. Man. N.Z. Coleop. 594, No. 1036. rugicollis, Bates. Man. N.Z. Coleop. 594, No. 1037. inornatus, Broun. Man. N.Z. Coleop. 595, No. 1038. lætus, White. Man. N.Z. Coleop. 595, No. 1039. gratus, Broun. Man. N.Z. Coleop. 595, No. 1040. nanus, Bates. Man. N.Z. Coleop. 596, No. 1041. ægrotus, Bates. Man. N.Z. Coleop. 597, No. 1042. pulchellus, Bates. Man. N.Z. Coleop. 597, No. 1043. scissicauda, Bates. Man. N.Z. Coleop. 597, No. 1044. bullatus, Sharp. Man. N.Z. Coleop. 598, No. 1045. pictulus, Bates. Man. N.Z. Coleop. 598, No. 1046. sandageri, Broun. Man. N.Z. Coleop. 912, No. 1632. maculosus, Broun. Man. N.Z. Coleop. 913, No. 1633. angustulus, Broun. Man. N.Z. Coleop. 973, No. 1756. huttoni, Sharp. Man. N.Z. Coleop. 1287, No. 2264. gaudens, Broun. Man. N.Z. Coleop. 1288, No. 2265. germanus, Sharp. Man. N.Z. Coleop. 1289, No. 2266.

Xyloteles fasciatus, Sharp. Man. N.Z. Coleop. 1289, No. 2267. phormiobius, Broun. Man. N.Z. Coleop. 1388, No. 2422. prolongatus, Broun. Man. N.Z. Coleop. 1389, No. 2423. costatus, Pascoe. A.M.N.H. 4, xvi. 217. parvulus, White. Voy. Ereb. and Terror, Insects, 22.

Microlamia, Bates, 1874.

pygmæa, Bates. Man. N.Z. Coleop. 599, No. 1047.

æmula, Broun. Man. N.Z. Coleop. 810, No. 1437.

Mesolamia, Sharp, 1882. marmorata, Sharp. Man. N.Z. Coleop. 1295, No. 2278. ærata, Broun. Man. N.Z. Coleop. 1296, No. 2279.

Somatidia, Thomson, 1864. Man. N.Z. Coleop. 600, No. 1048. antarctica, White. assimilata, Broun. Man. N.Z. Coleop. 600, No. 1049. terrestris, Broun. Man. N.Z. Coleop. 601, No. 1050. ptinoides, Bates. Man. N.Z. Coleop. 601, No. 1051. angusta, Broun. Man. N.Z. Coleop. 601, No. 1052. pictipes, Broun. Man. N.Z. Coleop. 602, No. 1053. longipes, Sharp. Man. N.Z. Coleop. 602, No. 1054. diversa, Broun. Man. N.Z. Coleop. 603, No. 1055. nitida, Broun. Man. N.Z. Coleop. 603, No. 1056. crassipes, Broun. Man. N.Z. Coleop. 810, No. 1438. elongata, Broun. Man. N.Z. Coleop. 811, No. 1439. grandis, Broun. Man. N.Z. Coleop. 1290, No. 2269. helmsi, Sharp. Man. N.Z. Coleop. 1290, No. 2270. spinicollis, Broun. Man. N.Z. Coleop. 1291, No. 2271. costifer, Broun. Man. N.Z. Coleop. 1291, No. 2272. variegata, Broun. Man. N.Z. Coleop. 1292, No. 2273. simplex, Broun. Man. N.Z. Coleop. 1292, No. 2274. Man. N.Z. Coleop. 1293, No. 2275. signata, Broun. convexa, Broun. Man. N.Z. Coleop. 1498, No. 2581. latula, Broun. Man. N.Z. Coleop. 1499, No. 2582. Man. N.Z. Coleop. 1499, No. 2583. lævior, Broun. tenebrica, Broun. Man. N.Z. Coleop. 1500, No. 2584. albicoma, Broun. Man. N.Z. Coleop. 1500, No. 2585. proxima, Broun. A.M.N.H. 6, xii. 390. picticornis, Broun. A.M.N.H. 6, xv. 418.

Stenellipsis, Bates, 1874.

bimaculata, White. Man. N.Z. Coleop. 604, No. 1057-gracilis, White. Man. N.Z. Coleop. 604, No. 1058.
latipennis, Bates. Man. N.Z. Coleop. 605, No. 1059.
pumila, Pascoe. Man. N.Z. Coleop. 605, No. 1060.
cuneata, Sharp. Man. N.Z. Coleop. 1289, No. 2268.

Psilocnæia, Bates, 1874. linearis, Bates. Man. N.Z. Coleop. 606, No. 1061. brouni, Bates. Man. N.Z. Coleop. 606, No. 1062. Spilotrogia, Bates, 1874. maculata, Bates. Man. N.Z. Coleop. 607, No. 1063. hilarula, Broun. Man. N.Z. Coleop. 607, No. 1062.

Eurychæna, Bates, 1874. fragilis, Bates. Man. N.Z. Coleop. 608, No. 1065. feredayi, Bates. Man. N.Z. Coleop. 608, No. 1066. acutula, Broun. Man. N.Z. Coleop. 608, No. 1067.

Tetrorea, White, 1846.
cilipes, White. Man. N.Z. Coleop. 609, No. 1068.
discedens, Sharp. Man. N.Z. Coleop. 1294, No. 1440.
longipennis, Sharp. Man. N.Z. Coleop. 1293, No. 2276.
sellata, Sharp. Man. N.Z. Coleop. 1294, No. 2277.

Hybolasius, Bates, 1874. crista, Fabricius. Man. N.Z. Coleop. 610, No. 1069. lanipes, Sharp. Man. N.Z. Coleop. 610, No. 1070. pedator, Sharp. Man. N.Z. Coleop. 610, No. 1071. wakefieldi, Bates. Man. N.Z. Coleop. 611, No. 1072. concolor, Broun. Man. N.Z. Coleop. 611, No. 1073. viridescens, Bates. Man. N.Z. Coleop. 611, No. 1074. promissus, Broun. Man. N.Z. Coleop. 612, No. 1075. simplex, Bates. Man. N.Z. Coleop. 612, No. 1076. modestus, Broun. Man. N.Z. Coleop. 613, No. 1077. variegatus, Broun. Man. N.Z. Coleop. 613, No. 1078. cristatellus, Bates. Man. N.Z. Coleop. 614, No. 1079. Man. N.Z. Coleop. 614, No. 1080. bellicosus, Broun. parvus, Broun. Man. N.Z. Coleop. 614, No. 1081. vegetus, Broun. Man. N.Z. Coleop. 744, No 1320. fasciatus, Broun. Man. N.Z. Coleop. 744, No. 1321. brevicollis, Broun. Man. N.Z. Coleop. 811, No. 1441. picitarsis, Broun. Man. N.Z. Coleop. 812, No. 1442. pusillus, Broun. Man. N.Z. Coleop. 812, No. 1443. apicalis, Broun. Man. N.Z. Coleop. 872, No. 1552. piceus, Broun. Man. N.Z. Coleop. 872, No. 1553. deplanatus, Sharp. Man. N.Z. Coleop. 1297, No. 2280. castaneus, Broun. Man. N.Z. Coleop. 1297, No. 2281. finitimus, Broun. Man. N.Z. Coleop. 1298, No. 2282. albihirtus, Broun. Man. N.Z. Coleop. 1298, No. 2283. gnarus, Broun. Man. N.Z. Coleop. 1298, No. 2284. Man. N.Z. Coleop. 1299, No. 2285. femoralis, Broun. thoracicus, Broun. Man. N.Z. Coleop. 1299, No. 2286. rufescens, Broun. Man. N.Z. Coleop. 1300, No. 2287. dubius, Broun. Man. N.Z. Coleop. 1389, No. 2424. optatus, Broun. A.M.N.H. 6, xii. 389. trigonellus, Hutton. T.N.Z.I. xxx. 158.

Pœcilippe, Bates, 1874. stictica, Bates. Man. N.Z. Coleop. 615, No. 1082. Pœcilippe flavipes, White. Man. N.Z. Coleop. 615, No. 1083. medialis, Sharp. Man. N.Z. Coleop. 1301, No. 2288. femoralis, Sharp. Man. N.Z. Coleop. 1301, No. 2289. simplex, Bates. Man. N.Z. Coleop. 612, No. 1076.

Diastamerus, Redtenbacher, 1868. tomentosus, Redtenbacher. Man. N.Z. Coleop. 616, No. 1084.

Tympanopalpus, Redtenbacher, 1868. dorsalis, Redtenbacher. Man. N.Z. Coleop. 617, No. 1085.

Family Chryomelidae. Sub-family Eumolpinae.

Eucolaspis, Sharp, 1886.

brunneus, Fabricius.

man. N.Z. Coleop. 622, No. 1090.

pallidipennis, White.

puncticollis, Broun.

Man. N.Z. Coleop. 623, No. 1091.

jucundus, Broun.

Man. N.Z. Coleop. 623, No. 1092.

jucundus, Broun.

Man. N.Z. Coleop. 624, No. 1093.

subæneus, Broun.

Man. N.Z. Coleop. 624, No. 1094.

sculptus, Broun.

Man. N.Z. Coleop. 624, No. 1095.

merus, Broun.

Man. N.Z. Coleop. 625, No. 1096.

brevicollis, Broun.

Man. N.Z. Coleop. 625, No. 1097.

atroceruleus, Broun.

Man. N.Z. Coleop. 625, No. 1098.

ochraceus, Broun.

Man. N.Z. Coleop. 1303, No. 2290.

coloratus, Broun.

Man. N.Z. Coleop. 1303, No. 2291.

montanus, Broun.

Man. N.Z. Coleop. 1304, No. 2292.

vittiger, Broun.

A.M.N.H. 6, xii. 391.

Atrichatus, Sharp, 1886.
ochraceus, Broun. Man. N.Z. Coleop. 625 and 1305,
No. 1099.
æneicollis, Broun. A.M.N.H. 6, xv. 419.

Pilacolaspis, Sharp, 1886. wakefieldi, Sharp. Man. N.Z. Coleop. 1306, No. 2293. huttoni, Broun. Man. N.Z. Coleop. 626, No. 1100.

Peniticus, Sharp, 1876 suffusus, Sharp. Man. N.Z. Coleop. 627, No. 1101. antiquus, Sharp. Man. N.Z. Coleop. 627, No. 1102. robustus, Broun. Man. N.Z. Coleop. 628, No. 1103.

Sub-family CRYPTOCEPHALINÆ.

Arnomus, Sharp, 1876.
brouni, Sharp. Man. N.Z. Coleop. 619, No. 1086.
curtipes, Broun. Man. N.Z. Coleop. 1390, No. 2425.
marginalis, Broun. Man. N.Z. Coleop. 1390, No. 2426.

Alema, Sharp, 1876.

paradoxa, Sharp. Man. N.Z. Coleop. 620, No. 1087.

puncticollis, Broun. Man. N.Z. Coleop. 620, No. 1088.

spatiosa, Broun. Man. N.Z. Coleop. 621, No. 1089.

Scaphodius, Chapuis, 1874 compactus, Sharp. Man. N.Z. Coleop. 1302, No. 1444.

Sub-family Chrysomelinæ.

Allocharis, Sharp, 1882.

marginata, Sharp. Man. N.Z. Coleop. 1306, No. 2294.

morosa, Broun. Man. N.Z. Coleop. 1307, No. 2295.
limbata, Broun. Man. N.Z. Coleop. 1307, No. 2296.

Aphilon, Sharp, 1876. enigma, Sharp. Man. N.Z. Coleop. 629, No. 1104. pretiosa, Broun. Man. N.Z. Coleop. 630, No. 1105. punctata, Broun. Man. N.Z. Coleop. 630, No. 1106. minuta, Broun. Man. N.Z. Coleop. 631, No. 1107. monstrosa, Broun. Man. N.Z. Coleop. 874, No. 1556. sobrina, Broun. Man. N.Z. Coleop. 875, No. 1557. præstans, Broun. Man. N.Z. Coleop. 1309, No. 2301. convexa, Broun. Man. N.Z. Coleop. 1310, No. 2302. latulum, Broun. Man. N.Z. Coleop. 1310, No. 2303. scutellaris, Broun. Man. N.Z. Coleop. 1501, No. 2586. laticollis, Broun. A.M.N.H. 6, xii. 392.

Caccomolpus, Sharp, 1886.
globosus, Sharp. Man. N.Z. Coleop. 1308, No. 2297.
plagiatus, Sharp. Man. N.Z. Coleop. 1308, No. 2298.
pullatus, Broun. Man. N.Z. Coleop. 1309, No. 2299.
maculatus, Broun. Man. N.Z. Coleop. 1309, No. 2300.

Sub-family GALERUCINÆ.

Luperus, Geoffroy, 1764. vulgaris, Broun. Man. N.Z. Coleop. 632, No. 1108. attenuatus, Broun. Man. N.Z. Coleop. 633, No. 1109. thoracicus, Broun. Man. N.Z. Coleop. 633, No. 1110. nigripes, Broun. Man. N.Z. Coleop. 634, No. 1111. nigricans, Broun. Man. N.Z. Coleop. 634, No. 1112. nitidicollis, Broun. Man. N.Z. Coleop. 634, No. 1113. æneus, Broun. Man. N.Z. Coleop. 635, No. 1114. viridis, Broun. Man. N.Z. Coleop. 635, No. 1115. oleareæ, Broun. Man. N.Z. Coleop. 1312, No. 2304. rugicollis, Broun. Man. N.Z. Coleop. 1313, No. 2305. brevicollis, Broun. Man. N.Z. Coleop. 1313, No. 2306. sulcifer, Broun. Man. N.Z. Coleop. 1313, No. 2307. rectipes, Broun. Man. N.Z. Coleop. 1314, No. 2308. calcaratus, Broun. Man. N.Z. Coleop. 1314, No. 2309.

Luperus princeps, Broun. Man. N.Z. Coleop. 1314, No. 2310. monticola, Broun. Man. N.Z. Coleop. 1315, No. 2311. fuscatus, Broun. Man. N.Z. Coleop. 1315, No. 2312. sordidus, Broun. Man. N.Z. Coleop. 1316, No. 2313. truncatus, Broun. Man. N.Z. Coleop. 1316, No. 2314. nigricornis, Sharp. Man. N.Z. Coleop. 1316, No. 2315. ænescens, Sharp. Man. N.Z. Coleop. 1317, No. 2316. puncticollis, Sharp. Man. N.Z. Coleop. 1317, No. 2317. mollis, Broun. Man. N.Z. Coleop. 1502, No. 2587.

Allastena, Broun, 1893. nitida, Broun. Man. N.Z. Coleop. 1318, No. 2318. quadrata, Broun. Man. N.Z. Coleop. 1319, No. 2319.

Bryobates, Broun, 1886. coniformis, Broun. Man. N.Z. Coleop. 874, No. 1555.

Sub-family HALTICINÆ.

Trachytetra, Sharp, 1886.

rugulosa, Broun. Man. N.Z. Coleop. 636 and 1311, No.
1116.

Inopelonia, Broun, 1893. testacea, Broun. Man. N.Z. Coleop. 637, No. 1118. fuliginosa, Broun. Man. N.Z. Coleop. 637, No. 1119.

Pleuraltica, Sharp, 1886. cyanea, Broun. Man. N.Z. Coleop. 1312 and 638, No. 1120.

Phyllotreta, Chevrolat, 1839.

nitida, Broun. Man. N.Z. Coleop. 636, No. 1117.
graminicola, Broun. Man. N.Z. Coleop. 1391, No. 2427.
littoralis, Broun. Man. N.Z. Coleop. 1391, No. 2428.
vittigera, Broun. Man. N.Z. Coleop. 1392, No. 2429.

Series Rhyncophora. Family Curculionidæ. Sub-family Otiorhynchinæ.

Nicæana, Pascoe, 1877.

modesta, Pascoe. Man. N.Z. Coleop. 428, No. 749.
concinna, Broun. Man. N.Z. Coleop. 847, No. 1506.
cinerea, Broun. Man. N.Z. Coleop. 931, No. 1673.
cervina, Broun. Man. N.Z. Coleop. 1360, No. 2381.
tarsalis, Broun. Man. N.Z. Coleop. 1460, No. 2533.

Stygeopetes, Broun, 1893. littoralis, Broun. Man. N.Z. Coleop. 1176, No. 2085.

Cecyropa, Pascoe, 1875. tychioides, Pascoe. Man. N.Z. Coleop. 437, No. 768. maritima, Broun. Man. N.Z. Coleop. 438, No. 769. Cecyropa brevipennis, Broun. Man. N.Z. Coleop. 438, No.

alba, Broun. Man. N.Z. Coleop. 698, No. 1228.
varia, Broun. Man. N.Z. Coleop. 698, No. 1229.
discors, Broun. Man. N.Z. Coleop. 699, No. 1230.
setigera, Broun. Man. N.Z. Coleop. 905, No. 1617.
macularia, Broun. Man. N.Z. Coleop. 961, No. 1736.
albicans, Sharp. Man. N.Z. Coleop. 1175, No. 2083.
fumosa, Broun. Man. N.Z. Coleop. 1175, No. 2084.

Nonnotus, Sharp, 1886.

griseolus, Sharp. Man. N.Z. Coleop. 1177, No. 2086. eclectus, Broun. Man. N.Z. Coleop. 1177, No. 2087. pallescens, Broun. Man. N.Z. Coleop. 1178, No. 2088. albicans, Broun. Man. N.Z. Coleop. 443, No. 781. albatus, Broun. Man. N.Z. Coleop. 694, No. 1219.

Tigones, Broun, 1886.

caudata, Broun. Man. N.Z. Coleop. 855, No. 1521.
osculans, Broun. Man. N.Z. Coleop. 856, No. 1522.
certa, Broun. Man. N.Z. Coleop. 856, No. 1523.
grisea, Broun. Man. N.Z. Coleop. 856, No. 1524.
cervina, Broun. Man. N.Z. Coleop. 857, No. 1524.
cervina, Broun. Man. N.Z. Coleop. 1180, No. 2092.
variegata, Broun. Man. N.Z. Coleop. 1181, No. 2093.
scutellaris, Broun. Man. N.Z. Coleop. 1181, No. 2094.
cruda, Broun. Man. N.Z. Coleop. 1182, No. 2095.
antennalis, Broun. Man. N.Z. Coleop. 1182, No. 2096.
diversa, Broun. Man. N.Z. Coleop. 1183, No. 2097.
rufula, Broun. Man. N.Z. Coleop. 1361, No. 2382.
obscura, Broun. Man. N.Z. Coleop. 1361, No. 2383.
cuspidata, Broun. Man. N.Z. Coleop. 694, No. 1220.
plana, Broun. Man. N.Z. Coleop. 700, No. 1233.

Protophormus, Sharp, 1886. gracilis, Sharp. Man. N.Z. Coleop. 1179, No. 2089. binodulus, Sharp. Man. N.Z. Coleop. 1179, No. 2090. robustus, Sharp. Man. N.Z. Coleop. 1180, No. 2091.

Epitimetes, Pascoe, 1877. lutosus, Pascoe. Man. N.Z. Coleop. 435, No. 763. wakefieldi, Sharp. Man. N.Z. Coleop. 1183, No. 2099.

Platyomida, White, 1846.
binodes, White. Man. N.Z. Coleop. 442, No. 776.
censoria, Pascoe. Man. N.Z. Coleop. 442, No. 777.
aculeata, Broun. Man. N.Z. Coleop. 442, No. 778.
perniciosa, Broun. Man. N.Z. Coleop. 442, No. 779.
apicalis, Broun. Man. N.Z. Coleop. 701, No. 1235.

Platyomida amota, Broun. Man. N.Z. Coleop. 793, No. 1415. enysi, Broun. Man. N.Z. Coleop. 852, No. 1516. æquua, Broun. Man. N.Z. Coleop. 932, No. 1677. hochstetteri, Redtenbacher. Man. N.Z. Coleop. 476, No. 842. simulatrix, Sharp. Man. N.Z. Coleop. 1185, No. 2100. depressa, Sharp. Man. N.Z. Coleop. 1185, No. 2101.

Rhynchogonus, germanus, Broun. A.M.N.H. 6, xii. 203.

Lyperobates, Broun, 1893. asper, Broun. Man. N.Z. Coleop. 1462, No. 2534.

Hygrochus, Broun, 1881.
oscitans, Broun. Man. N.Z. Coleop. 703, No. 1237.
verrucosus, Broun. Man. N.Z. Coleop. 1220, No. 2149.
illepidus, Broun. Man. N.Z. Coleop. 1220, No. 2150.
oculatus, Broun. A M.N.H. 6, xii. 292.

Homodus, Broun, 1881. fumeus, Broun. Man. N.Z. Coleop. 703, No. 1238.

Aporolobus, Sharp, 1886.
irritus, Pascoe. Man. N.Z. Coleop. 431, No. 754.
hariolus, Broun. Man. N.Z. Coleop. 848, No. 1507.
cecyropioides, Broun. Man. N.Z. Coleop. 905, No. 1616.
rugosus, Broun. Man. N.Z. Coleop. 930, No. 1671.
pallidus, Broun. Man. N.Z. Coleop. 1365, No. 2388.

Notiopatæ, Broun, 1893. setifer, Broun, Man. N.Z. Coleop. 1187, No. 2102. sternalis, Broun. Man. N.Z. Coleop. 1462, No. 2535. clarus, Broun. Man. N.Z. Coleop. 431, No. 755.

Pælocharis, Broun, 1893. inflata, Broun. Man. N.Z. Coleop. 1188, No. 2103. vestita, Broun. Man. N.Z. Coleop. 1463, No. 2536. corpulenta, Broun. Man. N.Z. Coleop. 431, No. 756.

Protolobus, Sharp, 1886.
obscurus, Sharp. Man. N.Z. Coleop. 1188. No. 2104.
porculus, Pascoe. Man. N.Z. Coleop. 430, No. 753.

Catoptes, Schönherr, 1842.
obliquis, Schönherr. Man. N.Z. Coleop. 428, No. 750.
parilis, Pascoe. Man. N.Z. Coleop. 443, No. 780.
compressus, Broun. Man. N.Z. Coleop. 429, No. 751.
obliquisignatus, Bohem. Man. N.Z. Coleop. 693, No. 1218.
attenuatus, Broun. Man. N.Z. Coleop. 791, No. 1412.
pilosellus, Broun. Man. N.Z. Coleop. 853, No. 1517.
bicostatus, Broun. Man. N.Z. Coleop. 853, No. 1518.

Catoptes tibialis, Broun. Man. N.Z. Coleop. 854, No. 1519. stolidus, Broun. Man. N.Z. Coleop. 854, No. 1520. caliginosus, Broun. Man. N.Z. Coleop. 1189, No. 2105. posticalis, Broun. Man. N.Z. Coleop. 1189, No. 2106. humeralis, Broun. Man. N.Z. Coleop. 1190, No. 2107. chalmeri, Broun. Man. N.Z. Coleop. 1190, No. 2108. asperellus, Broun. Man. N.Z. Coleop. 1191, No. 2109. cheesemani, Broun. Man. N.Z. Coleop. 1191, No. 2110. decorus, Broun. Man. N.Z. Coleop. 1192, No. 2111. brevicornis, Sharp. Man. N.Z. Coleop. 1193, No. 2112. æmulator, Broun. Man. N.Z. Coleop. 1193, No. 2113. tenebricus, Broun. Man. N.Z. Coleop. 1194, No. 2114. latipennis, Broun. Man N.Z. Coleop. 1362, No. 2384. furvus, Broun. Man. N.Z. Coleop. 1362, No. 2385. vastator, Broun. Man. N.Z. Coleop. 1463, No. 2537. scutellaris, Sharp. Man. N.Z. Coleop. 1503, No. 2591. longulus, Sharp. Man. N.Z. Coleop. 1504, No. 2592.

Haplolobus, Broun, 1893.
 sævus, Broun. Man. N.Z. Coleop. 1199, No. 2122.
 æthiops, Broun. Man. N.Z. Coleop. 1199, No. 2123.
 gregalis, Broun. Man. N.Z. Coleop. 1199, No. 2124.

Brachylous, White, 1846.

punctatus. White. Man. N.Z. Coleop. 432, No. 757. breviusculus, Broun. Man. N.Z. Coleop. 440, No. 774. elegans, Broun. Man. N.Z. Coleop. 1194, No. 2115. inæqualis, Sharp. Man. N.Z. Coleop. 1195, No. 2116. huttoni, Sharp. Man. N.Z. Coleop. 1195, No. 2117. bagooides, Sharp. Man. N.Z. Coleop. 1195, No. 2118. punctipennis, Sharp. Man. N.Z. Coleop. 1196, No. 2119. longicollis, Sharp. Man. N.Z. Coleop. 1196, No. 2120. viridescens, Broun. Man. N.Z. Coleop. 1363, No. 2386. posticalis, Broun. Man. N.Z. Coleop. 1364, No. 2387.

Inocatoptes, Broun, 1902. incertus, Broun. T.N.Z.I. xxxiii. 178.

Inophlœus, Pascoe, 1875.

traversii, Pascoe.
inuus, Pascoe.
rhesus, Pascoe.
vitiosus, Pascoe.
rubidus, Broun.
nigellus, Broun.
prælatus, Broun.
sulcifer, Broun.
costifer, Broun.
nodifer, Broun.
nodifer, Broun.
nodifer, Broun.

Inophlœus alacer, Broun. Man. N.Z. Coleop. 1200, No. 2126. albonotatus, Broun. Man. N.Z. Coleop. 1201, No. 2127. vestitus, Broun. Man. N.Z. Coleop. 1202, No. 2128. suturalis, Broun. Man. N.Z. Coleop. 1464, No. 2538. villaris, Pascoe. A.M.N.H. 4, xvi. 220. medius, Broun. A.M.N.H. 6, xii. 294.

Sub-family CYLINDRORHINÆ.

Phæophanus, Broun, 1886.

rugosus, Broun. Man. N.Z. Coleop. 793, No. 1414.
similis, Broun. Man. N.Z. Coleop. 1216, No. 2145.
lituratus, Broun. Man. N.Z. Coleop. 1216, No. 2146.

Heteraomus, Broun, 1893. longipes, Broun. Man. N.Z. Coleop. 1218, No. 2147.

Anagotus, Sharp, 1882. helmsi, Sharp. Man. N.Z. Coleop. 1215, No. 2144.

Phoxoteles, Broun, 1893. graniger, Broun. Man. N.Z. Coleop. 850, No. 1513.

Heterotyles, Broun, 1886. argentatus, Broun. Man. N.Z. Coleop. 795, No. 1417.

Rhadinosomus, Schönherr, 1840. acuminatus, Schönherr. Man. N.Z. Coleop. 430, 752.

Genus of doubtful position:-

Geochus, Broun, 1882.
inæqualis, Broun. Man. N.Z. Coleop. 446, No. 785.
politus, Broun. Man. N.Z. Coleop. 704, No. 1239.
rugulosus, Broun. Man. N.Z. Coleop. 931, No. 1672.
similis, Broun. Man. N.Z. Coleop. 1221, No. 2151.
nodosus, Broun. Man. N.Z. Coleop. 1221, No. 2152.
plagiatus, Broun. Man. N.Z. Coleop. 1365, No. 2389.
puncticollis, Broun. Man. N.Z. Coleop. 1367, No. 2390.
squamosus, Broun. Man. N.Z. Coleop. 1465, No. 2539.
tibialis, Broun. Man. N.Z. Coleop. 1466, No. 2540.
marginatus, Broun. Man. N.Z. Coleop. 1466, No. 2541.
frontalis, Broun. Man. N.Z. Coleop. 1467, No. 2542.
nigripes, Broun. Man. N.Z. Coleop. 1467, No. 2543.
setiger, Broun. A.M.N.H. 6, xii. 295.

Sub-family Molytinæ.

Lyperobius, Pascoe, 1876.
huttoni, Pascoe. Man. N.Z. Coleop. 445, No. 783.
tuberculatus, Pascoe. Man. N.Z. Coleop. 445, No. 784.
carinatus, Broun. Man. N.Z. Coleop. 702, No. 1236.
cupiendus, Broun. Man. N.Z. Coleop. 962, No. 1738.
læviusculus, Broun. T.N.Z.I. xxiii. 179.

Lyperopais, Broun, 1893. mirus, Broun. Man. N.Z. Coleop. 1222, No. 2153.

Sub-family Hylobiinæ.

Eiratus, Pascoe, 1877.

parvulus, Pascoe. Man. N.Z. Coleop. 447, No. 786.
tetricus, Broun. Man. N.Z. Coleop. 447, No. 787.
costatus, Broun. Man. N.Z. Coleop. 794, No. 1416.
ornatus, Broun. Man. N.Z. Coleop. 906, No. 1619.
suavis. Broun. Man. N.Z. Coleop. 934, No. 1679.
pyriformis, Broun. Man. N.Z. Coleop. 1223, No. 2154.
rugosus, Broun. Man. N.Z. Coleop. 1223, No. 2155.

Dryopais, Broun, 1886. variabilis, Broun. Man. N.Z. Coleop. 933, No. 1678.

Pædaretus, Pascoe, 1876. hispidus, Pascoe. Man. N.Z. Coleop. 444, No. 782.

Sub-family Rhyparosominæ.

Phrynixus, Pascoe, 1875.

terreus, Pascoe. Man. N.Z. Coleop. 433, No. 758.
astutus, Pascoe. Man. N.Z. Coleop. 433, No. 759.
celatus, Broun. Man. N.Z. Coleop. 433, No. 760.
modicus, Broun. Man. N.Z. Coleop. 434, No. 761.
facetus, Broun. Man. N.Z. Coleop. 695, No. 1221.
intricatus, Broun. Man. N.Z. Coleop. 848, No. 1508.
tuberculatus, Broun. Man. N.Z. Coleop. 849, No. 1509.
differens, Broun. Man. N.Z. Coleop. 849, No. 1510.
rufipes, Broun. Man. N.Z. Coleop. 849, No. 1511.
simplex, Broun. Man. N.Z. Coleop. 1202, No. 2129.
costirostris, Broun. Man. N.Z. Coleop. 1203, No. 2130.
humeralis, Broun. Man. N.Z. Coleop. 1467, No. 2544.
brevipennis, Broun. Man. N.Z. Coleop. 1468, No. 2545.
cedius, Broun. Man. N.Z. Coleop. 1468, No. 2546.

Bradypatæ, Broun, 1893.
capitalis, Broun. Man. N.Z. Coleop. 1206 and 850,
No. 1512.
armiger, Broun. A.M.N.H. 6, xii. 296.

Erymneus, Pascoe, 1877.
sharpi, Pascoe. Man. N.Z. Coleop. 436, No. 764.
scabiosus, Broun. Man. N.Z. Coleop. 436, No. 765.
castaneus, Broun. Man. N.Z. Coleop. 436, No. 766.
granulatus, Broun. Man. N.Z. Coleop. 437, No. 767.
longulus, Broun. Man. N.Z. Coleop. 931, No. 1674.
cœnosus, Broun. Man. N.Z. Coleop. 932, No. 1675.
ferrugatus, Broun. Man. N.Z. Coleop. 1203, No. 2131.
irregularis, Broun. Man. N.Z. Coleop. 1367, No. 2391.

Erymneus crassipes, Broun. Man. N.Z. Coleop. 1469, No. 2547. firmus, Broun. Man. N.Z. Coleop. 1470, No. 2548.

probus, Broun. A.M.N.H. 6, xii. 299.

Lithocia, Broun, 1893. fimbriata, Broun. Man. N.Z. Coleop. 1471, No. 2549.

Pachyprypnus, Broun, 1886. pyriformis, Broun. Man. N.Z. Coleop. 792, No. 1413. longiusculus, Broun. Man. N.Z. Coleop. 434, No. 762.

Dolioceuthus, Broun, 1893. dumetosus, Broun. Man. N.Z. Coleop. 1208, No. 2135. vestitus, Broun. Man. N.Z. Coleop. 1209, No. 2136.

Astyplus, Broun, 1893. conicus, Broun. Man. N.Z. Coleop. 1210, No. 2137.

Styphlotelus, Broun, 1893. foveatus, Broun. Man. N.Z. Coleop. 1368, No. 2392. fascicularis, Broun. Man. N.Z. Coleop. 1369, No. 2393.

Cuneopterus, Sharp, 1886. conicus, Sharp. Man. N.Z. Coleop. 1204, No. 2132. tenuicornis, Broun. A.M.N.H. 6, xii. 297.

Chamæpsephis, Broun, 1893. aurisetifer, Broun. Man. N.Z. Coleop. 1207, No. 2134.

Aræoscapus, Broun, 1893. ovipennis, Broun. A.M.N.H. 6, xii. 300. flavipes, Broun. Man. N.Z. Coleop. 1473, No. 2552. thoracicus, Broun. Man. N.Z. Coleop. 1474, No. 2553. obscurus, Broun. Man. N.Z. Coleop. 1475, No. 2554.

Bantiades, Broun, 1893. fuscatus, Broun. Man. N.Z. Coleop. 1371, No. 2396. valgus, Broun. Man. N.Z. Coleop. 1472, No. 2551.

Rachidiscus, Broun, 1893. granicollis, Broun. Man. N.Z. Coleop. 1478, No. 2557.

Dermotrichus, Sharp, 1886. mundulus, Sharp. Man. N.Z. Coleop. 1205, No. 2133.

Clypeorhynchus, Sharp, 1883. gracilipes, Sharp. Man. N.Z. Coleop. 1211, No. 2138. thoracicus, Broun. Man. N.Z. Coleop. 1211, No. 2139. brevicornis, Broun. Man. N.Z. Coleop. 1212, No. 2140. impressus, Broun. Man. N.Z. Coleop. 1212, No. 2141. ovipennis, Broun. Man. N.Z. Coleop. 1213, No. 2142. cordipennis, Broun. Man. N.Z. Coleop. 1370, No. 2394. cristatus, Broun. Man. N.Z. Coleop. 1370, No. 2395.

Dacnophylla, Broun, 1893. setosa, Broun. Man. N.Z. Colcop. 1472, No. 2550. variegata, Broun. A.M.N.H. 6, xii. 301.

Nestrius, Broun, 1893. serripes, Broun. Man. N.Z. Coleop. 1480, No. 2559, and A.M.N.H. 6, xii. 302.

Plotnus, Broun, 1893. ovithorax, Broun. Man. N.Z. Coleop. 1481, No. 2560.

Phemus, Broun, 1893. scabralis, Broun. Man. N.Z. Coleop. 1214, No. 2143. rufipes, Broun. Man. N.Z. Coleop. 1482, No. 2561.

Rystheus, Broun, 1893. ocularius, Broun. Man. N.Z. Coleop. 1219, No. 2148.

Sosgenes, Broun, 1893. carinatus, Broun. Man. N.Z. Coleop. 1477, No. 2556.

Phyllodytes, Broun, 1893. foveatus, Broun. Man. N.Z. Coleop. 1479, No. 2558.

Phronira, Broun, 1893.
sulcirostre, Broun. Man. N.Z. Coleop. 696, No. 1222.
asper, Broun. Man. N.Z. Coleop. 696, No. 1223.
costosum, Broun. Man. N.Z. Coleop. 696, No. 1224.
osculans, Broun. Man. N.Z. Coleop. 697, No. 1225.
simplex, Broun. Man. N.Z. Coleop. 697, No. 1226.
striatum, Broun. Man. N.Z. Coleop. 697, No. 1227.
nodosum, Broun. Man. N.Z. Coleop. 1476, No. 2555.

Sub-family Erirhininæ.

Philacta, Broun, 1880. testacea, Broun. Man. N.Z. Coleop. 449, No. 789.

Erirhinus, Schönherr, 1826.

acalyptoides, Pascoe. Man. N.Z. Coleop. 450, No. 790. limbatus, Pascoe. Man. N.Z. Coleop. 450, No. 791. glottis, Pascoe. Man. N.Z. Coleop. 450, No. 792. discoideus, Broun. Man. N.Z. Coleop. 451, No. 794. flavitarsis, Broun. Man. N.Z. Coleop. 451, No. 795. fasciatus, Broun. Man. N.Z. Coleop. 452, No. 796. viridipennis, Broun. Man. N.Z. Coleop. 452, No. 798. sexmaculatus, Broun. Man. N.Z. Coleop. 452, No. 1243. dolosus, Broun. Man. N.Z. Coleop. 706, No. 1243. fascialis, Broun. Man. N.Z. Coleop. 707, No. 1244. fascialis, Broun. Man. N.Z. Coleop. 708, No. 1245. crucigerus, Broun. Man. N.Z. Coleop. 708, No. 1246. anchoralis, Broun. Man. N.Z. Coleop. 708, No. 1247. gracilirostris, Broun. Man. N.Z. Coleop. 708, No. 1248. stramineus, Broun. Man. N.Z. Coleop. 709, No. 1249.

Erirhinus nocens, Broun. Man. N.Z. Coleop. 709, No. 1250. acceptus, Broun. Man. N.Z. Coleop. 710, No. 1251. femoralis, Broun. Man. N.Z. Coleop. 710, No. 1252. concolor, Broun. Man. N.Z. Coleop. 710, No. 1253. eustictus, Broun Man. N.Z. Coleop. 857, No. 1526. veronicæ, Broun. Man. N.Z. Coleop. 858, No. 1527. thomsoni, Broun. Man N.Z. Coleop. 858, No. 1528. bicavus, Broun. Man. N.Z. Coleop. 859, No. 1529. melastomus, Broun. Man. N.Z. Coleop. 859, No. 1530. confusus, Broun. Man. N.Z. Coleop. 860, No. 1531. xenorhinus, Broun. Man. N.Z. Coleop. 860, No. 1532. durus, Broun. Man. N.Z. Coleop. 861, No. 1533. fuscoventris, Broun. Man. N.Z. Coleop. 861, No. 1534. fulvus, Broun. Man. N.Z. Coleop. 862, No. 1535. cheesemani, Broun. Man. N.Z. Coleop. 963, No. 1740. difformipes, Broun. Man. N.Z. Coleop. 964, No. 1741. nesobius, Broun. Man. N.Z. Coleop. 965, No. 1742. anxius, Broun. Man. N.Z. Coleop. 1372, No. 2397. fuscipes, Broun. Man. N.Z. Coleop. 1373, No. 2398.

Dorytomus, Stephens, 1831.

trilobus, Pascoe. Man. N.Z. Coleop. 453, No. 799.
rufirostris, Broun. Man. N.Z. Coleop. 453, No. 801.
lateralis, Broun. Man. N.Z. Coleop. 711, No. 1254.
sudus, Broun. Man. N.Z. Coleop. 711, No. 1255.
ochraceus, Broun. Man. N.Z. Coleop. 712, No. 1256.
æricomus, Broun. Man. N.Z. Coleop. 795, No. 1418.
aciphyllæ, Broun. Man. N.Z. Coleop. 965, No. 1743.

Neomycta, Pascoe, 1877. pulicaris, Pascoe. Man. N.Z. Coleop. 457, No. 807. rubida, Broun. Man. N.Z. Coleop. 457, No. 808.

Hypotagea, Pascoe, 1876.

rubida, Pascoe. Man. N.Z. Coleop. 456, No. 804.

testaceipennis, Broun. Man. N.Z. Coleop. 456, No. 805.

variegata, Broun. Man. N.Z. Coleop. 456, No. 806.

creperus, Broun. Man. N.Z. Coleop. 706, No. 1241.

simulans, Broun. Man. N.Z. Coleop. 706, No. 1242.

castanea, Broun. Man. N.Z. Coleop. 714, No. 1262.

vestita, Broun. Man. N.Z. Coleop. 715, No. 1263.

dissona, Broun. Man. N.Z. Coleop. 863, No. 1538.

tibialis, Broun. Man. N.Z. Coleop. 1376, No. 2403.

Euprocas, Broun, 1886. scitulus, Broun. Man. N.Z. Coleop. 1375, No. 2402.

Alloprocas, Broun, 1886. rufus, Broun. Man. N.Z. Coleop. 1374, 2399. Celetotelus, Broun, 1886. fulvus, Broun. Man. N.Z. Coleop. 1375, No. 2401.

Phorostichus, Broun, 1882. linearis, Broun. Man. N.Z. Coleop. 705, No. 1240.

Simachus, Broun, 1886. montanus, Broun. Man. N.Z. Coleop. 963, No. 1739.

Aganeuma, Broun, 1886. rufula, Broun. Man. N.Z. Coleop. 1484, No. 2563.

Stilbopsis, Broun, 1886. politus, Broun. Man. N.Z. Coleop. 1483, No. 2562.

Etheophanus, Broun, 1886. pinguis, Broun. Man. N.Z. Coleop. 1233, No. 2171.

Praolepra, Pascoe, 1880.
squamosa, Pascoe. Man. N.Z. Coleop. 454, No. 801.
infusca, Broun. Man. N.Z. Coleop. 452, No. 802.
albopicta, Broun. Man. N.Z. Coleop. 712, No. 1257.
rufescens, Broun. Man. N.Z. Coleop. 713, No. 1258.
varia, Broun. Man. N.Z. Coleop. 713, No. 1259.
asperirostris, Broun. Man. N.Z. Coleop. 713, No. 1260.
pallida, Broun. Man. N.Z. Coleop. 714, No. 1261.

Megacolabus, Broun, 1886. sculpturatus, Broun. Man. N.Z. Coleop. 1378, No. 2407.

Aneuma, Pascoe, 1876.
fulvipes, Pascoe. Man. N.Z. Coleop. 455, No. 803.
rubricalis, Broun. Man. N.Z. Coleop. 452, No. 797.
stramineipes, Broun. Man. N.Z. Coleop. 862, No. 1536.
ferruginea, Broun. Man. N.Z. Coleop. 862, No. 1537.
compta, Broun. Man. N.Z. Coleop. 934, No. 1680.

Tysius, Pascoe, 1875.
amplipennis, Pascoe. Man. N.Z. Coleop. 458, No. 809.
purus, Broun. Man. N.Z. Coleop. 1224, No. 2157.

Cyttalia, Pascoe, 1873. dispar, Broun. Man. N.Z. Coleop. 907, No. 1620.

Cænophanus, Broun, 1886. flavipilus, Broun. Man. N.Z. Coleop. 796, No. 1419.

Eugnomus, Schönherr, 1847.

elegans, Pascoe. Man. N.Z. Coleop. 458, No. 810.
picipennis, Pascoe. Man. N.Z. Coleop. 459, No. 811.
fervidus, Pascoe. Man. N.Z. Coleop. 459, No. 812.
wakefieldi, Pascoe. Man. N.Z. Coleop. 459, No. 813.
fucosus, Pascoe. Man. N.Z. Coleop. 459, No. 814.
interstitialis, Broun. Man. N.Z. Coleop. 460, No. 815.

Eugnomus discolor, Broun. Man. N.Z. Coleop. 460, No. 816. cinnamoneus, White. Man. N.Z. Coleop. 461, No. 817. maculosus, Broun. Man. N.Z. Coleop. 715, No. 1264. nubilans, Broun. Man. N.Z. Coleop. 715, No. 1265. fasciatus, Broun. Man. N.Z. Coleop. 716, No. 1266. luctuosus, Broun. Man. N.Z. Coleop. 863, No. 1539. monachus, Broun. Man. N.Z. Coleop. 966, No. 1744. argutus, Sharp. Man. N.Z. Coleop. 1225, No. 2158. nobilis, Broun. Man. N.Z. Coleop. 1225, No. 2159. ænescens, Broun. Man. N.Z. Coleop. 1226, No. 2160. cyaneus, Broun. Man. N.Z. Coleop. 1227, No. 2161. tarsalis, Broun. Man. N.Z. Coleop. 1227, No. 2162. lituratus, Broun. Man. N.Z. Coleop. 1376, No. 2404. squamifer, Broun. Man. N.Z. Coleop. 1376, No. 2405. maurus, Broun. Man. N.Z. Coleop. 1377, No. 2405.

Oreocharis, Broun, 1886.

nigriceps, Broun. Man. N.Z. Coleop. 864, No. 1540. picigularis, Broun. Man. N.Z. Coleop. 865, No. 1541. nigrescens, Broun. Man. N.Z. Coleop. 865, No. 1542. cyanea, Broun. Man. N.Z. Coleop. 716, No. 1267. vittata, Broun. Man. N.Z. Coleop. 1228, No. 2164. dealbata, Broun. Man. N.Z. Coleop. 1228, No. 2165.

Hoplocneme, White, 1846.

hookeri, White. Man. N.Z. Coleop. 461, No. 818.

punctatissima, Pascoe. Man. N.Z. Coleop. 461, No. 819.

squamosa, Broun. Man. N.Z. Coleop. 462, No. 820.

inæqualis, Broun. Man. N.Z. Coleop. 1229, No. 2166.

cyanea, Broun. Man. N.Z. Coleop. 1230, No. 2167.

Stephanorhynchus, White, 1846.
curvipes, White. Man. N.Z. Coleop. 462, No. 821.
brevipennis, Pascoe. Man. N.Z. Coleop. 463, No. 822.
lawsoni, Sharp. Man. N.Z. Coleop. 463, No. 823.
crassus, Broun. Man. N.Z. Coleop. 464, No. 824.
tuberosus, Broun. Man. N.Z. Coleop. 717, No. 1268.
fatuus, Broun. Man. N.Z. Coleop. 718, No. 1269.
griseipictus, Broun. Man. N.Z. Coleop. 866, No. 1543.
nigrosparsus, Broun. Man. N.Z. Coleop. 1230, No. 2168.
insolitus, Broun. Man. N.Z. Coleop. 1231, No. 2169.
costifer, Broun. Man. N.Z. Coleop. 1231, No. 2170.
attelaboides, Fabricius. Ent. Syst. p. 156.

Pactola, Pascoe, 1876.
variabilis, Pascoe. Man. N.Z. Coleop. 465, No. 825.
demissa, Pascoe. Man. N.Z. Coleop. 465, No. 826.
humeralis, Broun. A.M.N.H. 6, xv. 407.

Brexius, Pascoe, 1870. ascitus, Pascoe. Man. N.Z. Coleop. 465, No. 827.

Sub-family APIONINÆ.

Apion, Herbst, 1797. metrosideros, Broun. Man. N.Z. Coleop. 466, No. 828.

Sub-family RHINOMACERINÆ.

Rhinorhynchus, Sharp, 1882. rufulus, Broun. Man. N.Z. Coleop. 467, No. 829.

Sub-family Belinæ.

Pachyura, Hope, 1833.

metallica, Pascoe.
rubicunda, Broun.
sumptuosa, Broun.
albocoma, Broun.
stictica, Broun.
Man. N.Z. Coleop. 469, No. 831.
Man. N.Z. Coleop. 470, No. 832.
Man. N.Z. Coleop. 1233, No. 2172.
Stictica, Broun.
Man. N.Z. Coleop. 1379, No. 2408.

Agathinus, Broun, 1880. tridens, Fabricius. Man. N.Z. Coleop. 471, No. 834.

Sub-family Scolopterinæ.

Scolopterus, White, 1846.

tetracanthus, White. Man. N.Z. Coleop. 472, No. 835æquus, Broun. Man. N.Z. Coleop. 473, No. 836.
penicillatus, White. Man. N.Z. Coleop. 473, No. 837.
pectoralis, Broun. Man. N.Z. Coleop. 474, No. 838.
æneorufus, Broun. Man. N.Z. Coleop. 718, No. 1270.

Icmalius, Broun, 1893. abnormis, Broun. Man. N.Z. Coleop. 908, No. 1623. helmsi, Sharp. Ent. Mon. Mag. xviii. 47.

Nyxetes, Pascoe, 1870. bidens, Fabricius. Man. N.Z. Coleop. 474, No. 839. rufipes, Broun. Man. N.Z. Coleop. 718, No. 1271.

Ancistropterus, White, 1846. quadrispinosus, White. Man. N.Z. Coleop. 475, No. 840brouni, Sharp. Man. N.Z. Coleop. 475, No. 841. pilosus, Broun. Man. N.Z. Coleop. 476, No. 843.

Amylopterus, Broun, 1886. prasinus, Broun. Man. N.Z. Coleop. 797, No. 1420.

Oropterus, White, 1846. coniger, White. Man. N.Z. Coleop. 477, No. 844.

Sub-family Tychiinæ.

Sibinia, Germar, 1824. tychioides, Pascoe. Man. N.Z. Coleop. 478, No. 845. Sub-family CRYPTORHYNCHINÆ.

Psepholax, White, 1846.
sulcatus, White. Man. N.Z. Coleop. 479, No. 846.
granulatus, Broun. Man. N.Z. Coleop. 479, No. 847.
cornutus, Broun. Man. N.Z. Coleop. 479, No. 848.
barbifrons, White. Man N.Z. Coleop. 480, No. 849.
punctulatus, Broun. Man. N.Z. Coleop. 480, No. 850.
rostralis, Broun. Man. N.Z. Coleop. 480, No. 851.
coronatus, White. Man. N.Z. Coleop. 481, No. 852.
femoratus, Broun. Man. N.Z. Coleop. 481, No. 853.
simplex, Pascoe. Man. N.Z. Coleop. 481, No. 854.
mystacinus, Broun. Man. N.Z. Coleop. 866, No. 1544.
mediocris, Broun. Man. N.Z. Coleop. 909, No. 1624.
brevicornis, Broun. Man. N.Z. Coleop. 1382, No. 2413.
crassicornis, Broun. A.M.N.H. 6, xv. 408.

Pseudoreda, Broun, 1893. tibialis, Broun. Man. N.Z. Coleop. 1383 and 482, No. 855.

Oreda, White, 1846. notata, White. Man. N.Z. Coleop. 487, No. 862. brevis, Pascoe. Man. N.Z. Coleop. 487, No. 863. murina, Broun. Man. N.Z. Coleop. 487, No. 864.

Mesoreda, Broun, 1893. setigera, Broun. Man. N.Z. Coleop. 1235 and 488, No. 865. orthorhina, Broun. Man. N.Z. Coleop. 909, No. 1625.

Homoreda, Broun, 1893. punctata, Broun. Man. N.Z. Coleop. 1383, No. 2414.

Aldonus, White, 1846. hylobioides, White. Man. N.Z. Coleop. 483, No. 856. celator, Pascoe. Man. N.Z. Coleop. 483, No. 857. rostratus, Broun. Man. N.Z. Coleop. 483, No. 858.

Nothaldonus, Broun, 1893. peacei, Broun. Man. N.Z. Coleop. 484, No. 859.

Incentia, Broun, 1880. nubila, Broun. Man. N.Z. Coleop. 485, No. 860. straminea, Broun. Man. N.Z. Coleop. 486, No. 861.

Ectopsis, Broun, 1881.
ferrugalis, Broun. Man. N.Z. Coleop. 719, No. 1272.
simplex, Broun. A.M.N.H. 6, xii. 383.

Tychanus, Pascoe, 1876. gibbus, Pascoe. Man. N.Z. Coleop. 498, No. 885. ferrugatus, Pascoe. Man. N.Z. Coleop. 498, No. 886. densus, Broun. Man. N.Z. Coleop. 499, No. 887. verrucosus, Pascoe. Man. N.Z. Coleop. 499, No. 888. Tychanus lachrymosus, Broun. Man. N.Z. Coleop. 729,
No. 1294.
scabiosus, Broun. Man. N.Z. Coleop. 801, No. 1429.
quadratus, Broun. Man. N.Z. Coleop. 867, No. 1545.
ventralis, Broun. Man. N.Z. Coleop. 935, No. 1682.
bufo, Sharp. Man. N.Z. Coleop. 1239, No. 2182.
dux, Broun. Man. N.Z. Coleop. 1240, No. 2183.

Sympedius, Pascoe, 1876.

testudo, Pascoe. Man. N.Z. Coleop. 500, No. 889.
vexatus, Pascoe. Man. N.Z. Coleop. 500, No. 890.
curtus, Broun. Man. N.Z. Coleop. 728, No. 1293.
lepidus, Broun. Man. N.Z. Coleop. 935, No. 1683.

Crisius, Pascoe, 1876.
binotatus, Pascoe.
wariegatus, Broun.
scutellaris, Broun.
binotatus, Broun.
Man. N.Z. Coleop. 501, No. 891.
Man. N.Z. Coleop. 501, No. 892.
Man. N.Z. Coleop. 501, No. 893.
Man. N.Z. Coleop. 1241, No. 2184.
Man. N.Z. Coleop. 1241, No. 2185.
Man. N.Z. Coleop. 1242, No. 2186.
Man. N.Z. Coleop. 1242, No. 2187.
Man. N.Z. Coleop. 1242, No. 2187.
Man. N.Z. Coleop. 1492, No. 2574.

Agacalles, Broun, 1886. formosus, Broun. Man. N.Z. Coleop. 967, No. 1746.

Getacalles, Broun, 1893.
rostralis, Broun. Man. N.Z. Coleop. 1380, No. 2410.
minor, Broun. Man. N.Z. Coleop. 1381, No. 2411.
humeratus, Broun. Man. N.Z. Coleop. 1381, No. 2412.
inæqualis, Broun. Man. N.Z. Coleop. 1493, No. 2575.

Tychanopais, Broun, 1893. pictulus, Broun. Man. N.Z. Coleop. 1380, No. 2410.

Dendrostygnus, Broun, 1895. calcaratus, Broun. A.M.N.H. 6, xv. 410.

Hadracalles, Broun, 1893. fuliginosus, Broun. Man. N.Z. Coleop. 1384, No. 2415.

Acalles, Schönherr, 1826.
intutus, Pascoe. Man. N.Z. Coleop. 489, No. 866.
erroneus, Pascoe. Man. N.Z. Coleop. 489, No. 867.
hystriculus, Pascoe. Man. N.Z. Coleop. 489, No. 868.
impexus, Pascoe. Man. N.Z. Coleop. 490, No. 869.
perpusillus, Pascoe. Man. N.Z. Coleop. 490, No. 870.
trinotatus, Broun. Man. N.Z. Coleop. 491, No. 871.
pascoei, Broun. Man. N.Z. Coleop. 491, No. 872.
signatus, Broun. Man. N.Z. Coleop. 491, No. 873.

Acalles tortipes, Broun. Man. N.Z. Coleop. 492, No. 874. crisioides, Broun. Man. N.Z. Coleop. 492, No. 875. vividus, Broun. Man. N.Z. Coleop. 493, No. 876. Man. N.Z. Coleop. 493, No. 877. certus, Broun. scitus, Broun. Man. N.Z. Coleop. 494, No. 878. ovatellus, Broun. Man. N.Z. Coleop. 720, No. 1273. læviculus, Broun. Man. N.Z. Coleop. 721, No. 1275. Man. N.Z. Coleop. 721, No. 1276. cristatus, Broun. rudis, Broun. Man. N.Z. Coleop. 721, No. 1277. dorsalis, Broun. Man. N.Z. Coleop. 722, No. 1278. volens. Broun. Man. N.Z. Coleop. 722, No. 1279. horridus, Broun. Man. N.Z. Coleop. 723, No. 1280. Man. N.Z. Coleop. 723, No. 1281. rubricus, Broun. spurcus, Broun. Man. N.Z. Coleop. 724, No. 1282. mundus, Broun. Man. N.Z. Coleop. 724, No. 1283. canescens, Broun. Man. N.Z Coleop. 725, No. 1284. arctus, Broun. Man. N.Z. Coleop. 725, No. 1285. vafrus, Broun. Man. N.Z. Coleop. 725, No. 1286. griseus, Broun. Man. N.Z. Coleop. 797, No. 1421. diversus, Broun. Man. N.Z. Coleop. 798, No. 1422. cingulatus, Broun. Man. N.Z. Coleop. 798, No. 1423. sentus, Broun. Man. N.Z. Coleop. 799, No. 1424. latirostris, Broun. Man. N.Z. Coleop. 799, No. 1425. decemcristatus, Broun. Man. N.Z. Coleop. 800, No. 1426. triangulatus, Broun. Man. N.Z. Coleop. 800, No. 1427. huttoni, Brown. Man. N.Z. Coleop. 801, No. 1428. setifer, Broun. Man. N.Z. Coleop. 867, No. 1546. posticalis, Broun. Man. N.Z. Coleop. 868, No. 1547. terricola, Broun. Man. N.Z. Coleop. 934, No. 1681. floricola, Broun. Man. N.Z. Coleop. 966, No. 1745. veratrus, Broun. Man. N.Z. Coleop. 1235, No. 2173. maritimus, Broun. Man. N.Z. Coleop. 1236, No. 2174. cryptobius, Broun. Man. N.Z. Coleop. 1236, No. 2175. ingens, Broun. Man. N.Z. Coleop. 1236, No. 2176. xanthostictus, Broun. Man. N.Z. Coleop. 1237, No. 2177. adamsi, Broun. Man. N.Z. Coleop. 1237, No. 2178. concinnus, Broun. Man. N.Z. Coleop. 1238, No. 2179. australis, Broun. Man. N.Z. Coleop. 1239, No. 2180. mimus, Broun. Man. N.Z. Coleop. 1385, No. 2416. lepirhinus, Broun. Man. N.Z. Coleop. 1385, No. 2417. sympedioides, Broun. Man. N.Z. Coleop. 1386, No. 2418. dolosus, Broun. Man. N.Z. Coleop. 1484, No. 2564. comptus, Broun. Man. N.Z. Coleop. 1486, No. 2565. facilis, Broun. Man. N.Z. Coleop. 1486, No. 2566. quietus, Broun. Man. N.Z. Coleop. 1487, No. 2567. aulacus, Broun. Man. N.Z. Coleop. 1489, No. 2570. allostethus, Broun. Man. N.Z. Coleop. 1490, No. 2571.

Acalles incultus, Broun. Man. N.Z. Coleop. 1490, No. 2572. integer, Broun. A.M.N.H. 6, xii. 374. formosus, Broun. A.M.N.H. 6, xii. 375. ruficollis, Broun. A.M.N.H. 6, xii. 376. porcatus, Broun. A.M.N.H. 6, xii. 377. puncticollis, Broun. A.M.N.H. 6, xii. 378. farinosus, Broun. A.M.N.H. 6, xii. 378. fougeri, Hutton. T.N.Z.I. xxx. 157.

Acallopais, Pascoe. 1877. rudis, Pascoe. Man. N.Z. Coleop. 495, No. 879. sculpturatus, Broun. Man. N.Z. Coleop. 495, No. 880.

Scelodolichus, Broun, 1880.
celsus, Broun. Man. N.Z. Coleop. 496, No. 881.
lineithorax, Broun. Man. N.Z. Coleop. 496, No. 882.
setosus, Broun. Man. N.Z. Coleop. 726, No. 1287.
villosus, Broun. Man. N.Z. Coleop. 726, No. 1288.
denotans, Broun. Man. N.Z. Coleop. 726, No. 1289.
altulus, Broun. Man. N.Z. Coleop. 968, No. 1747.
juncobius, Broun. Man. N.Z. Coleop. 1239, No. 2181.
hilaris, Broun. Man. N.Z. Coleop. 1491, No. 2573.
politus, Broun. A.M.N.H. 6, xv. 412.
squamosus, Broun. A.M.N.H. 6, xv. 413.

Zeacalles, Broun, 1893.
flavescens, Broun. A.M.N.H. 6, xii. 380.
varius, Broun. A.M.N.H. 6, xii. 381.
alpestris, Broun. Man. N.Z. Coleop. 1488, No. 2568.
picatus, Broun. Man. N.Z. Coleop. 1488, No. 2569.

Cyclacalles, Broun, 1880. setiger, Broun. Man. N.Z. Coleop. 497, No. 883. vestitus, Broun. Man. N.Z. Coleop. 497, No. 884.

Schylus, Broun, 1895. nigricollis, Broun. A.M.N.H. 6, xv. 412.

Metacalles, Broun, 1893.

aspersus, Broun. A.M.N.H. 6, xii. 382.
rugicollis, Broun. A.M.N.H. 6, xii. 383.
cordipennis, Broun. Man. N.Z. Coleop. 720, No. 1274.
latus, Broun. Man. N.Z. Coleop. 727, No. 1290.
crinitus, Broun. Man. N.Z. Coleop. 727, No. 1291.
exiguus, Broun. Man. N.Z. Coleop. 728, No. 1292.

Dermothrius, Broun, 1882. sanguineus, Broun. Man. N.Z. Coleop. 730, No. 1295.

Euthryhinus, Schönherr, 1837. squamiger, White. Man. N.Z. Coleop. 503, No. 896. Rhyncodes, White, 1846. ursus, White. Man. N.Z. Coleop. 502, No. 894. saundersi, White. Man. N.Z. Coleop. 503, No. 895. squameus, Broun. Man. N.Z. Coleop. 730, No. 1296. atrus, Broun. Man. N.Z. Coleop. 802, No. 1430. weberi, Colenso. T.N.Z.I. xiv. 281.

Mitrastethus, Redtenbacher, 1868. bituberculatus, Fabricius. Man. N.Z. Coleop. 504, No. 897.

Paranomocerus, Redtenbacher, 1868. spiculus, Redtenbacher. Man. N.Z. Coleop. 505, No. 898. maurus, Broun. Man. N.Z. Coleop. 505, No. 899.

Idotasia, Pascoe, 1871. egena, Pascoe. Man. N.Z. Coleop. 506, No. 900.

rubipunctatus, Colenso. T.N.Z.I. xiv. 282.

Mecistostylus, Lacordaire, 1866. douei, Lacordaire. Gen. Col. vii.

Sympiezoscelus, Waterhouse, 1853. spencei, Waterhouse. Trans. Ent. Soc. 2, ii. 204.

Sub-family Cossoninæ.

Pentarthrum, Wollaston, 1854.

apicale, Broun. Man. N.Z. Coleop. 509, No. 906.
sculpturatum, Broun. Man. N.Z. Coleop. 731, No. 1297.
rufum, Broun. Man. N.Z. Coleop. 510, No. 908.
confinis, Broun. Man. N.Z. Coleop. 732, No. 1299.
asperellum, Broun. Man. N.Z. Coleop. 733, No. 1301.
punctatissimum, Broun. Man. N.Z. Coleop. 1246, No.

porcatum, Sharp. Man. N.Z. Coleop. 1248, No. 2198. antennale, Broun. A.M.N.H. 6, xv. 415. zealandicum, Wollaston. Man. N.Z. Coleop. 508, No. 903. subsericatum, Wollaston. Man. N.Z. Coleop. 509, No. 905. cylindricum, Wollaston. Trans. Ent. Soc. 2, v. 398. punctirostre, Broun. Man. N.Z. Coleop. 733, No. 1300. melanosternum, Broun. Man. N.Z. Coleop. 733, No. 1300. melanosternum, Broun. Man. N.Z. Coleop. 1243, No. 2189. amicum, Broun. Man. N.Z. Coleop. 1247, No. 2195. brunneum, Broun. Man. N.Z. Coleop. 510, No. 907. brevirostre, Sharp. Man. N.Z. Coleop. 512, No. 911. ruficorne, Broun. Man. N.Z. Coleop. 734, No. 1304. rugirostre, Broun. Man. N.Z. Coleop. 734, No. 1303. punctatum, Broun. Man. N.Z. Coleop. 515, No. 925. piceum, Broun. Man. N.Z. Coleop. 515, No. 919. reductum, Broun. Man. N.Z. Coleop. 511, No. 909.

Pentarthrum longirostre, Wollaston. Man. N.Z. Coleop. 508, No. 904. morosum, Broun. Man. N.Z. Coleop. 969, No. 1749. fulvum, Broun. Man. N.Z. Coleop. 1243, No. 2188. crenatum, Broun. Man. N.Z. Coleop. 804, No. 1431. lateritium, Broun. Man. N.Z. Coleop. 518, No. 924. exile, Broun. Man. N.Z. Coleop. 1245, No. 2193. nubilum, Broun. Man. N.Z. Coleop. 1244, No. 2191. aurantiacum, Broun. Man. N.Z. Coleop. 1245, No. 2192. macrocephalum, Broun. Man. N.Z. Coleop. 869, No. 1549. diversum, Broun. Man. N.Z. Coleop. 1244, No. 2190. cephalotes, Sharp. Man. N.Z. Coleop. 1247, No. 2197. angustum, Broun. Man. N.Z. Coleop. 910, No. 1626. proximum, Broun. Man. N.Z. Coleop. 910, No. 1627. spadiceum, Broun. Man. N.Z. Coleop. 911, No. 1628. servulum, Broun. Man. N.Z. Coleop. 911, No. 1629. comatum, Broun. Man. N.Z. Coleop. 968, No. 1748. philpotti, Broun. A.M.N.H. 6, xv. 415. helmsianum, Sharp. Man. N.Z. Coleop. 1247, No. 2196.

Sericotrogus, Wollaston, 1873.
subænescens, Wollaston. Man. N.Z. Coleop. 521, No. 929.
ovicollis, Broun. Man. N.Z. Coleop. 522, No. 931.
stramineus, Broun. Man. N.Z. Coleop. 523, No. 932.
simulans, Sharp. Man. N.Z. Coleop. 523, No. 933.
vestitus, Broun. Man. N.Z. Coleop. 514, No. 916.
auricomus, Broun. Man. N.Z. Coleop. 733, No. 1302.

Eucossonus, Broun, 1886.

comptus, Broun. Man. N.Z. Coleop. 870, No. 1550.
elegans, Broun. Man. N.Z. Coleop. 1386, No. 2419.
gracilis, Broun. Man. N.Z. Coleop. 1387, No. 2420.
setiger, Sharp. Man. N.Z. Coleop. 523, No. 934.
castus, Broun. Man. N.Z. Coleop. 736, No. 1307.

Agastegnus, Broun, 1886.
ruficollis, Broun.
coloratus, Broun.
femoralis, Broun.
sericatus, Broun.
nitidirostris, Broun.
longipes, Broun.
Man. N.Z. Coleop. 970, No. 1751.
Man. N.Z. Coleop. 970, No. 1752.
Man. N.Z. Coleop. 1250, No. 2202.
Man. N.Z. Coleop. 1388. No. 2421.
Man. N.Z. Coleop. 522, No. 930.

Microtribus, Wollaston, 1873. huttoni, Wollaston. Man. N.Z. Coleop. 527, No. 937. pictonensis, Sharp. Man. N.Z. Coleop. 1250, No. 2203.

Mesoxenophasis, Wollaston, 1874. brouni, Wollaston. Man. N.Z. Coleop. 525, No. 935. Entium, Sharp, 1878.

aberrans, Sharp. Man. N.Z. Coleop. 520, No. 927.

Agrilochilus, Broun, 1880.

prolixus, Broun. Man. N.Z. Coleop. 521, No. 928.

Novitas, Broun, 1880.

rufus, Broun. Man. N.Z. Coleop. 528, No. 938. nigrans, Broun. A.M.N.H. 6, xii. 385; Man. N.Z. Coleop. 528, No. 939.

dispar, Broun. Man. N.Z. Coleop. 1251, No. 2204.

Rhinanisus, Broun, 1886.

fulvicornis, Broun.
parvicornis, Sharp.
contiguus, Broun.
confertum, Sharp.
constrictus, Sharp.
cheesemani, Broun.
sagax, Broun.

Man. N.Z. Coleop. 512, No. 912.
Man. N.Z. Coleop. 513, No. 913.
Man. N.Z. Coleop. 517, No. 923.
Man. N.Z. Coleop. 1248, No. 2199.
Man. N.Z. Coleop. 1249, No. 2200.
Man. N.Z. Coleop. 1249, No. 2201.
Sagax, Broun.

Man. N.Z. Coleop. 969, No. 1750.

Macroscytalus, Broun, 1886.

laticollis, Broun. Man. N.Z. Coleop. 737, No. 1308. russulus, Broun. Man. N.Z. Coleop. 737, No. 1309. remotus, Sharp. Man. N.Z. Coleop. 513, No. 914. æneopiceus, Broun. Man. N.Z. Coleop. 513, No. 915. badius, Broun. Man. N.Z. Coleop. 516, No. 920. frontalis, Broun. A.M.N.H. 6, xii. 386.

Bæorhopalus, Broun, 1886.

glabrus, Broun. Man. N.Z. Coleop. 735, No. 1305.

Glyphoramphus, Broun, 1886.

rarus, Broun. Man. N.Z. Coleop. 971, No. 1753.

Camptoscapus, Broun, 1893. sanguineus, Broun. A.M.N.H. 6, xii. 385. planiusculus, Broun. Man. N.Z. Coleop. 511, No. 910conicollis, Broun. Man. N.Z. Coleop. 735, No. 1306.

Idus, Broun, 1893. cæcus, Broun. Man. N.Z. Coleop. 1494, No. 2576.

Heteropsis, Wollaston, 1873. lawsoni, Wollaston. Man. N.Z. Coleop. 529, No. 940.

Proconus, Broun, 1886.

asperirostris, Broun. Man. N.Z. Coleop. 516, No. 921. crassipes, Broun. Man. N.Z. Coleop. 912, No. 1631.

Diöedimorpha, Broun, 1886. wollastonianum, Sharp. Man. N.Z. Coleop. 514, No. 917debile, Sharp. Man. N.Z. Coleop. 514, No. 918.

Arecocryptus, Broun, 1903 (substituted for *Canthorhynchus*). bellus, Broun. Man. N.Z. Coleop. 526, No. 936.

Phlæophagosoma, Wollaston, 1873.
corvinum, Wollaston. Man. N.Z. Coleop. 530, No. 941.
thoracicum, Wollaston. Man. N.Z. Coleop. 531, No. 943.
dilutum, Wollaston. Man. N.Z. Coleop. 531, No. 944.
pedatum, Wollaston. Man. N.Z. Coleop. 532, No. 945.
rugipenne, Broun. Man. N.Z. Coleop. 738, No. 1310.
abdominale, Broun. Man. N.Z. Coleop. 738, No. 1311.
serenum, Broun. Man. N.Z. Coleop. 1251, No. 2205.

Eutornus, Wollaston, 1873.
dubius, Wollaston. Man. N.Z. Coleop. 534, No. 948.
vicinus, Broun. Man. N.Z. Coleop. 535, No. 949.
breviceps, Broun. Man. N.Z. Coleop. 535, No. 950.
amplus, Broun. Man. N.Z. Coleop. 535, No. 951.
littoralis, Broun. Man. N.Z. Coleop. 536, No. 952.
cylindricus, Broun. Man. N.Z. Coleop. 1252, No. 2206
parvulus, Broun. Man. N.Z. Coleop. 1253, No. 2207

Arecophaga, Broun, 1880. varia, Broun. Man. N.Z. Coleop. 534, No. 947.

Pogonohrinus, Broun, 1903 (substituted for Sasiorhinus, 1880). opacus, Broun. Man. N.Z. Coleop. 533, No. 946.

Euodontus, Broun, 1886. punctithorax, Broun. Man. N.Z. Coleop. 808, No. 1434.

Exomesites, Broun, 1886. optimus, Broun. Man. N.Z. Coleop. 972, No. 1754.

Stilbocara, Broun, 1893. nitida, Broun. A.M.N.H. 6, xii. 387. constricticollis, Broun. Man. N.Z. Coleop. 530, No. 942.

Allaorus, Broun, 1893.
urquharti, Broun. Man. N.Z. Coleop. 1495; No. 2577.
pedatus, Broun. Man. N.Z. Coleop. 1496, No. 2578.
sternalis, Broun. Man. N.Z. Coleop. 1496, No. 2579.
ovatus, Broun. Man. N.Z. Coleop. 1497, No. 2580.
pyriformis, Broun. Man. N.Z. Coleop. 1223, No. 2154.
rugosus, Broun. Man. N.Z. Coleop. 1223, No. 2155.
versutus, Broun. Man. N.Z. Coleop. 447, No. 788.

Pselactus, Broun, 1886. punctatus, Broun. Man. N.Z. Coleop. 972, No. 1755

Xenocnema, Wollaston, 1873. spinipes, Wollaston. Man. N.Z. Coleop. 537, No. 953.

Inosomus, Broun, 1903 (substituted for *Stenopus*, 1880). rufopiceus, Broun. Man. N.Z. Coleop. 739, No. 1312.

Family Scolytidæ. Sub-family Scolytinæ.

Pachycotes, Sharp, 1877. ventralis, Sharp. Man. N.Z. Coleop. 538, No. 954.

Hylastes, Erichson, 1836. peregrinus, Chapuis. Man. N.Z. Coleop. 539, No. 955.

Acrantus, Broun, 1903 (substituted for *Homarus*, 188τ). mundulus, Broun. Man. N.Z. Coleop. 740, No. 1313. opacus, Broun. A.M.N.H. 6, xv. 417.

Dendrotrupes, Broun, 1881. vestitus, Broun. Man. N.Z. Coleop. 741, No. 1314. costiceps, Broun. Man. N.Z. Coleop. 741, No. 1315.

Tomicus, Latreille, 1810. asper, Broun. Man. N.Z. Coleop. 742, No. 1316.

Mesoscolytus, Broun, 1903 (substituted for *Apate*).
inurbanus, Broun. Man. N.Z. Coleop. 346, No. 629.

Sub-family PLATYPIDE.

Platypus, Herbst, 1793.
douei, Reich. Man. N.Z. Coleop. 540, No. 956.
apicalis, White. Man. N.Z. Coleop. 541, No. 957.
caviceps, Broun. Man. N.Z. Coleop. 541, No. 958.
castaneus, Broun. Man. N.Z. Coleop. 542, No. 959.
lobatus, Broun. Man. N.Z. Coleop. 1253, No. 2208.
gracilis, Broun. Man. N.Z. Coleop. 1254, No. 2209.

Family BRENTHIDÆ.

Lasiorhynchus, Lacordaire, 1866. barbicornis, Fabricius. Man. N.Z. Coleop. 544, No. 961. cylindricornis, Fabricius. Man. N.Z. Coleop. 543, No. 960.

Family Anthribidæ.

Anthribus, Geoffroy, 1762.

spinifer, Sharp. Man. N.Z. Coleop. 545, No. 962.
sharpi, Broun. Man. N.Z. Coleop. 546, No. 963.
brouni, Sharp. Man. N.Z. Coleop. 547, No. 964.
sandageri, Broun. Man. N.Z. Coleop. 1261, No. 2224.
obsoletus, Broun. Man. N.Z. Coleop. 1262. No.
rudis, Sharp. Man. N.Z. Coleop. 547, No. 965.
bullatus, Sharp. Man. N.Z. Coleop. 548, No. 966.
vates, Sharp. Man. N.Z. Coleop. 548, No. 967.
inornatus, Sharp. Man. N.Z. Coleop. 1255, No. 2212.
concolor, Sharp. Man. N.Z. Coleop. 1256, No. 2213.
brunneus, Broun. Man. N.Z. Coleop. 1262, No. 2225.
flavipilus, Broun. A.M.N.H. 6, xv. 417.

Anthribus tessellatus, Broun. Man. N.Z. Coleop. 1263, No. 2226.

curvatus, Broun. Man. N.Z. Coleop. 1263, No. 2227. lanuginosus, Broun. Man. N.Z. Coleop. 549, No. 968. phymatodes, Redtenbacher. Man. N.Z. Coleop. 550,

No. 969.

hetæra, Sharp. Man. N.Z. Coleop. 550, No. 970. discedens, Sharp. Man. N.Z. Coleop. 551, No. 971. altus, Sharp. Man. N.Z. Coleop. 551, No. 972. ornatus, Sharp. Man. N.Z. Coleop. 552, No. 973. huttoni, Sharp. Man. N.Z. Coleop. 553, No. 974. decens, Broun. Man. N.Z. Coleop. 1264, No. 2228. finitimus, Broun. Man. N.Z. Coleop. 1264, No. 2229. anxius, Broun. Man. N.Z. Coleop. 1265, No. 2230. lætabilis, Broun. Man. N.Z. Coleop. 1265, No. 2231. deterius, Broun. Man. N.Z. Coleop. 1266, No. 2232. impar, Broun. Man. N.Z. Coleop. 1266, No. 2233. picipictus, Broun. Man. N.Z. Coleop. 742, No. 1317. nigrescens, Broun. Man. N.Z. Coleop. 743, No. 1318. torulosus, Broun. Man. N.Z. Coleop. 743, No. 1319. crassus, Sharp. Man. N.Z. Coleop. 560, No. 983. nanus, Sharp. Man. N.Z. Coleop. 561, No. 984. atomus, Sharp. Man. N.Z. Coleop. 561, No. 985. purpureus, Broun. Man. N.Z. Coleop. 559, No. 982. minor, Broun. Man. N.Z. Coleop. 1260, No. 2221. fungicola, Broun. Man. N.Z. Coleop. 1261, No. 2222. thoracicus, Broun. Man. N.Z. Coleop. 1261, No. 2223.

Exilis, Pascoe, 1873 (= Lawsonia, Sharp). lawsoni, Sharp. Man. N.Z. Coleop. 556, No. 978. variabilis, Sharp. Man. N.Z. Coleop. 557, No. 979.

Arecopais, Broun, 1893. spectabilis, Broun. Man. N.Z. Coleop. 558, No. 980.

Proscoporhinus, Montrouzier, 1860. meinertzhageni, Broun. Man. N.Z. Coleop. 563, No. 989signatus, Broun. Man. N.Z. Coleop. 1268, No. 2234. viridescens, Broun. Man. N.Z. Coleop. 1269, No. 2235. albifrons, Sharp. Man. N.Z. Coleop. 1269, No. 2236.

Etnalis, Sharp, 1873. spinicollis, Sharp. Man. N.Z. Coleop. 554, No. 975.

Eugonissus, Broun, 1893. pictipes, Broun. Man. N.Z. Coleop. 1257, No. 2215. conulus, Broun. Man. N.Z. Coleop. 555, No. 976. proximus, Broun. Man. N.Z. Coleop. 555, No. 977.

Dysnocryptus, Broun, 1893. plagiatus, Broun. Man. N.Z. Coleop. 1258, No. 2216. Dysnocryptus testaceus, Broun. Man. N.Z. Coleop. 1259, No. 2217.

pallidus, Broun. Man. N.Z. Coleop. 1259, No. 2218. maculifer, Broun. Man. N.Z. Coleop. 1260, No. 2219. nigricans, Broun. Man. N.Z. Coleop. 1260, No. 2220. inflatus, Sharp. Man. N.Z. Coleop. 562, No. 986. dignus, Broun. Man. N.Z. Coleop. 563, No. 987. rugosus, Sharp. Man. N.Z. Coleop. 563, No. 988.

Aræocerus, Pascoe, 1876. pardalis, Pascoe. Man. N.Z. Coleop. 559, No. 981.

Xenanthribus, Broun, 1893. hirsutus, Broun. Man. N.Z. Coleop. 1270, No. 2237.

> Order Hemiptera. Sub-order Heteroptera. Family Pentatomidæ. Sub-family Asopinæ.

Œchalia, Stål, 1862. schellembergii, Guérin. · Hutton, T.N.Z.I. xxx. 169.

Cermatulus, Dall, 1851. nasalis, Westwood. Hutton, T.N.Z.I. xxx. 170.

Sub-family Sciocorinæ.

Dictyotus, Dall, 1851. vilis, Walker. Hutton, T.N.Z.I. xxx. 170.

Sub-family Pentatominæ.

Nezara, Amyot and Serville, 1843.

amoyti, White. Hutton, T.N.Z.I. xxx. 170.

Sub-family HALYDINÆ.

Platycoris, Guérin, 1830. immarginatus, Dallas. Hutton, T.N.Z.I. xxx. 171.

Sub-family Acanthosomatinæ.

Rhopalimorpha, obscura, White. Hutton, T.N.Z.I. xxx. 171.

Anubis, Stål, 1864. vittatus, Fabricius. Hutton, T.N.Z.I. xxx. 171.

Sub-family CYDNINÆ.

Geotomus, Mulsant, 1866. leptospermi, White. Hutton, T.N.Z.I. xxx. 172.

Pangœus, Stål, 1862. scotti, Signoret. Hutton, T.N.Z.I. xxx. 172. Chœrocydnus, White, 1841. nigrosignatus, Buchanan-White. Hutton, T.N.Z.I. xxx. 172-

Family LYGÆIDÆ. Sub-family BERYTINÆ.

Neides, Latreille, 1802. wakefieldi, Buchanan-White. Hutton, T.N.Z.I. xxx. 172.

Sub-family Lygæinæ.

Arocatus, Spinola, 1337. ruficollis, Walker. Hutton, T.N.Z.I. xxx. 173.

Nysius, Dall, 1832.

zealandicus, Dallas. Hutton, T.N.Z.I. xxx. 173.
anceps, Buchanan-White. Hutton, T.N.Z.I. xxx. 173.
huttoni, Buchanan-White. Hutton, T.N.Z.I. xxx. 173.

Paresuris, Reuter, 1890. helmsi, Reuter. Hutton, T.N.Z.I. xxx. 173.

Sub-family PACHYMERINÆ.

Plociomerus, Luy, 1831. inornatus, Walker. Hutton, T.N.Z.I. xxx. 174.

Metagerra, Buchanan-White, 1878. obscura, Buchanan-White. Hutton, T.N.Z.I. xxx. 174.

Targarema, Buchanan-White, 1878. electa, Buchanan-White. Hutton, T.N.Z.I. xxx. 174. ståli, Buchanan-White. Hutton, T.N.Z.I. xxx. 174.

Margareta, Buchanan-White, 1878. dominica, Buchanan-White. Hutton, T.N.Z.I. xxx. 174.

Scolopostethus, Fieber, 1861.
putoni, Buchanan-White. Hutton, T.N.Z.I. xxx. 175.

Family PHYMATIDÆ.

Phymata, Latreille, 1802. feredayi, Scott. Hutton, T.N.Z.I. xxx. 175. conspicua, Scott. Hutton, T.N.Z.I. xxx. 175.

Family ARADINIDÆ.

Aradus, Fabricius, 1803. australis, Erichson. Hutton, T.N.Z.I. xxx. 175.

Ctenoneurus, Bergroth, 1888. hochstetteri, Mayr. Hutton, T.N.Z.I. xxx. 175; Distant, A.M.N.H. 7, xi. 361.

Aneurus, Curtis, 1825. brouni, Buchanan-White. Hutton, T.N.Z.I. xxx. 175. Family HYDROMETRIDÆ.

Hydroessa, Burmeister, 1835. macgregori, Kirkaldy. Rev. Ent. France, xviii. 91 (1899).

Family Capsidæ.

Megalocerœa, Fieber, 1858. reuteriana, Buchanan-White. Hutton, T.N.Z.I. xxx. 176.

Morna, Buchanan-White, 1878.
capsoides, Buchanan-White. Hutton, T.N.Z.I. xxx. 176.
scotti, Buchanan-White. Hutton, T.N.Z.I. xxx. 177.

Reuda, Buchanan-White, 1878. mayri, Buchanan-White. Hutton, T.N.Z.I. xxx. 177.

Capsus, Fabricius, 1803.
laticinctus, Walker. Hutton, T.N.Z.I. xxx. 177.
ustulatus, Walker. Hutton, T.N.Z.I. xxx. 177.

Leptomerocoris, Kirschb, 1855. maoricus, Walker. Hutton, T.N.Z.I. xxx. 177.

Family ANTHOCORIDÆ.

Cardiastethus, Buchanan-White, 1875 (?).
brounianus, Buchanan-White. Hutton, T.N.Z.I. xxx. 178.
consors, Buchanan-White. Hutton, T.N.Z.I. xxx. 178.
poweri, Buchanan-White. Hutton, T.N.Z.I. xxx. 178.

Family REDUVIDÆ.

Pirates, Burmeister, 1835. ephippigera, White. Hutton, T.N.Z.I. xxx. 178.

Family Emesidæ.

Emesodema, Spinola, 1837. huttoni, Scott. Hutton, T.N.Z.I. xxx. 179.

Family Nabidæ.

Nabis, Latreille, 1802. saundersi, Buchanan-White. Hutton, T.N.Z.I. xxx. 178. maoricus, Walker. Hutton, T.N.Z.I. xxx. 178.

Family SALDIDÆ.

Salda, Fabricius, 1803.

australis, Buchanan-White. Hutton, T.N.Z.I. xxx. 179.
bulteri, Buchanan-White. Hutton, T.N.Z.I. xxx. 179.
lælaps, Buchanan-White. Hutton, T.N.Z.I. xxx. 179.

Family Notonectidæ.

Anisops, Spinola, 1837. wakefieldi, Buchanan-White. Hutton, T.N.Z.I. xxx. 179. assimilis, Buchanan-White. Hutton, T.N.Z.I. xxx. 180. Family Corixidæ.

Corixa, Geoffroy, 1762. arguta, Buchanan-White. Hutton, T.N.Z.I. xxx. 180.

Family SIGARIIDÆ. Diaprepocoris, Kirkaldy, 1897. barycephala, Kirkaldy, A.M.N.H. 6, xx. 53.

> Sub-order Homoptera. Series Trimera. © Family CICADIDÆ.

Melampsalta, Amyot, 1847.

Scutellaris, Walker. Hutton, T.N.Z.I. xxx. 181. O cingulata, Fabricius. Hutton, T.N.Z.I. xxx. 182.

Oobscura, Hudson. Hutton, T.N.Z.I. xxx. 182. o muta, Fabricius. Hutton, T.N.Z.I. xxx. 182.

Ocutora, Walker. Hutton, T.N.Z.I. xxx. 182.

O cruentata, Fabricius. Hutton, T.N.Z.I. xxx. 182. O sericea, Walker. Hutton, T.N.Z.I. xxx. 183.

o flavescens, Hudson. Hutton, T.N.Z.I. xxx. 183.

Oangusta, Walker. Hutton, T.N.Z.I. xxx. 183. o cincta, Walker. Hutton, T.N.Z.I. xxx. 183. Oiolanthe, Hudson. Hutton, T.N.Z.I. xxx. 183.

o nervosa, Walker. Hutton, T.N.Z.I. xxx. 183. mangu, Buchanan-White. Hutton, T.N.Z.I. xxx. 184.

Ocassiope, Hudson. Hutton, T.N.Z.I. xxx. 184.

Family CERCOPIDÆ.

Sub-family APHROPHORINÆ.

Aphrophora, Germar, 1821. Ojactator, Buchanan-White. Hutton, T.N.Z.I. xxx. 184.

O Phlænus, Stål, 1864. fingens, Walker. Hutton, T.N.Z.I. xxx. 184. Subvirescens, White. Hutton, T.N.Z.I. xxx. 184. Ctrimaculatus, White. Hutton, T.N.Z.I. xxx. 184.

Family JASSIDÆ.

ODorydium, Burmeister, 1835. westwoodi, Buchanan-White. Hutton, T.N.Z.I. xxx. 185.

Athysanus, Burmeister, 1835. Onegatus, Buchanan-White. Hutton, T.N.Z.I. xxx. 185.

> Family Fulgoride. Sub-family CIXIINÆ.

Cixius, Latreille, 1804.

o interior, Walker. Hutton, T.N.Z.I. xxx. 185.

o punctimargo, Walker. Hutton, T.N.Z.I. xxx. 186.

- Cixius rufifrons, Walker. Hutton, T.N.Z.I. xxx. 186.
 aspilus, Walker. Hutton, T.N.Z.I. xxx. 186.
- Oliarus, Stål, 1862.
 - oppositus, Walker. Hutton, T.N.Z.I. xxx. 186.
 - o marginalis, Walker. Hutton, T.N.Z.I. xxx. 186.
- Aka, Buchanan-White, 1879.
 - o finitima, Walker. Hutton, T.N.Z.I. xxx. 186.
- o Semo, Buchanan-White, 1879.
 - oclypeatus, Buchanan-White. Hutton, T.N.Z.I. xxx. 187.
 - © Sub-family Achilinæ.

Agandecca, Buchanan-White, 1879.

✓ annectens, Buchanan-White. Hutton, T.N.Z.I. xxx. 187.

Sub-family Delphacinæ.

Ocona, Buchanan-White, 1879.

o cælata, Buchanan-White. Hutton, T.N.Z.I. xxx. 187.

Series DIMERA.
Family PSYLLIDÆ.
Sub-family APHALARINÆ.

Rhinocola, Förster, 1848. eucalypti, Maskell. T.N.Z.I. xxii. 160. fuchsiæ, Maskell. T.N.Z.I. xxii. 162.

Sub-family TRIOZINÆ.

Trioza, Förster, 1848.

pellucida, Maskell. T.N.Z.I. xxii. 164.

panacis, Maskell. T.N.Z.I. xxii. 167.

Family ALEURODIDÆ.

Aleurodes, Amyot and Serville, 1843.
papillifer, Maskell. T.N.Z.I. xxii. 173.
asplenii, Maskell. T.N.Z.I. xxii. 173.
melicyti, Maskell. T.N.Z.I. xxii. 174.
fagi, Maskell. T.N.Z.I. xxii. 175.
simplex, Maskell. T.N.Z.I. xxiii. 175.
cerata, Maskell. T.N.Z.I. xxviii. 425.
fodiens, Maskell. T.N.Z.I. xxviii. 433.

Series Monomera. Family Coccidæ. Sub-family Diaspidinæ.

Aspidiotus, Bouché, 1834. atherospermæ, Maskell. T.N.Z.I. xxvii. 1. carpodeti, Maskell. T.N.Z.I. xxvii. 2. Aspidiotus corokiæ, Maskell. T.N.Z.I. xxvii. 3. dysoxyli, Maskell. T.N.Z.I. xxvii. 3. sophoræ, Maskell. T.N.Z.I. xxvii. 4.

Diaspis, Costa, 1836. santali, Maskell. T.N.Z.I. xxvii. 5.

Mytilaspis, Targioni-Tozzetti, 1868.
cordylinidis, Maskell. T.N.Z.I. xxvii. 6.
drimydis, Maskell. T.N.Z.I. xxvii. 6.
epiphytidis, Maskell. T.N.Z.I. xxvii. 6.
intermedia, Maskell. T.N.Z.I. xxvii. 7.
lactea, Maskell. T.N.Z.I. xxvii. 7.
leptospermi, Maskell. T.N.Z.I. xxvii. 7.
metrosideri, Maskell. T.N.Z.I. xxvii. 7.
phymatodidis, Maskell. T.N.Z.I. xxvii. 7.
pyriformis, Maskell. T.N.Z.I. xxvii. 7.

Poliaspis, Maskell, 1879. media, Maskell. T.N.Z.I. xxvii. 9.

Chionaspis, Signoret, 1869. dubia, Maskell. T.N.Z.I. xxvii. 9. dysoxyli, Maskell. T.N.Z.I. xxvii. 9. minor, Maskell. T.N.Z.I. xxvii. 10.

Fiorinia, Signoret, 1869.
asteliæ, Maskell. T.N.Z.I. xxvii. 10.
grossulariæ, Maskell. T.N.Z.I. xxvii. 11.
minima, Maskell. T.N.Z.I. xxvii. 11.
stricta, Maskell. T.N.Z.I. xxvii. 11.

Sub-family Lecaninæ.

Lecanochiton, Maskell, 1881.

metrosideri, Maskell. T.N.Z.I. xxvii. 11.
minor, Maskell. T.N.Z.I. xxvii. 11.

Ctenochiton, Maskell, 1878.
dacrydii, Maskell. T.N.Z.I. xxvii. 12.
depressus, Maskell. T.N.Z.I. xxvii. 12.
elæocarpi, Maskell. T.N.Z.I. xxvii. 12.
elongatus, Maskell. T.N.Z.I. xxvii. 12.
flavus, Maskell. T.N.Z.I. xxvii. 13.
fuscus, Maskell. T.N.Z.I. xxvii. 13.
hymenantheræ, Maskell. T.N.Z.I. xxvii. 13.
perforatus, Maskell. T.N.Z.I. xxvii. 13.
piperis, Maskell. T.N.Z.I. xxvii. 13.
viridis, Maskell. T.N.Z.I. xxvii. 13.

Inglisia, Maskell, 1878. fagi, Maskell. T.N.Z.I. xxvii. 13. Inglisia inconspicua, Maskell. T.N.Z.I. xxvii. 14. leptospermi, Maskell. T.N.Z.I. xxvii. 14. ornata, Maskell. T.N.Z.I. xxvii. 14. patella, Maskell. T.N.Z.I. xxvii. 14.

Lecanium, Burmeister, 1835. cassiniæ, Maskell. T.N.Z.I. xxvii. 15.

Eriochiton, Maskell, 1878. hispidus, Maskell. T.N.Z.I. xxvii. 18. spinosus, Maskell. T.N.Z.I. xxvii. 18.

Sub-family Coccinæ.

Solenophora, Maskell, 1889. corokiæ, Maskell. T.N.Z.I. xxvii. 19. fagi, Maskell. T.N.Z.I. xxvii. 19.

Planchonia, Signoret, 1870. epacridis, Maskell. T.N.Z.I. xxvii. 19.

Rhizococcus, Signoret, 1875.
celmisiæ, Maskell. T.N.Z.I. xxvii. 20.
fossor, Maskell. T.N.Z.I. xxvii. 20.
intermedius, Maskell. T.N.Z.I. xxvii. 20.
maculatus, Maskell. T.N.Z.I. xxvii. 20.
pulchellus, Maskell. T.N.Z.I. xxvii. 21.
totaræ, Maskell. T.N.Z.I. xxvii. 21.

Gossyparia, Signoret, 1875. cavellii, Maskell. T.N.Z.I. xxvii. 21.

Eriococcus, Targioni-Tozzetti.
danthoniæ, Maskell. T.N.Z.I. xxvii. 22.
fagicorticus, Maskell. T.N.Z.I. xxvii. 22.
hoheriæ, Maskell. T.N.Z.I. xxvii. 22.
multispinus, Maskell. T.N.Z.I. xxvii. 22.
pallidus, Maskell. T.N.Z.I. xxvii. 22.
phyllocladi, Maskell. T.N.Z.I. xxvii. 23.
raithbyi, Maskell. T.N.Z.I. xxvii. 23.

Ripersia, Signoret, 1874.
fagi, Maskell. T.N.Z.I. xxvii. 23.
formicicola, Maskell. T.N.Z.I. xxvii. 23; Smith, T.N.Z.I. xxviii. 474.
rumicus, Maskell. T.N.Z.I. xxvii. 24.

Dactylopius, Costa, 1836.
alpinus, Maskell. T.N.Z.I. xxvii. 24.
arecæ, Maskell. T.N.Z.I. xxvii. 24; Smith, T.N.Z.I. xxviii. 470.
aurilanatus, Maskell. T.N.Z.I. xxvii. 24.
calceolariæ, Maskell. T.N.Z.I. xxvii. 24.

Dactylopius glaucus, Maskell. T.N.Z.I. xxvii. 25iceryoides, Maskell. T.N.Z.I. xxvii. 25. obtectus, Maskell. T.N.Z.I. xxvii. 26. poæ, Maskell. T.N.Z.I. xxvii. 26.

Pseudococcus, Westwood, 1848. asteliæ, Maskell. T.N.Z.I. xxvii. 26.

Sub-family Monophlebinæ.

Leachia, Signoret, 1875. zealandica, Maskell. T.N.Z.I. xxvii. 29.

Cœlostoma, Maskell, 1879. assimile, Maskell. T.N.Z.I. xxvii. 29. compressum, Maskell. T.N.Z.I. xxvii. 29. pilosum, Maskell. T.N.Z.I. xxvii. 29. wairoense, Maskell. T.N.Z.I. xxvii. 30. zealandicum, Maskell. T.N.Z.I. xxvii. 30.

Icerya, Signoret, 1874. purchasi, Maskell. T.N.Z.I. xxvii. 30.

> Sub-order Anoplura. Family PEDICULIDÆ.

Echinophthirius, Gieb, 1871. microchir, Trouessart. La Nature, 2, ii. 80.

> Order NEUROPTERA. Series TRICHOPTERA. Family Sericostomatidæ.

Œconesus, McLachlan, 1862. maori, McLachlan. Hutton, T.N.Z.I. xxxi. 235.

Pseudæconesus, McLachlan, 1894. mimus, McLachlan. Hutton, T.N.Z.I. xxxi. 236. stramineus, McLachlan. Hutton, T.N.Z.I. xxxi. 236-

Olinga, McLachlan, 1894. feredayi, McLachlan. Hutton, T.N.Z.I. xxxi. 238.

Pycnocentria, McLachlan, 1866. funerea, McLachlan. Hutton, T.N.Z.I. xxxi. 238. evecta, McLachlan. Hutton, T.N.Z.I. xxxi. 239. aureola, McLachlan. Hutton, T.N.Z.I. xxxi. 239.

Family LEPTOCERIDÆ.

Pseudonema, McLachlan, 1862. obsoleta, McLachlan. Hutton, T.N.Z.I. xxxi. 240. amabilis, McLachlan. Hutton, T.N.Z.I. xxxi. 241. Notanatolica, McLachlan, 1866. cognata, McLachlan. Hutton, T.N.Z.I. xxxi. 241. cephalota, Walker. Hutton, T.N.Z.I. xxxi. 242.

Leptocerus, Leach, 1815. alienus, McLachlan (gen. dub.). Hutton, T.N.Z.I. xxxi. 242.

Setodes, Rambur, 1842. unicolor, McLachlan. Hutton, T.N.Z.I. xxxi. 243.

Philaniscus, Walker, 1852. plebejus, Walker. Hutton, T.N.Z.I. xxxi. 243.

Family Hydropsychidæ.

Hydropsyche, Pictet, 1834. fimbriata, McLachlan. Hutton, T.N.Z.I. xxxi. 244. colonica, McLachlan. Hutton, T.N.Z.I. xxxi. 245.

Polycentropus, Curtis, 1835. puerilis, McLachlan. Hutton, T.N.Z.I. xxxi. 245.

Hydrobiosis, McLachlan, 1870. frater, McLachlan. Hutton, T.N.Z.I. xxxi. 246. umbripennis, McLachlan. Hutton, T.N.Z.I. xxxi. 246.

Psilochorema, McLachlan, 1866. mimicum, McLachlan. confusum, McLachlan. Hutton, T.N.Z.I. xxxi. 247. Hutton, T.N.Z.I. xxxi. 248.

Family Hydroptilidæ.

Oxyethra, Eaton, 1873. albiceps, McLachlan. Hutton, T.N.Z.I. xxxi. 249.

Series Planipennia. Family Sialidæ.

Chauliodes, Latreille, 1805. diversus, Walker. Hutton, T.N.Z.I. xxxi. 228.

Family MYRMELEONTIDÆ.

Myrmeleon, Linneus, 1748. acutus, Walker. Hutton, T.N.Z.I. xxxi. 229.

Family HEMEROBIIDÆ.

Stenosmylus, McLachlan, 1867.
incisus, McLachlan. Hutton, T.N.Z.I. xxxi. 230.
citrinus, McLachlan. Hutton, T.N.Z.I. xxxi. 230.
latiusculus, McLachlan. Hutton, T.N.Z.I. xxxi. 231.
stellæ, McLachlan. Ent. Mon. Mag. 1899, 259.

Drepanepteryx, Leach, 1835. instabilis, McLachlan. Hutton, T.N.Z.I. xxxi. 232. humilis, McLachlan. Hutton, T.N.Z.I. xxxi. 232. Micromus, Rambur, 1866. tasmaniæ, Walker. Hutton, T.N.Z.I. xxxi. 233.

> Series Odonata. Family Libellulidæ.

Sympetrum, Newman, 1855.

bipunctatum, var. novæ-zealandiæ, McLachlan-Hutton, T.N.Z.I. xxxi. 221.

Family Cordulidæ.

Somatochlora, Selys, 1878. smithii, White. Hutton, T.N.Z.I. xxxi. 222. grayi, Selys. Hutton, T.N.Z.I. xxxi. 222. braueri, Selys. Hutton, T.N.Z.I. xxxi. 223.

Family ÆSCHNIDÆ.

Æschna, Fabricius, 1776. brevistyla, Rambur. Hutton, T.N.Z.I. xxxi. 224.

Family GOMPHINIDÆ.

Uropetala, Selys, 1857. carovei, White. Hutton, T.N.Z.I. xxxi. 224.

Family AGRIONIDÆ.

Lestes, Leach, 1817. colensonis, White. Hutton, T.N.Z.I. xxxi. 225.

Xanthagrion, Selys, 1876.

zealandicum, McLachlan. Hutton, T.N.Z.I. xxxi. 226.
antipodum, Selys. Hutton, T.N.Z.I. xxxi. 227.
sobrinum, McLachlan. Hutton, T.N.Z.I. xxxi. 227.

Series Pseudo-Neuroptera. Family Termitidæ.

Calotermes, Hagen, 1853. brouni, Froggart. Hutton, T.N.Z.I. xxxi. 209. insularis, Walker. Hutton, T.N.Z.I. xxxi. 210.

Stolotermes, Hagen, 1858. ruficeps, Brauer. Hutton, T.N.Z.I. xxxi. 210.

Family Procidæ.

Myopsocus, Hagen, 1866. novæ-zealandiæ, Kolbe. Hutton, T.N.Z.I. xxxi. 211-

Family PERLIDÆ.

Stenoperla, McLachlan, 1866.
prasina, Newman. Hutton, T.N.Z.I. xxxi. 212.
cyrene, Newman (gen. dub.). Hutton, T.N.Z.I. xxxi. 212.

Leptoperla, Newman, 1839. opposita, Walker. Hutton, T.N.Z.I. xxxi. 213.

Family EPHEMERIDÆ.

Ichthybotus, Eaton, 1899.

hudsoni, McLachlan. Hutton, T.N.Z.I. xxxi. 214; Eaton, Trans. Ent. Soc. 1899, 285.

Atalophlebia, Eaton, 1881.

dentata, Eaton. Hutton, T.N.Z.I. xxxi. 215.

nodularis, Eaton. Hutton, T.N.Z.I. xxxi. 216; Lillie, T.N.Z.I. xxxi. 168.

scita, Walker. Hutton, T.N.Z.I. xxxi. 216; Lillie, T.N.Z.I. xxxi. 167.

versicolor, Eaton. T.E.S. 1899, 286.

Deleatidium, Eaton, 1899.

lillii, Eaton. T.E.S. 1899, 289.

Coloburiscus, Eaton, 1887. humeralis, Walker. Hutton, T.N.Z.I. xxxi. 217.

Ameletus, Eaton, 1887.

ornatus, Eaton. Hutton, T.N.Z.I. xxxi. 217. perscitus, Eaton. T.E.S. 1899, 291.

Oniscigaster, McLachlan, 1873.

wakefieldi, McLachlan. Hutton, T.N.Z.I. xxxi. 218. intermedius, Eaton. T.E.S. 1899, 292. distans, Eaton. T.E.S. 1899, 293.

Order Orthoptera. Series Saltatoria. Family Gryllidæ.

Lissotrachelus, Brunner, 1893. maoricus, Walker. Hutton, T.N.Z.I. xxxii. 19.

Family Locustide.

Xiphidium, Serville, 1839.

semivittatum, Walker. Hutton, T.N.Z.I. xxx. 137.

Agræcia, Serville, 1839.

solida, Walker. Hutton, T.N.Z.I. xxx. 138.

Family Stenopelmatidæ. Sub-family Anostostominæ.

Deinacrida, White, 1842.

heteracantha, White. Hutton, T.N.Z.I. xxix. 212. rugosa, Buller. Hutton, T.N.Z.I. xxix. 213.

Hemideina, Walker, 1869.

parva, Buller. Hutton, T.N.Z.I. xxxii. 20.

Hemideina armiger, Colenso. Hutton, T.N.Z.I. xxix. 217. thoracica, Walker. Hutton, T.N.Z.I. xxix. 217; H. producta, Walker.

megacephala, Buller. Hutton, T.N.Z.I. xxix. 215. figurata, Walker. Hutton, T.N.Z.I. xxix. 216. femorata, Hutton. T.N.Z.I. xxix. 218. broughi, Buller. Hutton, T.N.Z.I. xxxii. 21. maori, Pictet et Saussure. Hutton, T.N.Z.I. xxix. 219.

Onosandrus, Stål, 1876.
pallitarsis, Walker. Hutton, T.N.Z.I. xxix. 221.
focalis, Hutton. T.N.Z.I. xxix. 222.
maori, Pictet et Saussure. Hutton, T.N.Z.I. xxix. 223.
maculifrons, Walker. Hutton, T.N.Z.I. xxix. 223.
lanceolatus, Walker. Kirby MSS.

Sub-family DOLICHOPODINÆ.

Talitropsis, Bolivar, 1882.
sedilotti, Bolivar. Hutton, T.N.Z.I. xxix. 225.
irregularis, Hutton. T.N.Z.I. xxix. 227.

Grammaroparnops, Alfken, 1901. crassicruris, Hutton. T.N.Z.I. xxix. 226.

Ischyroplectron, Hutton, 1897. isolatum, Hutton. T.N.Z.I. xxix. 228.

Gymnoplectron, Hutton, 1897.
longipes, Colenso. Hutton, T.N.Z.I. xxix. 229.
stephensiensis, Alfken. Erge. Reise Pacific, 150.

Pachyrhamma, Brunner, 1888.
fascifer, Walker. H. speluncæ, Colenso. Hutton, T.N.Z.I.
xxix. 231.
altus, Walker. P. novæ-zealandiæ, Brunner. Hutton, l.c. 232.

Pleioplectron, Hutton, 1897.
simplex, Hutton. T.N.Z.I. xxix. 233.
pectinatum, Hutton. T.N.Z.I. xxix. 234.
hudsoni, Hutton. T.N.Z.I. xxix. 234.
edwardsi, Scudder. Hutton, T.N.Z.I. xxix. 240.
cavernæ, Hutton. T.N.Z.I. xxii. 21.

Miotopus, Hutton, 1899. diversus, Hutton. T.N.Z.I. xxxi. 41.

Neonetus, Brunner, 1888. variegatus, Brunner. Hutton, T.N.Z.I. xxix. 236. pilosus, Hutton. T.N.Z.I. xxix. 236.

Isoplectron, Hutton, 1897. armatum, Hutton. T.N.Z.I. xxix. 237. calcaratum, Hutton. T.N.Z.I. xxix. 238. Pharmacus, Pictet et Saussure, 1891. montanus, Pictet et Saussure. Hutton, T.N.Z.I. xxix. 239.

Macropathus, Walker, 1870. filifer, Hutton. T.N.Z.I. xxix. 239.

Family ACRIDIDÆ. Sub-family ŒDIPODINÆ.

Pachytylus, Fieber, 1853.
cinerascens, Fabricius.
migratoroides, Reich.
Hutton, T.N.Z.I. xxx. 149.
Hutton, T.N.Z.I. xxx. 150.

Sub-family Acridinæ.

Phaulacridium, Brunner, 1891.
marginale, Walker. Hutton, T.N.Z.I. xxx. 141.
luteum, Hutton. T.N.Z.I. xxx. 142.

Paprides, Hutton, 1898.
nitidus, Hutton. T.N.Z.I. xxx. 146.
australis, Hutton. T.N.Z.I. xxx. 147.
furcifer, Hutton. T.N.Z.I. xxxi. 46.
torquatus, Hutton. T.N.Z.I. xxxi. 47.
armillatus, Hutton. T.N.Z.I. xxxi. 47.

Sigaus, Hutton, 1898.
piliferus, Hutton. T.N.Z.I. xxx. 140.

Trigoniza, Brunner, 1891.

campestris, Hutton. T.N.Z.I. xxx. 148.
directa, Hutton. T.N.Z.I. xxx. 148.
rugosa, Hutton. T.N.Z.I. xxx. 148.

Brachaspis, Hutton, 1899.

nivalis, Hutton (*Pezotettix*). T.N.Z.I. xxx. 144; xxxi. 49.

collinus, Hutton. T.N.Z.I. xxx. 144; xxxi. 49.

petricolus, Hutton. T.N.Z.I. xxx. 145; xxxi. 49.

terrestris, Hutton. T.N.Z.I. xxx. 145.

Series Cursoria. Family Phasmidæ. Sub-family Clitumninæ.

Pachymorpha, Gray, 1835.
hystriculea, Westwood. Hutton, T.N.Z.I. xxxi. 52.
salebrosa, Hutton. T.N.Z.I. xxxi. 52.
annulata, Hutton. T.N.Z.I. xxxi. 53.
acornuta, Hutton. T.N.Z.I. xxxi. 53.

Clitarchus, Stål, 1875. hookeri, White. Hutton, T.N.Z.I. xxxi. 54. coloreus, Colenso. Hutton, T.N.Z.I. xxxi. 55. Clitarchus reductus, Hutton. T.N.Z.I. xxxi. 55. læviusculus, Stål. Hutton, T.N.Z.I. xxxi. 56.

Acanthoderus, Gray, 1835.

prasinus, Westwood. Hutton, T.N.Z.I. xxxi. 56.
suteri, Hutton. T.N.Z.I. xxxi. 56.
geisovii, Kaup. Hutton. T.N.Z.I. xxxi. 57.
fasciatus, Hutton. T.N.Z.I. xxxi. 58.

Argosarchus, Hutton, 1898. spiniger, White. Hutton, T.N.Z.I. xxxi. 59 = B. horridus, White, which was printed last.

Family Blattidæ. Sub-family Blattinæ.

Blatta, Linnæus, 1766. conjuncta, Walker. Hutton, Cat. Orth. N.Z. 71.

Sub-family Periplanetinæ.

Polyzosteria, Burmeister, 1829. novæ-zealandiæ, Brunner. Nov. Syst. Blatt. 218; B. forticeps, Walker. Hutton, Cat. Orth. N.Z. 72.

Platyzosteria, Brunner, 1865. undulivitta, Walker. Hutton, Cat. Orth. N.Z. 73. brunni, Alfken. Erge. Reise Pacific, 1901, 142.

Family Forficulidæ.

Anisolabis, Fieber, 1853.
littorea, White. Hutton, Cat. Orth. N.Z. 93; Kirby, J.L.S. xxiii. 517.

Order APTERA. Series Collembola. Family Lipuridæ.

Lipura, Burmeister, 1838. incerta, Moniez. Rev. Biol. Nord France, vi. 211 (1894).

Drepanura, Schott, 1893. brachycephala, Moniez. Rev. Biol. Nord France, vi. 208 (1894).

Anoura, Gervais, 1842. spinosa, Lubbock. J.L.S. xxvii. 334; Dendy, T.N.Z.I. xxxiii. 97.

CLASS, MYRIAPODA.

Order Diplopoda.
Family Sphærotheriidæ.
Cyliosoma, Pocock, 1895.
de Lacyi, White. A.M.N.H. 3, iii. 406.

Cyliosoma leiosoma, Hutton. T.N.Z.I. x. 291. novæ-zealandiæ, Kirk. T.N.Z.I. xviii. 139. striolatum, Pocock. A.M.N.H. 6, xvi. 414 (1895).

Family Julidæ.

Julus, Linnæus, 1748.

berardi, Walckener. In Gervais' Aptēres, iv. 333.

Spirostreptus, Brandt, 1833.

antipodarum, Newport. In Dieff. N.Z. ii. 270. striatus, Hutton. T.N.Z.I. x. 290.

Family Polydesmidæ.

Polydesmus, Latreille, 1802.

haastii, Humbert and Saussure. Verh. z. b. Ges. Wien. xix. 683; Hutton, T.N.Z.I. x. 292.

serratus, Hutton. T.N.Z.I. x. 290. worthingtoni, Hutton. T.N.Z.I. x. 290.

Strongylosoma, Brandt, 1833.

novaræ, Humbert and Saussure. Verh. z. b. Ges. Wien. xix. 689 (1869); Hutton, T.N.Z.I. x. 292. macrocephala, Hutton. T.N.Z.I. x. 291.

Icosidesmus, Humbert and Saussure, 1869.

hochstetteri, Humbert and Saussure. Verh. z. b. Ges. Wien. xix. 890; Hutton, T.N.Z.I. x. 292.

Craspedosoma, Leach, 1818.

trisetosa, Hutton. T.N.Z.I. x. 291.

Serangodes, Attems, 1899.

strongylosomoides, Attems. Denk. Ak. Wien. lxvii. 273.

Order Chilopoda. Family LITHOBIIDÆ.

Lithobius, Leach, 1812.

argus, Newport. T.L.S. xix. 369.

Henicops, Newport, 1845. maculatus, Newport. T.L.S. xix. 372; Pocock, A.M.N.H. 6, xi. 125.

impressus, Hutton. T.N.Z.I. x. 228.

Lamyctes, Meinert, 1868.

emarginatus, Newport. T.L.S. xix. 372; Pocock, A.M.N.H. 7, viii. 449.

Family SCOLOPENDRIDÆ.

Heterostoma, Newport, 1845.

platycephala, Newport. T.L.S. xix. 415.

Cosmocephalus, Newport, 1845.

rubriceps, Newport. T.L.S. xix. 42c. pallipes, Newport. T.L.S. xix. 424. purpureus, Pocock. A.M.N.H. 6, xi. 127; C. violaceus, Newport, not of Fabricius.

huttoni, Pocock. A.M.N.H. 6, xi. 128; C. violaceus, Hutton, not of Newport.

Cryptops, Leach, 1812.

australis, Newport. T.L.S. xix. 408. setosus, Pocock. A.M.N.H. 6, viii. 157 (1891).

Family Geophilidæ.

Geophilus, Leach, 1812.

huttoni, Pocock. A.M.N.H. 6, viii. 223. morbosus, Hutton. T.N.Z.I. x. 289 (*Himantarium*). provocator, Pocock. A.M.N.H. 6, viii. 225.

Necrophlæsophagus, Newport, 1845. antipodum, Pocock. A.M.N.H. 6, viii. 222, and 7, viii. 461.

> Order Schizotarsia. Family CERMATIIDE.

Cermatia, Rossi, 1807. smithii, Newport. T.L.S. xix. 359, and A.M.N.H. 1, xiii. 96.

CLASS, ONYCHOPHORA.

Family Peripatidæ.

Peripatoides, Pocock, 1895.

novæ-zealandiæ, Hutton. Sedgwick, Q.J.M.S. xxviii. 456; Sheldon, Q.J.M.S. xxviii. 202. suteri, Dendy. T.N.Z.I. xxvii. 190.

Oöperipatus, Dendy, 1900. viridimaculatus, Dendy. Zool. Anzeig, xxiii. 509; O.J.M.S. 45 n.s., 399.

CLASS, ARACHNIDA.

Order ARANEIDA. Family THERAPHOSIDÆ.

Migas, Koch, 1873. paradoxus, Koch. Arach. Aust. 467. distinctus, Cambridge. P.Z.S. 1879, 683; Goyen, T.N.Z.I. xix. 210. sandageri, Goyen. T.N.Z.I. xxiii. 123.

Arbanitis, Koch, 1875.

gilliesii, Cambridge. T.N.Z.I. x. 284 (Nemesia); Gillies, T.N.Z.I. x. 301.

huttoni, Cambridge. P.Z.S. 1879, 682; Goyen, T.N.Z.I. xxiv. 255.

kirki, Urquhart. T.N.Z.I. xxvi. 204.

Maoriana, Hogg, 1901.

dendyi, Hogg. P.Z.S. 1901, 237.

Hexathele, Ausserer, 1871.

hochstetteri, Ausserer. Koch's Arach. Aust. 459; Hogg, P.Z.S. 1901, 276.

petriei, Goyen. T.N.Z.I. xix. 207.

Porrhothele, Simon, 1892.

antipodiana, Walckenaer. Simon, Zool. Jahrb. Syst. xii.

420 (Macrothele).

huttoni, Cambridge. T.N.Z.I. vi. 200. insignipes, Simon. Zool. Jahrb. Syst. xii. 420.

simoni, Hogg. P.Z.S. 1901, 269.

Cteniza, Latreille, 1825.

antipodum, White. P.Z.S. 1849, 3 (gen. dub.). hexops, White. P.Z.S. 1849, 3 (gen. dub.).

Family Dysderidæ.

Segestria, Latreille, 1804. suteri, Urquhart. T.N.Z.I. xxiv. 230.

Oönops, Templeton, 1830.

septem-cincta, Urquhart. T.N.Z.I. xxiii. 128.

Family Drassidæ.

Herpyllus, Urquhart, 1887.

formicarius, Urquhart. T.N.Z.I. xix. 109.

Drassus, Walckenaer, 1805.

pretiosus, Koch. Arach. Aust. 385. erebus, Koch. Arach. Aust. 387. scitulus, Urquhart. T.N.Z.I. xxv. 165.

Chiracanthium, Koch, 1839.

stratioticum, Koch. Arach. Aust. 408.

Clubiona, Latreille, 1804.

cambridgei, Koch. Arach. Aust. 416. peculiaris, Koch. Arach. Aust. 427.

viridicoma, Urquhart. T.N.Z.I. xxiv. 233-chevronia, Urquhart. T.N.Z.I. xxiv. 231-

nitida, Urquhart. T.N.Z.I. xxv. 166.

Uliodon, Koch, 1875. frenata, Koch. Arach. Aust. 440. maritima, Cambridge. P.Z.S. 1883, 356 (Amaurobioides).

Family Agelenidæ.

Amaurobius, Koch, 1836. longinquus, Koch. Arach. Aust. 336. finschii, Koch. Arach. Aust. 339. martius, Simon. Zool. Jahrb. Syst. xii. 421 (1899). chathamensis, Simon. Zool. Jahrb. Syst. xii. 432 (1899).

Badumna, Thorell, 1890. sub-fasciata, Simon. Zool. Jahrb. Syst. xii. 422.

Desis, Walckenaer, 1837. marina, Hector. Cambridge, P.Z.S. 1879, 687; *Daindrigia dysderoides*, White, P.Z.S. 1849, 5.

Tegenaria, Walckenaer, 1805.
foliata, Koch. Arach. Aust. 356.
arboricola, Urquhart. T.N.Z.I. xxiii. 129.
livoris, Urquhart. T.N.Z.I. xxv. 167.

Cambridgea, Koch, 1872. antipodiana, White. Simon, Zool. Jahrb. Syst. xii. 434; C. fasciata, Koch, Cambridge, T.N.Z.I. vi. 202.

Amphicnecta, Simon, 1888. decemmaculata, Simon.

Family THERIDIDÆ.

Argyrodes, Simon, 1864. lepida, Cambridge, P.Z.S. 1879, 688. conus, Urquhart. T.N.Z.I. xvii. 40.

Ariamnes, Thorell, 1870.

coniferus, Urquhart. T.N.Z.I. xix. 96.
triangulatus, Urquhart. T.N.Z.I. xix. 97.
attenuatus, Urquhart. T.N.Z.I. xix. 98.
flavo-notatus, Urquhart. T.N.Z.I. xxiii. 136.

Mimetus, Hentz, 1851.
mendicus, Cambridge. P.Z.S. 1879, 697.
sennio, Urquhart. T.N.Z.I. xxiii. 137.
atri-cinctus, Urquhart. T.N.Z.I. xxiv. 234.

Theridion, Walckenaer, 1805.
veruculatum, Urquhart. T.N.Z.I. xviii. 188.
blatteus, Urquhart. T.N.Z.I. xviii. 190.
calyciferum, Urquhart. T.N.Z.I. xviii. 192.
cruciferum, Urquhart. T.N.Z.I. xviii. 193.
triloris, Urquhart. T.N.Z.I. xviii. 194.

Theridion squalidæ, Urquhart. T.N.Z.I. xviii. 195. setiger, Urquhart. T.N.Z.I. xviii. 196. zantholabis, Urquhart. T.N.Z.I. xviii. 197. sericum, Urquhart. T.N.Z.I. xviii. 198; xxii. 258. melanozanthum, Urquhart. T.N.Z.I. xix. 102. tuberculatum, Urquhart. T.N.Z.I. xix. 104. maculopes, Urquhart. T.N.Z.I. xix. 105. viridanum, Urquhart. T.N.Z.I. xix. 106. flabelliferum, Ürquhart. T.N.Z.I. xix. 106. venustulum, Urquhart. T.N.Z.I. xix. 107. albo-guttatum, Urquhart. T.N.Z.I. xix. 108. nigro-folium, Urquhart. T.N.Z.I. xx. 112. helvolum, Urquhart. T.N.Z.I. xx. 113. truncatum, Urquhart. T.N.Z.I. xx. 115. exornatum, Urquhart. T.N.Z.I. xx. 115. brunnea-folium, Urquhart. T.N.Z.I. xxi. 142. niger-punctillum, Urquhart. T.N.Z.I. xxi. 143. porphyreticum, Urquhart. T.N.Z.I. xxi. 144. gracilipes, Urquhart. T.N.Z.I. xxi. 145. zebrinia, Urquhart. T.N.Z.I. xxii. 256. pusillulum, Urquhart. T.N.Z.I. xxii. 257. pumilio, Urquhart. T.N.Z.I. xviii. 190. punica-punctatum, Urquhart. T.N.Z.I. xxiii. 147. apiatum, Urquhart. T.N.Z.I. xxiii. 148. literatum, Urquhart. T.N.Z.I. xxiii. 150. ampliatum, Urquhart. T.N.Z.I. xxiv. 237. albocinctum, Urquhart. T.N.Z.I. xxiv. 236. argentatum, Urquhart. T.N.Z.I. xxiv. 235. gibbosum, Urquhart. T.N.Z.I. xxvi. 205.

Erycina, Urquhart, 1891. violacea, Urquhart. T.N.Z.I. xxiii. 152.

Latrodectus, Walckenaer, 1805.
hasselti, Thorell. Koch, Arach. Aust. 276; L. katipo,
Powell, T.N.Z.I. iii. 56; T.N.Z.I. xxviii. 755; Pickard,
Cambridge, P.Z.S. 1902, i. 255.
var. atritus, Urquhart. T.N.Z.I. xxii. 259.

Lithyphantes, Thorell, 1869. lepidus, Cambridge. P.Z.S. 1879, 690.

Atkinsonia, Cambridge, 1879. nana, Cambridge. P.Z.S. 1879, 691.

Phycosoma, Cambridge, 1879. ccobioides, Cambridge. P.Z.S. 1879, 692.

Linyphia, Latreille, 1804. subdola, Cambridge. P.Z.S. 1879, 693. Linyphia peramæna, Cambridge. P.Z.S. 1879, 693. melanopygia, Cambridge. P.Z.S. 1879, 693. diloris, Urquhart. T.N.Z.I. xviii. 184. trispathulata, Urquhart. T.N.Z.I. xviii. 186. blatifer, Urquhart. T.N.Z.I. xix. 99. rufocephala, Urquhart. T.N.Z.I. xx. 109. lagenifera, Urquhart. T.N.Z.I. xx. 111. purpura-punctata, Urquhart. T.N.Z.I. xxi. 136. rufo-lineata, Urquhart. T.N.Z.I. xxi. 136. rufo-lineata, Urquhart. T.N.Z.I. xxi. 140. multicolor, Urquhart. T.N.Z.I. xxiii. 140. cruenta, Urquhart. T.N.Z.I. xxiiii. 142. albiapiata, Urquhart. T.N.Z.I. xxxiii. 143. pellos, Urquhart. T.N.Z.I. xxxiii. 143. pellos, Urquhart. T.N.Z.I. xxxiii. 146. mundenia, Urquhart. T.N.Z.I. xxvii. 207. decolora, Urquhart. T.N.Z.I. xxvii. 208. fucatinia, Urquhart. T.N.Z.I. xxvii. 209.

Tekella, Urquhart, 1895. absidiata, Urquhart. T.N.Z.I. xxvi. 211.

Erigone, Savigny, 18—(?). atriventer, Urquhart. T.N.Z.I. xix. 102.

Stegosoma, Cambridge, 1879. quadratum, Cambridge. P.Z.S. 1879, 698. lacunosum, Urquhart. T.N.Z I. xxv. 169.

Cornicularia, Menge, 1869. crinifrons, Urquhart. T.N.Z.I. xxiii. 155.

Steatoda, Sundevall, 1833. nubilosa, Urquhart. T.N.Z.I. xxx. 168. excussa, Urquhart. T.N.Z.I. xxx. 171.

Family Envoide.

Habronestes, Koch, 1872.

marinus, Goyen. T.N.Z.I. xxii. 269.
celeripes, Urquhart. T.N.Z.I. xxiii. 132.
scitula, Urquhart. T.N.Z.I. xxiii. 135.

Huttonia, Cambridge, 1879. palpaminoides, Cambridge. P.Z.S. 1879, 685.

Family Tetragnathia.

Tetragnatha, Latreille, 1804.

typica, Urquhart. T.N.Z.I. xxii. 251.
herbigrada, Urquhart. T.N.Z.I. xxii. 252.
arborea, Urquhart. T.N.Z.I. xxxiii. 172.
multi-punctata, Urquhart. T.N.Z.I. xxxiii. 176.

Tetragnatha flavida, Urquhart. T.N.Z.I. xxxiii. 177. gulosa, Koch. Arach. Aust. 176.

Orsinome, Thorell, 1890. australis, Simon. Zool. Jahrb. Syst. xii. 423.

Deinagnatha, White, 1846. daindridgi, White. A.M.N.H. 1, xviii. 180.

Ischalea, Koch, 1871. spinipes, Koch. Arach. Aust. 197.

Family Epeiridæ.

Argiope, Saxigny, 18—(?). syrmatica, Koch. Arach. Aust. 213.

Epeira, Walckenaer, 1805. extuberata, Koch. Arach. Aust. 61. crassa, Walck. Koch, Arach. Aust. 63. undata, Koch. Arach. Aust. 73. verrucosa, Walck. Koch, Arach. Aust, 112. feredayi, Cambridge. Koch, Arach. Aust, 122. brounii, Urquhart. T.N.Z.I. xvii. 32. attenuata, Urquhart.
corrugata, Urquhart.
pocillator, Urquhart.
T.N.Z.I. xvii. 33.
T.N.Z.I. xix. 72.
T.N.Z.I. xix. 74. oblitera, Urquhart. T.N.Z.I. xix. 77. trituberculata, Urquhart. T.N.Z.I. xix. 78, and xx. 120. orientalis, Urquhart. T.N.Z.I. xix. 79, and xx. 121. bi-albimacula, Urquhart. T.N.Z.I. xix. 81. saxitalis, Urquhart. T.N.Z.I. xix. 82. subcompta, Urquhart. T.N.Z.I. xix. 83. viridata, Urquhart. T.N.Z.I. xix. 85. discolora, Urquhart. T.N.Z.I. xix. 86. veruta, Urquhart. T.N.Z.I. xix. 87. var. veruina, Urquhart.
var. hastata, Urquhart.
var. lineola, Urquhart.
linea-acuta, Urquhart.
T.N.Z.I. xix. 88.
T.N.Z.I. xix. 89.
T.N.Z.I. xix. 89. purpurea, Urquhart. T.N.Z.I. xix. 91. viridicans, Urquhart. T.N.Z.I. xx. 116. mulleola, Urquhart, T.N.Z.I. xx. 118. helveo-guttata, Urquhart. T.N.Z.I. xx. 119. tuberculata, Urquhart. T.N.Z.I. xx. 120. dumicola, Urquhart. T.N.Z.I. xxi. 146. flavo-maculata, Urquhart. T.N.Z.I. xxii. 239. albo-stricta, Urquhart. T.N.Z.I. xxii. 240. guttata, Urquhart. T.N.Z.I. xxii. 242. ostri-brunnea, Urquhart. T.N.Z.I. xxii.

Epeira albi-scuta, Urguhart. T.N.Z.I. xxii. 244. dubitabilis, Urquhart. T.N.Z.I. xxii. 246. tri-notata, Urquhart. T.N.Z.I. xxii. 247. var. olivinia, Urquhart. T.N.Z.I. xxii. 249. atri-apiata, Urquhart. T.N.Z.I. xxiii. 156. acinta, Urquhart. T.N.Z.I. xxiii. 158. nigro-hastula, Urquhart. T.N.Z.I. xxiii. 159. atri-hastula, Urguhart. T.N.Z.I. xxiii, 162. galbana, Urquhart. T.N.Z.I. xxiii. 163. venustula, Urquhart. T.N.Z.I. xxiii. 165. melania, Urquhart. T.N.Z.I. xxiii. 166. similaris, Urquhart. T.N.Z.I. xxiii. 168. lævigata, Urquhart. T.N.Z.I. xxiii. 171. invisiblis, Urquhart. T.N.Z.I. xxiv. 239. sublutia, Urquhart. T.N.Z.I. xxiv. 241. simulata, Urquhart. T.N.Z.I. xxiv. 242. ventriosa, Urquhart. T.N.Z.I. xxiv. 243. leucisca, Urquhart. T.N.Z.I. xxiv. 245. æstiva, Urquhart. T.N.Z.I. xxv. 174. decorosa, Urquhart. T.N.Z.I. xxvi. 212. powelli, Urquhart. T.N.Z.I. xxvi. 214. pironginia, Urquhart. T.N.Z.I. xxvi. 215. angusticlava, Urquhart. T.N.Z.I. xxv. 173. viridana, Urquhart. T.N.Z.I. xxv. 175. munda, Urquhart. T.N.Z.I. xxv. 177. var. inversa, Urquhart. T.N.Z.I. xxv. 178. albolineata, Urquhart. T.N.Z.I. xxv. 178. blattea, Urquhart. T.N.Z.I. xxv. 179.

Nephila, Leach, 1815. argentata, Urquhart. T.N.Z.I. xix. 92.

Arachnura, Vinson, 1863.
longicauda, Urquhart. T.N.Z.I. xvii. 39.
nigritia, Urquhart. T.N.Z.I. xvii. 37.
obtusa, Urquhart. T.N.Z.I. xvii. 37.
trilobata, Urquhart: T.N.Z.I. xvii. 37.

Family Celænidæ.

Celænia, Thorell, 1868.

atkinsoni, Cambridge. P.Z.S. 1879, 699 (Thlaosoma).
hectori, Cambridge. P.Z.S. 1879, 700 (Thlaosoma).
olivacea, Urquhart. T.N.Z.I. xvii. 39, and xix. 95.
penna, Urquhart. T.N.Z.I. xix. 94.
tuberosa, Urquhart. T.N.Z.I. xix. 149.

Family Episinidæ.

Episinus, Walckenaer, 1809. antipodianus, Cambridge. P.Z.S. 1879, 701. Family THOMISIDÆ.

Stephanopis, Cambridge, 1869. angulatus, Urquhart. T.N.Z.I. xvii. 42, and xxii. 260. angularis, Urquhart. T.N.Z.I. xvii. 43.

Diæa, Thorell, 1869. albo-limbata, Koch. Arach. Aust. 588.

Xysticus, Koch, 1835. albo-brunnea, Urquhart. T.N.Z.I. xxv. 184.

Family Philodromide.

Philodromus, Walckenaer, 1805.
ambarus, Urquhart. T.N.Z.I. xvii. 43, and xix. 112.
sphæriodes, Urquhart. T.N.Z.I. xvii. 44, and xix. 111
ovatus, Urquhart. T.N.Z.I. xix. 113.
rubro-frontus, Urquhart. T.N.Z.I. xxiii. 179.

Hemiclæa. Thorell, 1870.
rogenhoferi, Koch. Arach. Aust. 637.
plautus, Urquhart. T.N.Z.I. xviii. 199, and xix. 110.

Family Lycosidæ.

Lycosa, Latreille, 1804.

sænica, Koch. Arach. Aust. 915.
hilaris, Koch. Arach. Aust. 920 and 979.
umbrata, Koch. Arach. Aust. 921.
virgata, Goyen. T.N.Z.I. xix. 201.
canescens, Goyen. T.N.Z.I. xix. 203.
taylori, Goyen. T.N.Z.I. xix. 206.
ærescens, Goyen. T.N.Z.I. xix. 206.
uliginosa, Goyen. T.N.Z.I. xx. 136.
bellicosa, Goyen. T.N.Z.I. xx. 138.
proxima, Urquhart. T.N.Z.I. xxiii. 201.
adumbrata, Urquhart. T.N.Z.I. xxiii. 182.
maura, Urquhart. T.N.Z.I. xxiii. 182.
maura, Urquhart. T.N.Z.I. xxiii. 182.
urquharti, Simon. Hist. Nat. Araignées, 2nd ed. ii. 30.
piratica, Clerck. Simon, Zool. Jahrb. 1899, 427 (introduced?).
schauinslandi, Simon. Zool. Jahrb. 1899, 428.
tremula, Simon. Zool. Jahrb. 1899, 429.

Dolomedes, Latreille, 1804.
imperiosus, Koch. Arach. Aust. 867.
lateralis, White. P.Z.S. 1849, 4.
sagittiger, White. P.Z.S. 1849, 4.
minor, Koch. Arach. Aust. 864.
schauinslandi, Simon. Zool. Jahrb. Syst. xii. 436.

Pardosa, Koch, 1848. vicaria, Koch. Arach. Aust. 965.

Anoteropsis, Koch, 1878. flavescens, Koch. Arach. Aust. 971.

Family CTENIDÆ.

Cycloctenus, Koch, 1879.

fugax, Goyen. T.N.Z.I. xxii. 267.
flaviceps, Koch. C. lepidus, Urquhart. T.N.Z.I. xxii. 261.
pulcher, Urquhart. T.N.Z.I. xxiii. 183.

Family OXYOPIDÆ.

Oxyopes, Latreille, 1804. gregarius, Urquhart. T.N.Z.I. xvii. 51 (Sphasus).

Sphasus, Walckenaer, 1805. gracilipes, White. P.Z.S. 1849, 4.

Læstrygones, Urquhart, 1892. albiceres, Urquhart. T.N.Z.I. xxvi. 217.

Family ATTIDÆ.

Salticus, Latreille, 1804.

appressus, Powell. T.N.Z.I. v. 281.
atratus, Powell. T.N.Z.I. v. 283.
v-notatus, Powell. T.N.Z.I. v. 284.
fumosus, Powell. T.N.Z.I. v. 284.
mustilinus, Powell. T.N.Z.I. v. 285.
albo-barbatus, Powell. T.N.Z.I. v. 286.

Marpissa, Koch, 1847.
leucophæna, Urquhart. T.N.Z.I. xx. 121.
arenaria, Urquhart. T.N.Z.I. xx. 123.
æri-hirta, Urquhart. T.N.Z.I. xx. 124.
cineracea, Urquhart. T.N.Z.I. xxiii. 188.
armifera, Urquhart. T.N.Z.I. xxiv. 248.
nemoralis, Urquhart. T.N.Z.I. xxiv. 250.

Marptusa, Thorell, 1877. cinerea, Koch. Arach. Aust. 1112. leucocomus, Koch. Arach. Aust. 1096. marina, Goyen. T.N.Z.I. xxiv. 253.

Ballus, Koch, 1850. compactus, Urquhart. T.N.Z.I. xvii. 50.

Plexippus, Koch, 1847.
minax, Powell. T.N.Z.I. v. 282 (Salticus).
herbigradus, Urquhart. T.N.Z.I. xxi. 150.
capillatus, Urquhart. T.N.Z.I. xxii. 265.
silvarus, Urquhart. T.N.Z.I. xxiv. 252.

Trite, Simon, 1885.
planiceps, Simon. Zool. Jahrb. Syst. xii. 430.
binotata, Simon. Zool. Jahrb. Syst. xii. 431.

Triaenonyx, Sorensen, 1886. obesus, Simon. Zool. Jahrb. Syst. xii. 431.

Attus, Walckenaer, 1805. abbreviatus, Walckenaer. cookii, Walckenaer. phrinoides, Walckenaer. tabinus, Urquhart. T.N.Z.I. xvii. 46. curvus, Urquhart. T.N.Z.I. xvii. 46. furvus, Urquhart. T.N.Z.I. xvii. 47. T.N.Z.I. xvii. 46. alpinus, Urquhart. T.N.Z.I. xvii. 48. albo-palpis, Urquhart. T.N.Z.I. xvii. 49. tenebricus, Urquhart. T.N.Z.I. xvii. 51. auricomus, Urquhart. T.N.Z.I. xviii. 202. zanthrofrontalis, Urquhart. T.N.Z.I. xviii. 203. var. hirtus, Urquhart. T.N.Z.I. xviii. 204. saxatilis, Urquhart. T.N.Z.I. xviii. 204. aquilus, Urquhart. T.N.Z.I. xix. 115. bimaculosus, Urquhart. T.N.Z.I. xix. 116. subfuscus, Urquhart. T.N.Z.I. xix. 117. pullus, Urquhart. T.N.Z.I. xxii. 263. scindus, Urquhart. T.N.Z.I. xxii. 264. montinus, Urquhart. T.N.Z.I. xxiii. 184. monticola, Urquhart. T.N.Z.I. xxiii. 186. valentulus, Urquhart. T.N.Z.I. xxiii. 187. ravus, Urguhart. T.N.Z.I. xxv. 185. suffusus, Urquhart. T.N.Z.I. xxv. 186. kirkii, Urquhart. T.N.Z.I. xxv. 187. tenebrosus, Urguhart. T.N.Z.I. xxv. 188. adustus, Urquhart. T.N.Z.I. xxv. 189.

Order ACARINA. Family IXODIDÆ.

Ixodes, Latreille, 1796.

eudyptidis, Maskell. T.N.Z.I. xvii. 19.
maskelli, Kirk. T.N.Z.I. xix. 65.
apteridis, Maskell. T.N.Z.I. xxix. 291.
aptericola, Maskell. T.N.Z.I. xxix. 292.
intermedius, Neumann. Mem. Soc. Zool. France, 1899, 132.

Alloptes, Canestrini, 1879. mucronatus, Trouessart. Bull. Soc. Angers, 1899, 58.

Faculifer, spinosus, Trouessart. Bull. Soc. Angers, 1899, 17.

Eupterolicus, Canestrini and Kramer, 1899. favetti, Trouessart. Bull. Soc. Angers, 1899, 6.

Falciger, Trouessart, 1884 and 1885. spinosus, Trouessart. Bull. Soc. Ent. France, 1895, 321.

Pterolichus, Robin, 1868. favettei, Trouessart, Bull. Soc. Ent. France, 1898, 290.

Family HALACARIDÆ.

Halacarus, Gosse, 1855. parvus, Chilton. T.N.Z.I. xv. 190. truncipes, Chilton. T.N.Z.I. xv. 191.

Family Hydrachnidæ. Eylais, Latreille, 1796.

Koenike, Zool. Jahrb. xiii. 125 (1900).

Family Gamasidæ.

Uropoda, Latreille, 1806. vegetans, De Geer. Maskell, T.N.Z.I. xxv. 201; Smith, T.N.Z.I. xxxiv. 199.

Leiosoma, Nicolet, 1855. longipilis, Moniez. Smith, T.N.Z.I. xxviii. 470.

> Order Pedipalpida. Family Phalangiidæ.

Dasylobus, Simon, 1879. australis, Simon. Zool. Jahrb. Syst. xii. 437.

Family PHRYNIDÆ.

Phrynus, Latreille, 1802. listeri, White. P.Z.S. 1849, 6. cheliferoides, Colenso. T.N.Z.I. xv. 166.

> Order PSEUDOSCORPIONIDA. Family CHERNETIDÆ.

Chelifer, Geoffroy, 1764. pallipes, White. P.Z.S. 1849, 6.

> Order Pycnogonida. Family Nymphonidæ. Sub-family Nymphoninæ.

Nymphon, Fabricius, 1837. compactum, Hoek. Thomson, T.N.Z.I. xvi. 243 longicoxa, Hoek. Thomson, T.N.Z.I. xvi. 243.

Sub-family Colossendeinæ.

Ammothea, Leach, 1814. dohrni, Thomson. T.N.Z.I. xvi. 243. magnicipes, Thomson. T.N.Z.I. xvi. 245.

Oorhynchus, Hoek, 1881. aucklandiæ, Hoek. Thomson, T.N.Z.I. xvi. 245.

Sub-family Palleninæ.

Pallene, Johnston, 1837. novæ-zealandiæ, Thomson. T.N.Z.I. xvi. 246.

Phoxichilidium, Johnston, 1839. obliquum, Thomson. T.N.Z.I. xvi. 247.

Order TARDIGRADA.

This order is represented in New Zealand, but no species have as yet been described.

CLASS, CRUSTACEA.

Sub-class Malacostraca.
Order Decapoda.
Sub-order Brachyura.
Section Maioidea.
Family Inachidæ.

Stenorhynchus, Lamarck, 1818. fissifrons, Haswell. P.L.S. N.S.W. iii. 409 and 432.

Trichoplatus, A. Milne-Edwards, 1876. huttoni, A. Milne-Edwards. Miss. de l'Ile Campbell, 352. = Halimus hectori, Miers. Cat. N.Z. Crust. 4.

Halimus, Latreille, 1825. rubiginosus, Kirk. T.N.Z.I. xiii. 236.

Family Maiidæ.

Paramithrax, Milne-Edwards, 1834. peronii, Milne-Edwards. Cat. N.Z. Crust. 5.

latreilli, Miers = C. barbicornis, Miers. Cat. N.Z. Crust. 6 = C. cristatus, Filhol. Miss. de l'Ile Campbell, 358. sternocostulatus, A. Milne-Edwards = P. gaimardii, Miers.

Cat. N.Z. Crust. 6; Cat. Austral. Crust. 13. minor, Filhol. Miss. de l'Ile Campbell, 356. longipes, G. M. Thomson. A.M.N.H. 7, x. 361.

Leptomithrax, Miers, 1876. australis, Jacquinot and Lucas. Cat. N.Z. Crust. 7. longimanus, Miers. Cat. N.Z. Crust. 8. Acantophrys, A. Milne-Edwards, 1876. filholi, A. Milne-Edwards. Miss. de l'Île Campbell, 365.

Micippa, Leach, 1817. spinosa, Stimpson. Cat. N.Z. Crust. 9.

Family Periceride.

Prionorhynchus, Jacquinot and Lucas, 1853.

edwardsii, Jacquinot and Lucas. Cat. N.Z. Crust 11; Miss. de l'Ile Campbell, 367.

Family Parthenopidæ.

Eurynolambrus, Milne-Edwards and Lucas, 1841.

australis, Milne-Edwards and Lucas, Cat. N.Z. Crust. 12.

Section CANCROIDEA. Family CANCRIDÆ.

Cancer, Linnæus, 1766. novæ-zealandiæ, Jacquinot and Lucas. Cat. N.Z. Crust. 14.

Heterozius, A. Milne-Edwards, 1867. rotundifrons, A. Milne-Edwards. Cat. N.Z. Crust. 15.

Xantho, Leach, 1815. spinotuberculata, Lock. T.N.Z.I. xi. 396.

Leptodius, A. Milne-Edwards, 1860.
nudipes, Dana. Cat. N.Z. Crust. 17; Miss. de l'Ile Campbell, 374.
eudorus, Herbst. Cat. N.Z. Crust. 17; Miss. de l'Ile Campbell, 374.

Pilumnus, Leach, 1815.
vespertilio, Fabricius. Cat. N.Z. Crust. 19.
tomentosus, Latreille. Cat. N.Z. Crust. 20.
novæ-zealandiæ, Filhol. Miss. de l'Ile Campbell, 375.
spinosus, Filhol. Miss. de l'Ile Campbell, 377.

Pilumnopeus, A. Milne-Edwards, 1867. serratifrons, Kinahan. Cat. N.Z. Crust. 20; Miss. de l'Île Campbell, 378.

Ozius, A. Milne-Edwards, 1834. truncatus, A. Milne-Edwards. Cat. N.Z. Crust. 21.

Panopeus, A. Milne-Edwards, 1834. otagoensis, Filhol. Miss. de l'Île Campbell, 379.

Ruppellioides, A. Milne-Edwards, 1867. convexus, A. Milne-Edwards. Cat. N.Z. Crust. 23; Miss. de l'Île Campbell, 381. Family Portunidæ.

Portunus, Fabricius, 1798. pusillus, Leach. T.N.Z.I. xi. 402.

Neptunus, de Haan, 1833. sayi, A. Milne-Edwards. Cat. N.Z. Crust. 24. pelagicus, Linnæus. Cat. N.Z. Crust. 25.

Thalamita, Latreille, 1829. sima, A. Milne-Edwards. Cat. N.Z. Crust. 28.

Nectocarcinus, A. Milne-Edwards, 1860. integrifrons, Latreille. Cat. N.Z. Crust. 30. antarcticus, Jacquinot and Lucas. Cat. N.Z. Crust. 30.

Platyonichus, Latreille, 1825. bipustulatus, A. Milne-Edwards. Cat. N.Z. Crust. 32. ocellatus, Herbst. T.N.Z.I. ix. 473; Miss. de l'Ile Campbell, 383.

Section OCYPODIDEA. Family OCYPODIDE.

Ommatocarcinus, White, 1852. huttoni, Filhol. Miss. de l'Ile Campbell, 384. macgillivrayi, White. Miss. de l'Ile Campbell, 385; Challenger Reports, xvii. 247.

Macrophthalmus, Latreille, 1829.
hirtipes, Jacquinot and Lucas = Cleistostoma? hirtipes. Voy.
au Pole Sud. Crust. 68; A.M.N.H. 7, x. 462.

Hemiplax, Heller, 1865. hirtipes, Heller. Cat. N.Z. Crust. 34; Challenger Reports, xvii. 251.

Gelasimus, Latreille, 1880. thomsoni, Kirk. T.N.Z.I. xiii. 237. huttoni, Filhol. Miss. de l'Ile Campbell, 386.

Helœcius, Dana, 1852. cordiformis, A. Milne-Edwards. Cat. N.Z. Crust. 35.

Family GRAPSIDÆ.

Grapsus, Lamarck, 1801.
pictus, Latreille, Cat. N.Z. Crust. 36; Miss. de l'Ile Campbell, 387.

Leptograpsus, Milne-Edwards, 1853.
variegatus, Fabricius. Cat. N.Z. Crust. 36; Challenger
Reports, xvii. 257.

Heterograpsus, Lucas, 1849. sexdentatus, Milne-Edwards. Cat. N.Z. Crust. 37. **Heterograpsus crenulatus**, Milne-Edwards. Cat. N.Z. Crust. 38.

maculatus, Milne-Edwards. Cat. N.Z. Crust. 39; Miss. de l'Ile Campbell, 389.

Nautilograpsus, A. Milne-Edwards, 1837. (=*Planes*, Leach.) minutus, Linnæus. Cat. N.Z. Crust. 39; Challenger Reports, xvii. 254.

Cyclograpsus, Milne-Edwards, 1837. lavauxi, Milne-Edwards. Cat. N.Z. Crust. 41.

Chasmagnathus, de Haan, 1835. subquadratus, Dana. Cat. N.Z. Crust. 42. lævis, Dana. Cat. N.Z. Crust. 42.

Helice, de Haan, 1835. crassa, Dana. Cat. N.Z. Crust. 43. lucasi, A. Milne-Edwards. Cat. N.Z. Crust. 44; Miss. de

Sesarma, Say, 1817.
pentagona, Hutton. T.N.Z.I. vii. 279.

l'Ile Campbell, 391.

Plagusia, Latreille, 1806. chabrus, Linnæus. Cat. N.Z. Crust. 45; Miss. de l'Ile Campbell, 393.

Leiolophus, Miers, 1876.
planissimus, Herbst. Cat. N.Z. Crust. 46; Miss. de l'Ile
Campbell, 394.

Family PINNOTHERIDÆ.

Pinnotheres, Latreille, 1803. pisum, Linnæus. Cat. N.Z. Crust. 48. novæ-zealandiæ, Filhol. Miss. de l'Ile Campbell, 395.

Halicarcinus, White, 1846.

planatus, Fabricius. Cat. N.Z. Crust. 49; Challenger Reports, xvii. 281; P.Z.S. 1900, 524.

tridentatus, Jacquinot and Lucas. Miss. de l'Ile Campbell,
396.

huttoni, Filhol. Miss. de l'Ile Campbell, 398.

Hymenicus, Dana, 1852.
varius, Dana. Cat. N.Z. Crust. 50.
pubescens, Dana. Cat. N.Z. Crust. 51.
depressus, Jacquinot and Lucas. Cat. N.Z. Crust. 51.
edwardsii, Filhol. Miss. de l'Ile Campbell, 400.
cooki, Filhol. Miss. de l'Ile Campbell, 401.
haasti, Filhol. Miss. de l'Ile Campbell, 402.
marmoratus, Chilton. T.N.Z.I. xiv. 172.

Hymenosoma, Leach, 1825.

lacustris, Chilton. T.N.Z.I. xv. 69; Fulton and Grant, Proc. R.S. Vict. xv. (New Series), 59.

Elamena, Milne-Edwards, 1837.

quoyi, Milne-Edwards. Cat. N.Z. Crust. 52; Miss. de l'Île Campbell, 403.

whitei, Miers. Cat. N.Z. Crust. 52; Miss. de l'Ile Campbell,

403.

longirostris, Filhol. Miss. de l'Ile Campbell, 403. kirki, Filhol. Miss. de l'Ile Campbell, 405.

producta, Kirk. T.N.Z.I. xi. 395; Miss de l'Ile Campbell, 404.

Section Leucosidea. Family Leucoside.

Ebalia, Leach, 1817. (=Phlyxia, Bell.)

lævis, Bell. Cat. N.Z. Crust. 56; Challenger Reports, xvii. 306.

cheesemani, Filhol. Miss. de l'Ile Campbell, 407.

tumefacta, Kirk. T.N.Z.I. xi. 395.

tuberculosa, A. Milne-Edwards. Challenger Reports, xvii. 306.

Sub-order Anomura. Group Dromidea. Family Dromidæ.

Cryptodromia, Stimpson, 1858.

lateralis, Gray. T.N.Z.I. xxxi. 170.

Group PAGURIDEA. Family PAGURIDÆ.

Clibanarius, Dana, 1851.

cruentatus, Milne-Edwards. T.N.Z.I. xxxi. 172. barbatus, Heller. T.N.Z.I. xxxi. 172.

Eupagurus, Brandt, 1851.

novæ-zealandiæ, Dana. T.N.Z.I. xxxi. 173. kirkii, Filhol. T.N.Z.I. xxxi. 175. cookii, Filhol. T.N.Z.I. xxxi. 176. hectori, Filhol. T.N.Z.I. xxxi. 176. hectori, Filhol. T.N.Z.I. xxxi. 177. lacertosus, Henderson. T.N.Z.I. xxxi. 178. traversi, Filhol. T.N.Z.I. xxxi. 180. rubricatus, Henderson. T.N.Z.I. xxxi. 180. rubricatus, Henderson. T.N.Z.I. xxxi. 181. edwardsi, Filhol. T.N.Z.I. xxxi. 182. campbelli, Filhol. T.N.Z.I. xxxi. 183. thomsoni, Filhol. T.N.Z.I. xxxi. 183. cristatus, Milne-Edwards. T.N.Z.I. xxxi. 184.

Aniculus, Dana, 1851. typicus, Dana. T.N.Z.I. xxxi. 184.

Stratiotes, Thomson, 1897. setosus, Filhol. T.N.Z.I. xxxi. 185.

Paguristes, Dana, 1851.
pilosus, A. Milne-Edwards. T.N.Z.I. xxxi. 187.
subpilosus, Henderson. Challenger Reports, xxvii. 77;
T.N.Z.I. xxxi. 187.

Family PARAPAGURIDÆ.

Parapagurus, S. J. Smith, 1879.
latimanus, Henderson. Challenger Reports, xxvii. 91;
T.N.Z.I, xxxi. 187.

Pagurodes, Henderson, 1888. inarmatus, Henderson. Challenger Reports, xxvii. 94; T.N.Z.I. xxxi. 187.

Genus incertæ sedis.
Porcellanopagurus, Filhol, 1885.

edwardsi, Filhol. T.N.Z.I. xxxi. 187.

Group GALATHEIDEA. Family Porcellanidæ.

Petrolisthes, Stimpson, 1858. elongatus, Milne-Edwards. T.N.Z.I. xxxi. 189. novæ-zealandiæ, Filhol. T.N.Z.I. xxxi. 190.

Petrocheles, Miers, 1876. spinosus, Miers. T.N.Z.I. xxxi. 191.

Porcellana, Lamarck, 1801. rupicola, Stimpson. T.N.Z.I. xi. 396.

Family GALATHEIDÆ.

Galathea, Fabricius, 1793.
pusilla, Henderson. T.N.Z.I. xxxi. 193.

Munida, Leach, 1820. subrugosa, Henderson. Challenger Reports, xxvii. 124; T.N.Z.I. xxxi. 194.

gracilis, Henderson. T.N.Z.I. xxxi. 196. microphthalma, A. Milne-Edwards. T.N.Z.I. xxxi. 196.

Elasmonotus, A. Milne-Edwards, 1880. marginatus, Henderson. T.N.Z.I. xxxi. 196.

Uroptychus, Henderson, 1888. spinimarginatus, Henderson. T.N.Z.I. xxxi. 196. politus, Henderson. T.N.Z.I. xxxi. 196. australis, Henderson. T.N.Z.I. xxxi. 197. Sub-order Macrura. Division Trichobranchiata. Group Aberrantia. Family Callianassidæ.

Callianassa, Leach, 1814. sp. indef, Kirk. T.N.Z.I. 401.

filholi, A. Milne-Edwards. Mission de l'Ile Campbell, 429.

Upogebia, Leach, 1814 = Gebia, Leach.

danai, Miers. Cat. N.Z. Crust. 70; G. hirtifrons, Kirk, T.N.Z.I. xi. 401.

Family AxIIDÆ.

Eiconaxius, Spence Bate, 1888.

kermadeci, Spence Bate. Challenger Reports, xxiv. 43. parvus, Spence Bate. Challenger Reports, xxiv. 44.

Group Normalia. Tribe Synaxidea. Family Scyllaridæ.

Ibacus, Leach, 1815.

alticrenatus, Spence Bate. Challenger Reports, xxiv. 63.

Family Palinuridæ.

Jasus, T. J. Parker, 1883 = Palinostylus, Spence Bate.

edwardsi, Hutton. T.N.Z.I. vii. 279; Parker, T.N.Z.I. xvi. 297, and xix. 150.

lalandii, M. Edwards. Cat. N.Z. Crust. 74; Parker, T.N.Z.I. xvi. 297, and xix. 150.

hugelii, Heller. Cat. Aust. Crust. 172 = Palinurus tumidus, Kirk, T.N.Z.I. xii. 314.

Tribe ASTACIDEA. Family ERYONTIDÆ.

Polycheles, Heller, 1862.

helleri, Spence Bate. Challenger Reports, xxiv. 138.

Pentacheles, Spence Bate, 1878.

euthrix, Willemoes-Suhm. Challenger Reports, xxiv. 149.

Family Nephropsidæ.

Nephrops, Leach, 1816.

thomsoni, Spence Bate. Challenger Reports, xxiv. 185.

Family PARASTACIDÆ.

Paranephrops, White, 1842.

planifrons, White. Chilton, T.N.Z.I. xxxii. 14. zealandicus, White. Chilton, T.N.Z.I. xxxii. 15. setosus, Hutton. Chilton, T.N.Z.I. xxxii. 16.

Division Dendrobranchiata. Family Penæidæ.

? Philonicus, Spence Bate, 1888.

? lucasii, Spence Bate. Ann. Mag. Nat. Hist. 5, viii. 185; Challenger Reports, xxiv. 277.

Haliporus, Spence Bate, 1881.

obliquirostris, Spence Bate. Challenger Reports, xxiv. 286.

Hemipenæus, Spence Bate, 1881.

semidentatus, Spence Bate. Challenger Reports, xxiv. 305.

Benthesicymus, Spence Bate, 1881.

brasiliensis, Spence Bate. Challenger Reports, xxiv. 332. iridescens, Spence Bate. Challenger Reports, xxiv. 335. altus, Spence Bate. Challenger Reports, xxiv. 336.

Family Sergestidæ.

Sergestes, Milne-Edwards, 1830.

kröyeri, Spence Bate. Challenger Reports, xxiv. 388. ? parvidens, Spence Bate. Challenger Reports, xxiv. 409.

Division Phyllobranchiata. Tribe Crangonidea. Family Crangonidæ.

Pontophilus, Leach, 1817.

australis, Hutton. T.N.Z.I. xi. 231; T.L.S. 2, viii. 434. gracilis, Spence Bate. Challenger Reports, xxiv. 487.

Tribe POLYCARPIDEA.
Family Nikidæ.
Milno Edwards 1884

Glyphocrangon, A. Milne-Édwards, 1884. regalis, Spence Bate. Challenger Reports, xxiv. 517.

Family Alpheidæ.

Alpheus, Fabricius, 1778.

socialis, Heller. Voy. Novara, Crust. pl. 106; Cat. N Z. Crust. 82; T.L.S. 2, viii. 436.

novæ-zealandiæ, Miers. Cat. N.Z. Crust. 82. halesii, Kirk. T.N.Z.I. xix. 194.

Betæus, Dana, 1852.

æquimanus, Dana. Cat. N.Z. Crust. 83; T.L.S. 2, viii. 438.

Family HIPPOLYTIDÆ.

Alope, White, 1848.

palpalis, White. Cat. N.Z. Crust. 84; T.L.S. 2, viii. 440.

Hippolyte, Leach, 1815. bifidirostris, Miers. Cat. N.Z. Crust. 81 (Virbius); T.L.S.

2, viii. 443.

Merhippolyte, Spence Bate, 1888.

spinifrons, Milne-Edwards. Cat. N.Z. Crust. 80 (*Hippolyte*, T.L.S. 2, viii. 444.

Nauticaris, Spence Bate, 1888.

stewarti, G. M. Thomson. T.N.Z.I. xxi. 259 (Hippolyte); T.L.S. 2, viii. 445.

Family PANDALIDÆ.

Plesionika, Spence Bate, 1888.

semilævis, Spence Bate. Challenger Reports, xxiv. 644.

Pandalus, Leach, 1817.

magnoculus, Spence Bate. Challenger Reports, xxiv. 667.

Tribe Monocarpidea. Family Atyidæ.

Xiphocaris, v. Martens, 1872.

curvirostris, Heller. Cat. N.Z. Crust. 78 (Caridina); T.L.S. 2, viii. 447.

Family PALEMONIDE.

Acanthephyra, A. Milne-Edwards, 1881.

sica, Spencer Bate. Challenger Reports, xxiv. 739. brachytelsonis, Spencer Bate. Challenger Reports, xxiv.

Palæmon, Fabricius, 1798.

affinis, A. Milne-Edwards. Cat. N.Z. Crust. 85. natator, A. Milne-Edwards. Cat. N.Z. Crust. 86.

Bithynis, Philippi, 1860.

ornatus, Olivier. Cat. N.Z. Crust. 87.

Brachycarpus, Spence Bate, 1888.

audouini, Spence Bate. Challenger Reports, xxiv. 798.

Nematocarcinus, A. Milne-Edwards, 1884.

undulatipes, Spence Bate. Challenger Reports, xxiv. 801. gracilis, Spence Bate. Challenger Reports, xxiv. 815. serratus, Spence Bate. Challenger Reports, xxiv. 819. hiatus, Spence Bate. Challenger Reports, xxiv. 821.

Family STYLODACTYLIDÆ.

Stylodactylus, A. Milne-Edwards, 1883.

discissipes, Spence Bate. Challenger Reports, xxiv. 851. orientalis, Spence Bate. Challenger Reports, xxiv. 854.

Order Schizopoda. Family Euphausiidæ.

Nyctiphanes, Sars, 1883.

australis, Sars. Thomson, J.L.S. Zool. xxvii. 485.

Family Mysiidæ.

Siriella, Dana, 1850.

denticulata (Thomson). J.L.S. Zool. xxvii. 482.

Tenagomysis, Thomson, 1900.

novæ-zealandiæ, Thomson. J.L.S. Zool. xxvii. 484.

Order STOMATOPODA. Family SQUILLIDÆ.

Squilla, Fabricius, 1793.

nepa, Latreille. Chilton, T.N.Z.I. xxiii. 60. armata, A. Milne-Edwards. Chilton, T.N.Z.I. xxiii. 60.

Protosquilla, Brooks, 1886.

trispinosa, White. Chilton, T.N.Z.I. xxiii. 61.

Lysiosquilla, Latreille, 1825.

spinosa, Wood-Mason. Chilton, T.N.Z.I. xxiii. 61

Order CUMACEA. Family CUMIDÆ.

Cyclaspis, Sars, 1864.

lævis, G. M. Thomson. J.L.S. Zool. xxiv. 264.

Family DIASTYLIDÆ.

Diastylis, Say, 1818.

neo-zealanica, G. M. Thomson. J.L.S. Zool. xxiv. 268.

Order Edriophthalmata. Sub-order Amphipoda. Tribe Hyperidea.

Family VIBILIDÆ.

Vibilia, A. Milne-Edwards, 1830.

propinqua, Stebbing. Challenger Reports, xxix. 1279; Chilton, T.N.Z.I. xxiv. 261.

Family Cystisomidæ.

Cystisoma, Guérin-Méneville, 1842.

spinosum (Fabricius). Stebbing, Challenger Reports, xxix. 1331.

Family Phronimidæ.

Phronima, Latreille, 1803.

novæ-zealandiæ, Powell. T.N.Z.I. vii. 294; Stebbing, Challenger Reports, xxix. 1356.

Family Hyperidæ.

Euthemisto, Bovallius, 1887.

thomsoni, Stebbing (= Themisto antartica, Thomson); Challenger Reports, xxix. 1414; Chilton T.N.Z.I. xxiv. 263.

Family Phrosinidæ.

Anchylomera, Milne-Edwards, 1830.

blossevillei, Milne-Edwards. Stebbing, Challenger Reports, xxix. 1433.

Primno, Guérin-Méneville, 1836.

latreillei, Stebbing. Challenger Reports, xxix. 1445.

Family TYPHIDÆ.

Platyscelus, Spence Bate, 1861.

intermedius, G. M. Thomson. T.N.Z.I. xi. 244; Stebbing, Challenger Reports, xxix. 1464.

Family Pronoidæ.

Parapronoë, Claus, 1879.

clausoides, Stebbing. Challenger Reports, xxix. 1529.

Family TRYPHANIDÆ.

Brachyscelus, Spence Bate, 1861.

crusculum, Spence Bate. Stebbing, Challenger Reports, 1547.

Family Oxycephalidæ.

Oxycephalus, Milne-Edwards, 1830.

edwardsii, G. M. Thomson. T.N.Z.I. xvi. 238; Stebbing, Challenger Reports, xxix. 1585.

Tribe GAMMARIDEA. Family ORCHESTIDÆ.

Orchestia, Leach, 1813.

gammarellus, Pallas. Thomson, T.N.Z.I. xxxi. 199. chiliensis, Milne-Edwards. Thomson, T.N.Z.I. xxxi. 199. telluris, Spence Bate. Thomson, T.N.Z.I. xxxi. 200. aucklandiæ, Spence Bate. Thomson, T.N.Z.I. xxxi. 201. quoyana, A. Milne-Edwards. Thomson, T.N.Z.I. xxxi. 202. tumida, Thomson. T.N.Z.I. xxxi. 203. sylvicola, Dana. Thomson, T.N.Z.I. xxxi. 203.

Hyale, Rathke, 1837.

prevostii, Milne-Edwards. Thomson, T.N.Z.I. xxxi. 204. pontica, Rathke. Thomson, T.N.Z.I. xxxi. 205. lubbockiana, Spence Bate. Thomson, T.N.Z.I. xxxi. 206. chiltoni, G. M. Thomson. T.N.Z.I. xxxi. 206.

Chiltonia, Stebbing, 1899.

mihiwaka, Chilton. Stebbing, T. Linn. Soc. Zool. vii. 408; Hyalella mihiwaka, Thomson, T.N.Z.I. xxxi. 207.

Ceina, Della Valle, 1893. egregia, Chilton. Thomson, T.N.Z.I. xxxi. 207.

S

Family Lysianassidæ.

Anonyx, Kröyer, 1838.

exiguus, Stimpson. G. M. Thomson, T.N.Z.I. xiv. 232.

Lysianax, Stebbing, 1888 (substitute for Lysianassa, Milne-Edwards, pre-occupied). kröyeri, Spence Bate. G. M. Thomson, T.N.Z.I. xi. 237.

Amaryllis, Haswell, 1880.

macrophthalmus, Haswell. Thomson, A.M.N.H. 7, x. 463.

Andaniotes, Stebbing, 1897.

corpulentus, Thomson. Stebbing, T. Linn. Soc. Zool. vii. 31.

Family AMPHILOCHIDÆ.

Amphilochus, Spence Bate, 1862. squamosus, Thomson. T.N.Z.I. xiii. 214.

Cyproidia, Haswell, 1880. otakensis, Chilton. A.M.N.H. 7, v. 241.

Tetradeion, Stebbing, 1899. crassa, Chilton. Stebbing, A.M.N.H. 7, iv. 207; Cyproidia ? crassa, Chilton, T.N.Z.I. xv. 80.

Family Leucothoidæ.

Leucothoë, Leach, 1813. trailii, Thomson. T.N.Z.I. xiv. 234. tridens, Stebbing. Challenger Reports, xxix. 777.

Seba, Spence Bate, 1862. saundersii, Stebbing. Chilton, T.N.Z.I. xxiv. 260.

Family Pontoporelldæ.

Phoxocephalus, Stebbing, 1888. bassi, Stebbing. Thomson, A.M.N.H.

Parharpinia, Stebbing, 1899. villosus, Haswell. Stebbing, A.M.N.H. 7, iv. 207; Phoxus batei, G. M. Thomson, T.N.Z.I. xiv. 232.

Platyischnopus, Stebbing, 1888. neo-zelanicus, Chilton. A.M.N.H. 6, xix. 1.

Family ŒDICERIDÆ.

Œdiceros, Kröyer, 1842. novæ-zealandiæ, Dana. Miers, Cat. N.Z. Crust. 126.

Family Pleustidæ.

Pleustes, Spence Bate, 1858. panoplus, Kröyer. Kirk, T.N.Z.I. xi. 402.

Family IPHIMEDIDÆ

Iphimedia, Rathke, 1843.

spinosa, G. M. Thomson. Panoptæa spino G. M. Thomson, T.N.Z.I. xiii. 213.

Family ATYLIDÆ.

Halirages, Boeck, 1870.

debilis, Thomson. Stebbing, Challenger Reports, xxix. 524; Panoplæa debilis, Thomson, T.N.Z.I. xiii. 213.

translucens, Chilton. Stebbing, Challenger Reports, xxix. 551; Panoptæa translucens, Chilton, T.N.Z.I. xvi. 263.

Atylus, Leach, 1815.

danai, Thomson. T.N.Z.I. xi. 238.

Family DEXAMINIDÆ.

Tritaeta, Boeck, 1876.

antarctica, Stebbing. Challenger Reports, xxix. 451; Polycheria obtusa, Thomson, T.N.Z.I. xiv. 233.

Paradexamine, Stebbing, 1899.

pacifica, Thomson. Stebbing, A.M.N.H. 7, iv. 210; Dexamine pacifica, Thomson, T.N.Z.I. xi. 238.

levis, Thomson = Amphithonotus levis, Thomson, T.N.Z.I. xiii. 215.

Family Eusiridæ.

Eusirus, Kröyer, 1845.

longipes, Kröyer, Challenger Reports, xxix. 965.

Liljeborgia, Spence Bate, 1862.

haswelli, Stebbing. Challenger Reports, xxix. 985; A.M.N.H. 7, x. 463.

Family Calliopidæ.

Paracalliope, Stebbing, 1899.

fluviatilis, Thomson. Stebbing, A.M.N.H. 7, iv. 210; Calliope fluviatilis, Thomson, T.N.Z.I. xi. 240.

Paraleptamphopus, Stebbing, 1899.

subterraneus, Chilton. Stebbing, A.M.N.H. 7, iv. 209; Calliopius subterraneus, Chilton, T. Linn. Soc. Zool. vi. 234. cærulea, Thomson. Stebbing, A.M.N.H. 7, iv. 209, and T.Z.S. xii. 206.

Calliopius, Liljeborg, 1865. didactylus, Thomson. T.N.Z.I. xi. 240.

Pherusa, Leach, 1814. novæ-zealandiæ, Thomson. T.N.Z.I. xi. 239. Family STENOTHOIDÆ.

Stenothoë, Dana, 1852.

miersii, Haswell. Montaguana miersii, Chilton, T.N.Z.I. xv. 79.

adhærens, Stebbing. Chilton, T.N.Z.I. xxiv. 259.

Family AMPELISCIDÆ.

Ampelisca, Kroyër, 1842.

chiltoni, Stebbing. Challenger Reports, xxix. 1042. acinaces, Stebbing. Challenger Reports, xxix. 1036.

Family PHLIADIDÆ.

Bircenna, Chilton, 1884.

fulva, Chilton. T.N.Z.I. xvi. 264.

Iphinotus, Stebbing, 1899.

typica, Thomson, A.M.N.H. 7, x. 464 = chiltoni, Stebbing-T. Linn. Soc. Zool. vii. 419.

Family GAMMARIDÆ.

Phreatogammarus, Stebbing, 1899.

fragilis, Chilton. Stebbing, T. Linn. Soc. Zool. vii. 427; Gammarus fragilis, Chilton, T. Linn. Soc. Zool. vi. 227.

Mæra, Leach, 1813.

rubromaculata, Stebbing. Challenger Reports, xxix. 1008, spinosa, Chilton, T.N.Z.I. xv. 81.

fasciculata, Thomson. T.N.Z.I. xiii. 218.

quadrimana, Spence Bate. Thomson, T.N.Z.I. xiv. 235.

incerta, Chilton. T.N.Z.I. xv. 83.

haswelli, Thomson. A.M.N.H. 6, xx. 449; Stebbing, A.M.N.H. 7, iii.

Elasmopus, Costa, 1853.

subcarinatus, Haswell. Stebbing, Challenger Reports, xxix. 1019; Chilton, T.N.Z.I. xxiv. 261.

Melita, Leach, 1813.

tenuicornis, Dana. Miers, Cat. N.Z. Crust. 127.

Paracrangonyx, Stebbing, 1899.

compactus, Chilton. Stebbing, T. Linn. Soc. Zool. vii. 424; Crangonyx compactus, Chilton, T. Linn. Soc. Zool. vi. 220.

Family Рнотідж.

Aora, Kröyer, 1845.

typica, Kröyer. Chilton, A.M.N.H. 5, xvi. 375.

Gammaropsis, Liljeborg, 1855.

typica = Paranænia typica, Chilton, T.N.Z.I. xvi. 259. dentifera, Haswell. Paranænia dentifera, Chilton, T.N.Z.I. xvi. 260.

Gammaropsis longimana = Paranania longimana, Chilton, T.N.Z.I. xvi. 261.

thomsoni, Stebbing. Challenger Reports, xxix. 1103. chiltoni = Mæra chiltoni, Thomson, A.M.N.H. 6, xx. 447.

Podoceropsis, Boeck, 1860. kermadeci, Stebbing. Challenger Reports, xxix. 1109.

Family Podoceridæ.

Podocerus, Leach, 1814.

validus, Dana. Stebbing, Challenger Reports, xxix. 1135.
hoeki, Stebbing. Challenger Reports, xxix. 1136.
frequens, Chilton. T.N.Z.I. xv. 85.
latipes, Chilton. T.N.Z.I. xvi. 258 (name preoccupied).
longimanus, Haswell. Chilton, T.N.Z.I. xvi. 255.
cristatus, Thomson = Cyrtophium cristatum, Thomson,
T.N.Z.I. xiii. 219.

Harmonia, Haswell, 1880 (name preoccupied). crassipes, Haswell. Chilton, T.N.Z.I. xv. 82.

Family Corophidæ.

Corophium, Latreille, 1800. contractum, Stimpson. Thomson, T.N.Z.I. xiii. 220. crassicorne, Bruzelius. Chilton, T.N.Z.I. xviii. 142.

Paracorophium, Stebbing, 1899.
excavatum, Thomson. Stebbing, A.M.N,H. 7, iii. 241
and 350; Corophium excavatum, Thomson, T.N.Z.I.
xvi. 236.

Family?

Haplocheira, Haswell, 1880.

barbimana, Stebbing. Challenger Reports, xxix. 1177 = Corophium barbimanum, Thomson and Chilton, T.N.Z.I. xviii. 143.

Camacho, Stebbing, 1888. bathyplous, Stebbing. Challenger Reports, xxix. 1179.

Tribe CAPRELLIDEA.

Caprella, Lamarck, 1801. æquilibra, Say. Stebbing, Challenger Reports, xxix. 1254. linearis, Bate. Mayer, Capr. d. G. Neapel, 58; C. lobata, Kirk, T.N.Z.I. xi. 393.

Caprellinopsis, Stebbing, 1888 (substitute for Caprellina, Thomson, preoccupied).
longicollet, Nicolet. Mayer, Capr. d. G. Neapel, 27.

Family CYAMIDÆ.

Cyamus, Latreille, 1796. ceti, Lamarck. Chilton, T.N.Z.I. xvi. 252.

> Sub-order Isopoda. Tribe CHELIFERA. Family Apseudidæ.

Apseudes, Leach, 1814. timaruvia, Chilton. T.N.Z.I. xv. 146. latus, Chilton. T.N.Z.I. xvi. 249.

Family TANAIDÆ.

Tanais, A. Milne-Edwards, 1829. novæ-zealandiæ, G. M. Thomson. T.N.Z.I. xiii. 207.

Paratanais, Dana, 1852. tenuis, G. M. Thomson. T.N.Z.I. xiii. 207.

> Tribe FLABELLIFERA. Family Anthuridæ.

Anthura, Leach, 1814. flagellata, Chilton. T.N.Z.I. xiv. 172. affinis, Chilton. T.N.Z.I. xv. 72; Stebbing, Hist. Crust. 332.

Paranthura, Bate and Westwood, 1866. costana, Bate and Westwood. Thomson, T.N.Z.I. xiv. 230. chiltoni, Beddard. Challenger Reports, xvii. 143.

Cruregens, Chilton, 1882. fontanus, Chilton. T. Linn. Soc. Zool. vi. 211.

Family CYMOTHOIDÆ.

Meinertia, Stebbing, 1893. imbricata, Fabricius. Stebbing, South African Crust. 58; Ceratothoa imbricata.

lineata, = Ceratothoa lineata, Miers. Cat. N.Z. Crust. 105. huttoni, = Ceratothoa huttoni, Filhol. Miss. de l'Ile Campbell, 447.

novæ-zealandiæ, = Ceratothoa novæ-zealandiæ, Filhol, Miss. de l'Ile Campbell, 449.

Æga, Leach, 1815.

novæ-zealandiæ, Dana. T.N.Z.I. xviii. 153. maorum, Filhol. Miss. de l'Ile Campbell, 452.

Pseudæga, G. M. Thomson, 1882. punctata, Thomson. T.N.Z.I. xvi. 234.

Livoneca, Leach, 1818. novæ-zealandiæ, Miers. Cat. N.Z. Crust. 106. stewarti, Filhol. Miss. de l'Ile Campbell, 450.

Nerocila, Leach, 1818.

macleayii, Leach. Chilton, T.N.Z.I. xxiii. 68. traillii, Filhol. Miss. de l'Ile Campbell, 451.

Cirolana, Leach, 1818.

rossii, Miers. Cat. N.Z. Crust. 109. cookii, Filhol. Miss. de l'Ile Campbell, 454.

hirtipes, A. Milne-Edwards. Filhol, Miss. de l'Ile Campbell, 455.

Family Serolidæ.

Serolis, Leach, 1818.

paradoxa, Fabricius. Beddard, Challenger Reports, xi. 23. scythei, Lutken. Beddard, Challenger Reports, xi. 40. bromleyana, Willemoës-Suhm. Beddard. Challenger Reports, xi. 53.

latifrons, White. Beddard, Challenger Reports, xi. 44.

Family Sphæromidæ.

Sphæroma, Latreille, 1802.

verrucauda, White. Miers, Cat. N.Z. Crust. 111. obtusa, Dana. Miers, Cat. N.Z. Crust. 112.

Exosphæroma, Stebbing, 1900.

gigas, Leach. Stebbing, P.Z.S. 1900, 558; Spharoma gigas, Miers, Cat. N.Z. Crust. 110.

Cymodocella, Pfeffer, 1887.

egregia, = Sphæroma? egregia, Chilton, T.N.Z.I. xxiv. 269.

Isocladus, Miers, 1876.

armatus, A. Milne-Edwards. Miers, Cat. N.Z. Crust. 112. spiniger, Dana. Miers, Cat. N.Z. Crust. 113.

Cymodoce, Leach, 1814.

granulata, Miers. Cat. N.Z. Crust. 114. convexa, Miers. Cat. N.Z. Crust. 114.

cordiforaminalis, Chilton. T.N.Z.I. xiv. 188.

bituberculata, Filhol. Miss. de l'Ile Campbell, 457. huttoni, G. M. Thomson. Dynamene huttoni, G. M.

Thomson, T.N.Z.I. xi. 234.

Scutuloidea, Chilton, 1882. maculata, Chilton. T.N.Z.I. xv. 70.

Cassidina, A. Milne-Edwards, 1840.

neo-zelanica, G. M. Thomson. T.N.Z.I. xxi. 264; Stebbing, P.Z.S. 1900, 562.

Amphoroidea, A. Milne-Edwards, 1840.

falcifer, G. M. Thomson. T.N.Z.I. xi. 233.

Plakarthrium, Chilton, 1882.

typicum, Chilton. T.N.Z.I. xv. 74.

Family LIMNORHDÆ.

Limnoria, Leach, 1814. segnis, Chilton. T.N.Z.I. xv. 76.

Tribe VALVIFERA. Family ARCTURIDÆ.

Astacilla, Cordiner, 1795.

tuberculatus, G. M. Thomson. Arcturus tuberculatus, G. M. Thomson, T N.Z.I. xiii. 206.

Arcturus, Latreille, 1804. myops, Beddard. Challenger Reports, xvii. 100.

Family IDOTEIDÆ.

Idotea, Fabricius, 1798.

marina, Linnæus. Chilton, T.N.Z.I. xxii. 191. festiva, Chilton. T.N.Z.I. xxii. 192. metallica, Bosc. Chilton, T.N.Z.I. xxii. 193. lacustris, G. M. Thomson. Chilton, T.N.Z.I. xxiv. 263. elongata, Miers. Chilton, T.N.Z.I. xxii. 198. peronii, Milne-Edwards. Chilton, T.N.Z.I. xxii. 199. stewarti, Filhol. Miss. de l'Ile Campbell, 492.

Paridotea, Stebbing, 1900.

ungulata, Pallas. Stebbing, South African Crust. 53; *Idotea ungulata*, Chilton, T.N.Z.I. xxii. 196.

Cleantis, Dana, 1849. tubicola, G. M. Thomson. Chilton, T.N.Z.I. xxiv. 265.

Tribe ASELLOTA. Family ASELLIDÆ.

Iais, Bovallius, 1886.

pubescens, Dana. Chilton, T.N.Z.I. xxiv. 266; Stebbing, P.Z.S. 1900, 549.

Iathrippa, Bovallius, 1886.

longicauda, Chilton. Janira longicauda, Chilton, T.N.Z.I. xvi. 250, and xviii. 157.

Stenetrium, Haswell, 1881.

fractum, Chilton. T.N.Z.1. xvi. 251, and xviii. 157.

Jæropsis, Koehler, 1885. neo-zelanica, Chilton. T.N.Z.I. xxiv. 267.

Munna, Kröyer, 1839. neo-zelanica, Chilton. A.M.N.H. 6, ix. 1.

Acanthomunna, Beddard, 1886. proteus, Beddard. Challenger Reports, xvii. 47. Family Munnopsidæ.

Munnopsis, M. Sars, 1861.

gracilis, Beddard. Challenger Reports, xvii. 51.

Eurycope, Sars, 1864.

novæ-zealandiæ, Beddard. Challenger Reports, xvii. 61.

Tribe Phreatoicidea, Family PHREATOICIDÆ.

Phreatoicus, Chilton, 1882.

typicus, Chilton. T. Linn. Soc. Zool. vi. 196. assimilis, Chilton. T. Linn. Soc. Zool. vi. 186.

> Tribe Oniscoidea. Family LIGIIDÆ.

Ligia, Fabricius, 1798.

novæ-zealandiæ, Dana. Chilton, T. Linn. Soc. Zool viii. 107.

Family Trichoniscidæ.

Trichoniscus, Brandt, 1833.
phormianus, Chilton. T. Linn. Soc. Zool. viii. 115. otakensis, Chilton. T. Linn. Soc. Zool. viii. 117. thomsoni, Chilton. T. Linn. Soc. Zool. viii. 118.

Haplophthalmus, Schöbl, 1860.

helmsii, Chilton. T. Linn. Soc. Zool. viii. 119.

Family Tylidæ.

Tylos, Latreille, 1829.

neo-zelanicus, Chilton. T. Linn. Soc. Zool. viii. 120.

Family Scyphacidæ.

Scyphax, Dana, 1853.

ornatus, Dana. Chilton, T. Linn. Soc. Zool. viii. 123. aucklandiæ, G. M. Thomson. Chilton, T. Linn. Soc. Zool. viii. 126.

Scyphoniscus, Chilton, 1901.

waitatensis, Chilton. T. Linn. Soc. Zool. viii. 128.

Actæcia, Dana, 1853.

euchroa, Dana. Chilton, T. Linn. Soc. Zool. viii. 130. opihensis, Chilton. T. Linn. Soc. Zool. viii. 132.

Family ONISCIDÆ.

Oniscus, Linnæus, 1767.

punctatus, G. M. Thomson. Chilton, T. Linn. Soc. Zool. viii. 133.

kenepurensis, Chilton. T. Linn. Soc. Zool. viii. 135. cookii, Filhol. Chilton, T. Linn. Soc. Zool. viii. 136.

Philoscia, Latreille, 1804. pubescens, Dana. Chilton, T. Linn. Soc. Zool. viii. 136. novæ-zealandiæ, Filhol. Chilton, T. Linn. Soc. Zoolviii. 138.

Metoponorthus, Buddle-Lund, 1879. pruinosus, Brandt. Chilton, T. Linn. Soc. Zool. viii. 141.

Family Armadillidæ.

Armadillo, Latreille, 1804. ambitiosus, Buddle-Lund. Chilton, T. Linn. Soc. Zool. viii. 144.

danæ, Heller. Chilton, T. Linn. Soc. Zool. viii. 144. speciosus, Dana. Chilton, T. Linn. Soc. Zool. viii. 146. rugulosus, Miers. Chilton, T. Linn. Soc. Zool. viii. 147. monolinus, Dana. Chilton, T. Linn. Soc. Zool. viii. 147. hamiltoni, Chilton. T. Linn. Soc. Zool. viii. 148. macmahoni, Chilton. T. Linn. Soc. Zool. viii. 149. spinosus, Dana. Chilton, T. Linn. Soc. Zool. viii. 150.

Order Phyllocarida.

Nebalia, Leach, 1815.

longicornis, Thomson. T.N.Z.I. xiii. 221; Sayce, Victorian Naturalist, xviii. 151.

> Sub-class Entomostraca. Order Branchiopoda. Sub-order CLADOCERA. Family DAPHNIDÆ.

Daphnia, Müller, 1785. thomsoni, G. O. Sars. Fresh-water Entom. of N.Z., Vidensk.-Selsk. Skr. 1894-5 = D. similis, Thomson, T.N.Z.I. xvi. 240.

Simocephalus, Schödeler.

obtusatus, Thomson. Sars, Fresh-water Entom. of N.Z. 10; Daphnia obtusata, T.N.Z.I. xi. 261.

Ceriodaphnia, Dana, 1847. sublævis, Sars. Fresh-water Entom. of N.Z. 14.

Family LYNCEIDÆ.

Chydorus, Leach, 1819. minutus, Thomson. T.N.Z.I. xi. 262.

Alona, Baird, 1843. eucostata, Sars. Fresh-water Entom. of N.Z. 17. macrocopa, Sars. Fresh-water Entom. of N.Z. 20. Family Podontidæ.

Podon, Liljeborg, 1853.

polyphemoides, Leuckart. T.N.Z.I. xxvii. 221.

trisetosus, Krämer. T.N.Z.I. xxvii. 222.

Evadne, Lovén, 1835. aspinosa, Krämer. T.N.Z.I. xxvii. 222.

Family SIDIDÆ.

Penilia, Dana, 1847. pacifica, Krämer. T.N.Z.I. xxvii. 222.

Order Phyllopoda. Family Apodidæ.

Lepidurus, Leach, 1816.

viridis, Baird. Sayce, P.R.S. Vict. xv. n.s. 242 = L. angasii. Sars, Description of some Australian Phyllopoda, Archiv. f. Math. og Natur. xvii. No. 2, 4, = L. kirkii, Thomson, T.N.Z.I. xi. 260, = compressus, Thomson. T.N.Z.I. xi. 260.

Order Ostracoda. Section Podocopa. Family Cyprididæ.

Cypris, Müller, 1785.

novæ-zealandiæ, Baird. Dieffenbach, New Zealand, ii. 268.

littoralis, Thomson. T.N.Z.I. xi. 253.

bennelong, King. Sars, Fresh-water Entom. of N.Z., Vidensk.-Selsk. Skr. 1894, No. 5, 24.

sydneia, King. Sars, Fresh-water Entom. of N.Z. 27, = C. ciliata, Thomson, T.N.Z.I. xi. 253.

Cypridopsis, Brady, 1868.

turgida, G. O. Sars. On Fresh-water Entom. from neighbourhood of Sydney, 62, = C. minna, King. Sars, Freshwater Entom. of N.Z. 30.

viridis, Thomson = Cypris viridis, Thomson, T.N.Z.I. xi. 253; Sars, Fresh-water Entom. of N.Z. 32.

Candonocypris, G. O. Sars, 1894.

candonoides, King. Sars, Fresh-water Entom. of N.Z. 35. assimilis, Sars. Fresh-water Entom. of N.Z. 36.

Ilyodromus, G. G. Sars, 1894.
stanleyanus, King. Sars, Fresh-water Entom. of N.Z. 39varrovillius, King. Sars, Fresh-water Entom. of N.Z. 41.
smaragdinus, Sars. Fresh-water Entom. of N.Z. 43.
substriatus, Sars. Fresh-water Entom. of N.Z. 45.
obtusus, Sars. Fresh-water Entom. of N.Z. 46.

Paracypris, G. O. Sars, 1865. polita, Sars. Challenger Reports, i. 32.

Phlyctenophora, G. S. Brady, 1880. zealandica, Brady. Challenger Reports, i. 33.

Cyprinotus, G. S. Brady, 1885. flavescens, Brady. T.Z.S. xiv. 440.

Aglaia, G. S. Brady, 1867. clavata, Brady. Challenger Reports, i. 34.

Macrocypris, G. S. Brady, 1868. tumida, Brady. Challenger Reports, i. 43.

Bairdia, M'Coy, 1844. ? ovata, Bosquet. Challenger Reports, i. 53.

Family Cytheridæ.

Cythere, Müller, 1785.
atra, Thomson. T.N.Z.I. xi. 254.
murrayana, Brady. Challenger Reports, i. 69.
rastromarginata, Brady. Challenger Reports, i. 83.
arata, Brady. Challenger Reports, i. 101.
dasyderma, Brady. Challenger Reports, i. 105.
scutigera, Brady. Challenger Reports, i. 109.
brunnea, Brady. T.Z.S. xiv. 442.
innominata, Brady. T.Z.S. xiv. 443 = C. truncata,
Thomson, T.N.Z.I. xi. 254.
truncula, Brady. T.Z.S. xiv. 444.

Krithe, Brady, Crosskey, and Robertson, 1874. producta, Brady. Challenger Reports, i. 114.

Loxoconcha, G. O. Sars, 1865. punctata, Thomson. T.N.Z.I. xi. 255.

Xestoleberis, G. O. Sars, 1865. luxata, Brady. T.Z.S. xiv. 441. olivacea, Brady. T.Z.S. xiv. 442. compressa, Brady. T.Z.S. xiv. 442.

Cytheropteron, G. O. Sars, 1865. wellingtoniense, Brady. Challenger Reports, i. 136.

Trachyleberis, G. S. Brady, 1898. scabrocuneata, Brady. Challenger Reports, i. 103; T.Z.S. xiv. 444.

Cytherideis, Jones, 1856. novæ-zealandiæ, Brady. T.Z.S. xiv. 446.

Sclerochilus, G. O. Sars, 1865. contortus, Norman. Challenger Reports, i. 147. Section Myodocopa. Family Cypridinidæ.

Crossophorus, G. S. Brady, 1880. imperator, Brady. Challenger Reports, i. 158.

Philomedes, Liljeborg, 1853. agilis, Thomson. T.N.Z.I. xi. 257. sculpta, Brady. T.Z.S. xiv. 434. flexilis, Brady. T.Z.S. xiv. 435.

Asterope, Philippi, 1840. australis, Brady. T.Z.S. xiv. 431. quadrata, Brady. T.Z.S. xiv. 432. grisea, Brady. T.Z.S. xiv. 432.

Cyclasterope, G. S. Brady, 1897.
ovulum, Brady. T.Z.S. xiv. 432
tenera, Brady. T.Z.S. xiv. 433.
zealandica, Baird. T.Z.S. xiv. 433 = Cypridina zealanica,
Baird. P.Z.S. 1850, 255.

Family Sarsiellidæ Sarsiella, Norman, 1869.

hanseni, Brady. T.Z.S. xiv. 438. hispida, Brady. T.Z.S. xiv. 439.

Section PLATYCOPA. Family CYTHERELLIDÆ.

Cytherella, Jones, 1849.

polita, Brady. Challenger Reports, i. 172

pulchra, Brady. Challenger Reports, i. 174

punctata, Brady. Challenger Reports, i. 174.

eburnea, Brady. T.Z.S. xiv. 447.

Order Copepoda. Section Gnathostoma. Family Calanidæ.

Calanus, Leach, 1816. finmarchicus, Günner. T.Z.S. xv. 32.

Paracalanus, Boeck, 1864. parvus, Claus. T.N.Z.I. xxvii. 217; T.Z.S. xv. 32.

Clausocalanus, Giesbrecht, 1888. arcuicornis, Dana. T.N.Z.I. xxvii. 217; T.Z.S. xv. 32 furcatus, Brady. T.Z.S. xv. 32.

Euchæta, Philippi, 1843. marina, Prestandrea. Pelagischen Copepoden des Golfes von Neapel, 245=E. prestandreæ, Philippi. Family CENTROPAGIRÆ.

Centropages, Kröyer, 1849.

typicus, Kröyer, var. aucklandicus, Krämer. T.N.Z.I. xxvii. 217.

discaudatus, Brady. T.Z.S. xv. 35. pectinatus, Brady. T.Z.S. xv. 36.

Deguernea, Thomson, 1902 = Guernea, Thomson, 1895. antarctica, Thomson. T.N.Z.I. xxvii. 213.

Temora, Baird, 1850. turbinata, Dana. T.N.Z.I. xxvii. 218. tenuicauda, Brady. T.Z.S. xv. 34. ? stylifera, Dana = T. dubia, Lubbock.

Leuckartia, Claus, 1863. n. sp. Krämer. T.N.Z.I. xxvii. 218.

Boeckella, Guerne and Richard = Boeckia, Thomson. triarticulata, Thomson. T.N.Z.I. xv. 94.

Family CANDACIDÆ.

Candace, Dana, 1846.
pectinata, Brady.
pachydactyla, Dana. U.S. Expl. Exp. Crust. 1113.

Family Pontellidæ.

Labidocera, Lubbock, 1853.

cervi, Krämer. T.N.Z.I. xxvii. 218; T.Z.S. xv. 37. simplex, Dana = *Pontellina simplex*, Dana. U.S. Expl. Exp. Crust. 1145.

Acartia, Dana, 1846. clausii, Giesbrecht. T.N.Z.I. xxvii. 219. ensifera, Brady. T.Z.S. xv. 33.

Family Cyclopidæ.

Oithona, Baird, 1843.
nana, Giesbrecht. T.N.Z.I. xxvii. 219.
spinifrons, Boeck. T.Z.S. xv. 38.

Thorellia, Boeck, 1864. brunnea, Boeck, var. antarctica, Thomson. T.N.Z.I. xv. 95.

Cyclops, Müller, 1776.
gigas, Claus. T.N.Z.I. xv. 96.
novæ-zealandiæ, Thomson. T.N.Z.I. xi. 258.
serrulatus, Fischer. T.N.Z.I. xv. 96.
chiltoni, Thomson. T.N.Z.I. xv. 97.
æquoreus, Fischer. T.N.Z.I. xv. 97.
ewarti, Brady. T.Z.S. xv. 38.

Family HARPACTICIDÆ.

Ectinosoma, Boeck, 1864. australe, Brady. T.Z.S. xv. 39.

Euterpe, Claus, 1863. gracilis, Claus. T.Z.S. xv. 39. acutifrons, Dana. T.N.Z.I. xxvii. 219.

Amymome, Claus, 1863. clausii, Thomson. T.N.Z.I. xv. 98; T.Z.S. xv. 40.

Laophonte, Philippi, 1840. australasica, Thomson. T.N.Z.I. xv. 101. serrata, Claus. T.Z.S. xv. 40. meinerti, Brady. T.Z.S. xv. 40.

Diarthrodes, Thomson, 1882. novæ-zealandiæ, Thomson. T.N.Z.I. xv. 99.

Merope, Thomson, 1882. hamata, Thomson. T.N.Z.I. xv. 100.

Dactylopus, Claus, 1863. tisboides, Claus. T.N.Z.I. xv. 102; T.Z.S. xv. 41. hanseni, Brady. T.Z.S. xv. 41.

Xouthous, Thomson, 1882. novæ-zealandiæ, Thomson. T.N.Z.I. xv. 103.

Flavia, Brady, 1899. crassicornis, Brady. T.Z.S. xv. 42.

Phroso, Brady, 1899. gracilis, Brady. T.Z.S. xv. 42.

Thalestris, Claus, 1863.
forficula, Claus. T.N.Z.I. xv. 104; T.Z.S. xv. 43.
ciliata, Brady. T.Z.S. xv. 43.
australis, Brady. T.Z.S. xv. 43.

Harpacticus, Milne-Edwards, 1838. chelifer, Müller. T.N.Z.I. xv. 105. glaber, Brady. T.Z.S. xv. 44.

Zaus, Goodsir, 1845.
contractus, Thomson. T.N.ZI. xv. 106; xxvii. 213.

Peltidium, Philippi, 1839. novæ-zealandiæ, Brady. T.Z.S. xv. 44.

Porcellidium, Claus, 1860. fulvum, Thomson. T.N.Z.I. xv. 107; T.Z.S. xv. 46. interruptum, Thomson. T.N.Z.I. xv. 108. Scutellidium, Claus, 1866. tisboides, Claus. T.N.Z.I. xv. 110. plumosum, Brady. T.Z.S. xv. 45.

Idya, Philippi, 1843. furcata, Baird. T.N.Z.I. xv. 108; T.Z.S. xv. 45.

Setella, Dana, 1846. gracilis, Dana = Miracia gracilis, Dana.

Section PECILOSTOMA. Family CORYCÆIDÆ.

Oncæa, Philippi, 1843. mediterranea, Claus. Pelagischen Copepoden des Golies von Neapel, 591 = O. obtusa, Dana.

Oncæola, Krämer, 1895. specialis, Krämer. T.N.Z.I. xxvii. 220.

Corycæus, Dana, 1845. tenuis, Giesbrecht. T.N.Z.I. xxvii. 220. aucklandicus, Krämer. T.N.Z.I. xxvii. 220. robusta, Dana (?). T.Z.S. xv. 46.

Paurocope, Brady, 1899. robusta, Brady. T.Z.S. xv. 46.

? Centromma, Brady, 1899. thomsoni, Brady. T.Z.S. xv. 47.

Family Sapphirinidæ.

Sapphirina, Thomson, 1829. gemma, Dana.

Section SIPHONOSTOMA. Family Entomolepidæ.

Entomolepis, Brady, 1899. ovalis, Brady. T.Z.S. xv. 48.

Family ARTOTROGIDÆ.

Conostoma, Thomson, 1882. elliptica, Thomson. T.N.Z.I. xv. 112.

Artotrogus, Boeck, 1859.
boeckii, Brady. T.N.Z.I. xv. 113.
ovatus, Thomson. T.N.Z.I. xv. 113; T.Z.S. xv. 48.
brevicaudatus, Brady. T.Z.S. xv. 48.

Acontiophorus, Brady, 1880. scutatus, Brady and Robertson. T.N.Z.I. xv. 114. Family Califidæ.

Lepeophtheirus, Nordmann, 1832. erecsoni, G. M. Thomson. T.N.Z.I. xxiii. 227.

Gloiopotes, Steenstrup and Lütken, 1860. huttoni, G. M. Thomson (Lepeophtheirus). T.N.Z.I. xxii. 354; P. W. Bassett-Smith, P.Z.S. 1899, 458.

Caligus, Müller, 1785.

productus, Dana. U.S. Expl. Exped. Crust. 1354; Bassett-Smith, P.Z.S. 1899, 452.

longicaudatus, Brady. T.Z.S. xv. 49.

Dinematura, Burmeister, 1837.

ferox, Kröyer. P. W. Bassett-Smith, P.Z.S. 1899, 463; = D. carcharodonti, G. M. Thomson, T.N.Z.I. xxii. 360. hamiltoni, G. M. Thomson. T.N.Z.I. xxii. 357.

Echthrogaleus, Steenstrup and Lütken, 1860.

neo-zealanica, G. M. Thomson (Dinematura). T.N.Z.I. xxii. 359.

affinis, Milne-Edwards. P.Z.S. 1899, 464; = E. braccatus, T.N.Z.I. xxii. 361.

Cecrops, Leach, 1873. latreillii, Leach. T.N.Z.I. xxii. 465.

Gangliopus, Gerstaecker, 1854. P.Z.S. 1899, 465; = Nogagus curticaudatus = Specilligus curticaudis, T.N.Z.I. xxii. 365.

Pandarus, Leach, 1816.

dentatus, Milne-Edwards (& = Nogagus elongatus, Heller), T.N.Z.I. xxii. 356 and 363.

armatus, Heller (& = Nogagus latreillii, Milne-Edwards). T.N.Z.I. xxii. 363 and 364.

affinis, V. Bened. = P. satyris, Dana = P. brevicaudatus (? brevicaudis), Dana. T.N.Z.I. xxii. 365.

Nogagus, Leach, 1819. validus, Dana. T.N.Z.I. xxii. 356.

Family DICHELESTIIDÆ.

Anthosoma, Leach, 1819. crassum, Abgd. T.N.Z.I. xxii. 365.

Lernanthropus, Blainville, 1832. percis, G. M. Thomson. T.N.Z.I. xxii. 366.

Family Philichthyidæ.

Philichthys, Steenstrup, 1861. xiphiæ, Steenstrup. T.N.Z.I. xxii. 367. Family LERNÆIDÆ.

Penella, Edwards, 1840.

histiophori, G. M. Thomson. T.N.Z.I. xxii. 368.

Lernæa, Linnæus, 1746.

lotellæ, G. M. Thomson. T.N.Z.I. xxii. 369.

Family Chondracanthidæ.

Sphyrion, Cuvier, 1829.

lævigatum, Cuvier = Lesteira kröyeri, Thomson. P.Z.S. 1899, 489; T.N.Z.I. xxii. 370.

Chondracanthus, De la Roche, 1811.

lotellæ, G. M. Thomson. T.N.Z.I. xxii. 372. chylomycteri, G. M. Thomson. T.N.Z.I. xxii. 371. genypteri, G. M. Thomson. T.N.Z.I. xxii. 372.

Family LERNÆOPODIDÆ.

Lernæopoda, Nordman, 1832.

galei, Kröyer = *L. musteli*, Thomson. P.Z.S. 1899, 499; T.N.Z.I. xxii. 373.

Brachiella, Latreille, 1829.

parkeri, G. M. Thomson. T.N.Z.I. xxii. 374.

Order CIRRIPEDIA. Family LEPADIDÆ.

Alepas, Rang, 1829.

tubulosa, Quoy and Gaimard. Filhol, Miss. de l'Ile Campbell, 486.

Lepas, Linnæus, 1748.

hilli, Leach. Filhol, Miss. de l'Ile Campbell, 485.
pectinata, Spengler. Hutton, T.N.Z.I. xi. 329.
australis, Darwin. Filhol, Miss. de l'Ile Campbell, 485.
elongata, Quoy and Gaimard. Filhol, Miss. de l'Ile
Campbell, 485.

Pollicipes, Leach, 1817.

sertus, Darwin. Filhol, Miss. de l'Ile Campbell, 486. spinosus, Quoy and Gaimard. Filhol, Miss. de l'Ile Campbell, 486.

darwinii, Hutton. T.N.Z.I. xi. 329; Miss. de l'Ile Campbell, 486.

Family BALANIDÆ.

Coronula, Oken, 1815.

diadema, Lamarck. Filhol, Miss. de l'Ile Campbell, 489.

Tubicinella, Lamarck, 1802.

trachealis, Shaw. Hutton, T.N.Z.I. xi. 330.

Elminius, King, 1830, modestus, Darwin. sinuatus, Hutton. plicatus, Gaimard. rugosus, Hutton. Filhol, Miss. de l'Ile Campbell, 489. Filhol, Miss. de l'Ile Campbell, 489. Filhol, Miss. de l'Ile Campbell, 489.

Tetraclita, Schuhmacher, 1817. purpurescens, Wood. Miss. de l'Ile Campbell, 488.

Balanus, Lister, 1685.
decorus, Darwin. Filhol, Miss. de l'Ile Campbell, 486.
porcatus, Da Costa. Filhol, Miss. de l'Ile Campbell, 487.
vestitus, Darwin. Filhol, Miss. de l'Ile Campbell, 487.
campbelli, Filhol. Miss. de l'Ile Campbell, 487.
amphitrite, Darwin. Filhol, Miss. de l'Ile Campbell, 486.

Chamæsipho, Darwin, 1854. columna, Spengler. Filhol, Miss. de l'Ile Campbell, 489.

PHYLUM, ANNULATA.

CLASS, POLYCHÆTA.

[For additional identifications of this Class, see Appendix.]

Order Nereidiformia. Family Syllidæ.

Syllis, Savigny, Emend. Ehlers, 1864.

macrura, Schmarda. N.W.Th. (2), 70 (Sphærosyllis, Quatrefages, nec Claparède); Hutton, T.N.Z.I. xi. 323.

Family HESIONIDÆ.

Pseudosyllis, Quatrefages, 1865.

incerta, Schmarda (Cirrosyllis i.). N.W.Th. (2), 79; Quatrefages, Hist. Nat. Annel. ii. 106.

> Family Aphroditidæ. Sub-family Polynoina.

'Polynoe,' Savigny, 1809.

aucklandica, Schmarda. N.W.Th. (2), 158; Hutton, T.N.Z.I. xi. 318.

*comma, Thomson. T.N.Z.I. xxxiv. 241.

Lepidonotus, Leach, 1819.

polychroma, Schmarda. N.W.Th. (2), 153; Hutton, T.N.Z.I. xi. 319.

sinclairii, Baird. J.L.Soc. (Zool.) viii. 184; Hutton, T.N.Z.I. xi. 319. [Probably identical with preceding.] giganteus, Kirk. T.N.Z.I. xi. 400; Thomson, P.Z.S. 1900,

974 = Aphrodita squamosa, Quatrefages.

mirabilis, McIntosh (Macellicephala m.) Challenger Reports, xii. 121.

Harmothoe, Kinberg, 1855.

macrolepidota, Schmarda (Polynoe m.). N.W.Th. (2), 155; Hutton, T.N.Z.I. xi. 318.

^{*} This species does not fit into any of the present genera of Polynoidæ, though in some respects it resembles *Halosydna*, Kbg. '55.

Harmothoe iphionoides, McIntosh (*Eunoa i.*). Challenger Reports, xii. 69.

kermadecensis, McIntosh (Lagisca? k.) Challenger Reports, xii. 93.

magnipalpa, McIntosh (*Polynoe m.*). Challenger Reports, xii. 118.

Sp. nov. innom. Benham MS.

Sub-family HERMIONINA.

Aphrodita, Linnæus.

talpa, Quatrefages. Hist. Nat. Annel. i. 196; Hutton, T.N.Z.I. xi. 318.

Sp. nov. innom. Benham MS.

Lætmonice, Kinberg, 1855. producta, Grube.

var. willemoesi, McIntosh. Challenger Reports, xii. 47.

Sub-family SIGALIONINA.

Leanira, Kinberg, 1855.

lævis, McIntosh. Challenger Reports, xii. 156.

Sthenelais, Kinberg, 1855. semitecta, Ehlers MS.

Sub-family Polylepidia.

Psammolyce, Kinberg, 1855.

antipoda, Schmarda (*Pelogenia a.*). N.W.Th. (2), 160; Hutton, T.N.Z.I. xi. 319.

Family PHYLLODOCIDÆ.

Phyllodoce, Savigny, 1809.

sub-gen. Anaitis, Malmgren, 1865.

ochracea, Ehlers MS.

Eulalia, Savigny, 1809. sub-gen. Eulalia.

microphylla, Schmarda. N. W. Th. (2), 86; Hutton, T.N.Z.I. xi. 323, = E. εαεα, Quatrefages.

novæ-zealandiæ, Grube. J. B. Schles. Gesellsch. lvii. 210.

Sp. nov. innom. Benham MS.

sub-gen. Eumida, Malmgren, 1865.

Sp. nov. innom. Benham MS.

sub-gen. Pterocirrus, Claparède.

Sp. nov. innom. Benham MS.

Family Lycoridæ.

Nereis, Lamarck, 1818.

pacifica, Schmarda (*Nereilepas p.*). N.W.Th. (2), 107; Hutton, T.N.Z.I. xi. 321. (Not *N. pacifica*, Quatrefages.) Nereis neozelanica, Benham = N. robusta, Quatrefages. Hist. Nat. Annel. i. 544; Hutton, T.N.Z.I. xi. 321.

vallata, Grube = N. latipalpa, Schmarda. Ehlers, Polych.

Magellan. Chil. Str. 110.

maghaelensis, Kinberg = N. eatoni, McIntosh. Ehlers, Polych. Magellan. Chil. Str. 104.

australis, Schmarda (Heteronereis a.) N.W.Th. (2), 101; Hutton, T.N.Z.I. xi. 322.

3 spp. nov. innom. Benham MS.

Family Nephthydidæ.

Nephthys, Cuvier, 1817.

macroura, Schmarda. N.W.Th. (2), 91; Hutton, T.N.Z.I.

xi. 321.

dibranchis, Grube. McIntosh, Challenger Reports, xii. 161. verrilli, McIntosh. Challenger Reports, xii. 163. [? = dibranchis, Qr.—W. B. B.]
Sp. nov. innom. Benham MS.

Family AMPHINOMIDÆ.

Chlæia, Savigny, 1809.

inermis, Quatrefages. Hist. Nat. Annel. i. 389; Hutton, T.N.Z.I. xi. 320.

spectabilis, Baird. J.L.S. x. 234; Hutton, T.N.Z.I. xi. 320.

Family Eunicidæ.

Eunice, Cuvier, 1817.

gaimardi, Valenciennes MS. Quatrefages, Hist. Nat. Annel. i. 321; Hutton, T.N.Z.I. xi. 320.

australis, Quatrefages. Hist. Nat. Annel. i. 321.

aphroditois, Pallas. Benham MS.

leuconuchalis, Benham. N.Z. Gov. Rep. on Experim. Trawling. 1900, 21.

Sp. nov. innom. Benham MS.

Diopatra, Audouin and Edwards, 1833.

tenuisetis, McIntosh (*Nothria t.*). Challenger Reports, xii. 307.

Sp. nov. innom. Benham MS.

Onuphis, Audouin and Edwards, 1833.

tubicola, Müller.

var. longibranchiata, McIntosh (Hyalinæcia l.). Challenger Reports, xii. 337.

benthaliana, McIntosh (*Hyalinœcia b.*). Challenger Reports, xii. 329.

minuta, McIntosh (Nothria m.). Challenger Reports, xii. 334.

Nicidion, Kinberg, 1864. balfouriana, McIntosh. Challenger Reports, xii. 301.

Marphysa, Quatrefages, 1865.
corallina, Kinberg. Benham MS. Ehlers, Polych. Magellan.
Chil. Strand. 134 (Chatham isl.).
depressa, Schmarda (*Eunice d.*). N.W.Th. (2), 126.

Halla, Costa, 1844. 2 spp. nov. innom. Benham MS.

Lumbriconereis, Blainville, 1828. sphærecephala, Schmarda (*Notocirrus s.*). N.W.Th. (2), 116; Hutton, T.N.Z.I. xi. 320. neozealaniæ, McIntosh. Challenger Reports, xii. 248.

Arabella, Grube, 1851. Sp. nov. innom. Benham MS.

Stauronereis, Verrill, 1900. 2 spp. nov. innom. Benham MS.

Family GLYGERIDÆ.

Glycera, Savigny, 1820.

ovigera, Schmarda. N.W.Th. (2), 95; Hutton, T.N.Z.I.
xi. 322.
lamelliformis, McIntosh. Challenger Reports, xii. 347.
5 spp. nov. innom. Benham MS.

Hemipodus, Quatrefages, 1865. simplex, Grube. Ann. Œrsted. (fide Ehlers MS.).

Family Goniadidæ.

Eone, Malmgren, 1865. trifida, McIntosh. Challenger Reports, xii. 341.

> Family ARICIIDÆ. Gen. indet. Benham MS.

Order Spioniformia. Family Ammocharidæ. Delle Chiaje, 1842.

Owenia, Delle Chiaje, 1842.

? fusiformis, Delle Chiaje. Benham MS.

Family Spionidæ. Gen. indet. Benham MS.

Order TEREBELLIFORMIA. Family CIRRATULIDÆ.

Audouinia, Quatrefages, 1865. anchylochætus, Schmarda (*Cirratulus a.*). N.W.Th. (2), 58; Hutton, T.N.Z.I. xi. 323. Chætozone, Malmgren, 1865. pacifica, McIntosh. Challenger Reports, xii. 387.

Timarete, Kinberg, 1865. fecunda, Kinberg. Ann. nova. 254 (fide Ehlers MS.).

Family TEREBELLIDÆ.

Thelepus, Leuckart, 1849.

plagiostoma, Schmarda (*Terebella p.*). N.W.Th. (2), 41; Hutton, T.N.Z.I. xi. 324.

heterobranchia, Schmarda (*Terebella h.*). N.W.Th. (2), 42. [Probably synonymous with preceding.—W. B. B.]

Nicolea, Malmgren, 1865. Sp. nov. innom. Benham MS.

Amphitrite, Müller, 1771. 3 spp. nov. innom. Benham MS.

Lanice, Malmgren, 1865. ? conchilega, Pallas. Benham MS.

Leæna, Malmgren, 1865. neo-zealanica, McIntosh. Challenger Reports, xii. 460. langerhansi, McIntosh. Challenger Reports, xii. 463.

Lanassa, Malmgren, 1865. sarsi, McIntosh. Challenger Reports, xii. 436.

Terebella, Linnæus. kermadecensis, McIntosh. Challenger Reports, xii. 446.

Terebellides, Sars, 1835.

? stroemi, Sars. McIntosh, Challenger Reports, xii. 481.

Family AMPHARETIDÆ.

Melinna, Malmgren, 1865. armandi, McIntosh. Challenger Reports, xii. 439.

Family AMPHICTENIDÆ.

Pectinaria, Lamarck, 1812.

antipoda, Schmarda. M.W.T. (2), 46 (fide Ehlers MS.).

Order Capitelliformia. Family Capitellidæ. Gen. indet. Benham MS.

Order Scolectformia. Family Opheliidæ.

Thoracophelia, Ehlers, 1897. Sp. nov. innom. Benham M.S. Travisia, Johnston, 1840. Sp. nov. innom. Benham MS.

Family MALDANIDÆ.

Maldane, Grube, 1860. Sp. nov. innom. Benham MS.

Axiothea, Malmgren, 1865. insecta, Ehlers MS.

Maldanella, McIntosh, 1885. neo-zealaniæ, McIntosh. Challenger Reports, xii. 398.

Family Telethusidæ.

Arenicola, Lamarck, 1818. assimilis, Ehlers. var. affinis, Ashworth. O.J.M.Sc. xlvi. 737.

iis, Ashworth. Q.J.M.Sc. xivi. 737

Family Scalibregmidæ.

Scalibregma, Rathke, 1843. inflatum, Rathke. McIntosh, Challenger Reports, xii. 359.

Eumenia, Oersted, 1843. reticulata, McIntosh. Challenger Reports, xii. 360.

Family Chloræmidæ.

Flabelligera, Sars, 1829.

bicolor, Schmarda (*Pherusa b.*). N.W.Th. (2), 21; Hutton, T.N.Z.I. xi. 324.

antarctica, Baird (Siphonostomum a.). J.L.S. xi. 95; Hutton, T.N.Z.I. xi. 324.

Stylarioides, (D. Chiaje), Claparède, 1868. ? parmatus, Grube. Benham MS.

Family Sternaspidæ.

Sternaspis, Otto, 1821.

princeps, Selenka. Challenger Reports, xiii. 6.

Order Sabelliformia. Family Sabellidæ.

Sabella, Savigny, 1809. armata, Quatrefages. Hist. Nat. Annel. ii. 453; Hutton, T.N.Z.I. xi. 325.

grandis, Baird. J.L.S. xiii. 160; Hutton, T.N.Z.I. xi. 325. ceratodaula, Schmarda. N.W.Th. (2), 33; Hutton, T.N.Z.I. xi. 325.

Branchiomma, (Kölliker) Claparède, 1868. suspiciens, Ehlers MS.

*Family SERPULIDÆ.

Protula, Risso, 1826.

Sp. nov. innom. Benham MS.

Apomatus, Philippi, 1844.

elizabethæ, McIntosh. Challenger Reports, xii. 514.

Pomatoceros, Philippi, 1844.

strigiceps, Mörch. McIntosh, Challenger Reports, xii. 520. triqueter, Mörch.

Eupomatus, Philippi, 1844.

boltoni, Baird. J.L.S. viii. 12; Hutton, T.N.Z.I. xi. 326.

Serpula, Linnæus.

zeylandica, Baird. J.L.S. viii. 21; Hutton, T.N.Z.I. xi. 325-antarctica, Quatrefages. Hist. Nat. Annel. ii. 503; Hutton, T.N.Z.I. xi. 325, suggests that it is synonymous with the preceding.

*Vermilia, Lamarck, 1818.

cœrulea, Schmarda (Placostegus c.). N.W.Th. (2), 29.

carinifera, Gray in Dieffenbach's New Zealand, ii. 242; Hutton, T.N.Z.I. xi. 326, believes these to be synonymous. greyi, Quatrefages. Hist. Nat. Annel. ii. 510; Hutton,

T.N.Z.I. xi. 326.

mahoria, Quatrefages. Hist. Nat. Annel. ii. 520; Hutton, T.N.Z.I. xi. 326.

hombroni, Quatrefages. Hist. Nat. Annel. ii. 527; Hutton, T.N.Z.I. xi. 327.

hystrix, Mörch. Quatrefages, Hist. Nat. Annel. ii. 534; Hutton, T.N.Z.I. xi. 327.

Cymospira, Blainville, 1828.

incompleta, Quatrefages. Hist. Nat. Annel. ii. 543; Hutton, T.N.Z.I. xi. 327.

Spirorbis, Daudin, 1800.

zelandica, Gray, in Dieffenbach's New Zealand, ii. 295; Hutton, T.N.Z.I. xi. 327.

Order HERMELLIFORMIA. Family HERMELLIDÆ.

Pallasia, Quatrefages, 1848.

quadricornis, Schmarda (Hermella q.). N.W.Th. (2), 25; Hutton, T.N.Z.I. xi. 324.

castelnaui, Grube. J. B. sches. Gesell. xlvii. 69.

Incertæ sedis. [? OPHELIIDÆ.]

Oncoscolex, Schmarda, 1861.

homochætus, Schmarda. N.W.Th. (2), 55.

^{*} No attempt has been made to re-examine the Serpulids.

Class ECHIUROIDEA.

Family Echiurida.

Echiurus, Guérin (? 1831).

novæ-zealandiæ, Dendy. T.N.Z.I. xxx. 323.

Class OLIGOCHÆTA.

[For additional species of this Class, see Appendix.]

Family Megascolecidæ. Sub-family Acanthodrilinæ.

Maoridrilus, Michaelsen, 1899 = Acanthodrilus, Perrier, in part. uliginosus, Hutton, 1876, T.N.Z.I. ix. 351 = Ac. novæ-zealandiæ, Beddard, 1885. Benham, T.N.Z.I. xxxiii. 122, pl. v.; Beddard, 1895, Monogr. Oligoch. 534.

dissimilis, Beddard. P.Z.S. 1885, 813, pl. 52, 53.

rosæ, Beddard. P.Z.S. 1889, 379.

smithi, Beddard. P.Z.S. 1892, 675, pl. 46. parkeri, Beddard. Monogr. 1895, 534. plumbeus, Beddard. Monogr. 1895, 548.

tetragonurus, Michaelsen, 1899. Zool. Jahrb. Syst. xii. 230.

Neodrilus, Beddard, 1887.

monocystis, Beddard. Benham, Q.J.M.S. 1892, xxxiii. 289, pl. 15.

Plagiochæta, Benham, 1892.

sylvestris, Hutton. Megascolex s., Hutton, T.N.Z.I. ix. 352; Benham, T.N.Z.I. 1898, xxxv. 278; P. punctata, Benham, Q.J.M.S. xxxiii. 294.

lineata, Hutton. Megascolex l., Hutton, T.N.Z.I. ix. 352; Benham, T.N.Z.I. xxxv. 281.

montana, Benham. T.N.Z.I. xxxv. 288.

ricardi, Benham. T.N.Z.I. xxxv. 286. rossii, Benham. T.N.Z.I. xxxv. 284.

[N.B.—Probably Baird's Megascolex antarcticus, 1873, belongs to this genus.

Notiodrilus, Michaelsen, 1899 = Acanthodrilus, Perrier, in part. annectens, Beddard, 1888. Q.J.M.S. xxix. 102, pl. 12, 13; Beddard, Monogr. 1895, 544.

paludosus, Beddard, 1892. P.Z.S. 677.

macquariensis, Beddard, 1896. Benham, T.N.Z.I. xxxiii. 132, pl. 2.

haplocystis, Benham, 1900. T.N.Z.I. xxxiii. 130, pl. 2. aucklandicus, Benham, 1902. T.N.Z.I. xxxv. 275.

Microscolex, Rosa, 1887.

novæ-zealandiæ, Beddard, 1894. Monogr. 463. monticola, Beddard, 1895. Monogr. 467.

Rhododrilus, Beddard, 1899.

minutus, Beddard. P.Z.S. 1889, 380; Monogr. 463. huttoni, Benham, 1900. *Microscolex h.*, T.N.Z.I. xxxiii. 140, pl. 4.

Sub-family MEGASCOLECINÆ.

Pontodrilus, Perrier, 1874.

chathamianus, Michaelsen, 1899. Chathamensis, Benham, laps. cal., T.N.Z.I. 1900, xxxiii. 136, pl. 3.

Diporochæta, Beddard, 1890.

intermedia, Beddard. Q.J.M.S. xxx. 467, pl. 29; Monogr. 439. chathamensis, Benham, 1900. T.N.Z.I. xxx. 134, pl. 3.

Sub-family Octochætinæ.

Octochætus, Beddard, 1893 = Acanthodrilus, Perrier, in part. levis, Hutton, 1876. Benham, 1898, T.N.Z.I. xxxi. 160. multiporus, Beddard, 1885. P.Z.S. 813, pl. 52, 53; Monogr. 526; Michaelsen, Tierr. 319. antarcticus, Beddard, 1889. P.Z.S. 379; Monogr. 553. thomasi, Beddard, 1892. P.Z.S. 671; Monogr. 552. huttoni, Beddard, 1893. P.Z.S. 674; Monogr. 552.

Dinodrilus, Beddard, 1888.

benhami, Beddard. Q.J.M.S. 1888, xxix. 105, pl. 13; Monogr. 557.

Family Enchytræidæ.

Fridericia, Michaelsen, 1889.

galba, Hoffmeister, 1843 = antarctica, Beddard, 1895. Monogr. 349.

Henlea, Michaelsen, 1889.

ventriculosa, Udekem. Beddard, Monogr. 350.

Family HAPLOTAXIDÆ.

Pelodrilus, Beddard, 1891.

violaceus, Beddard, 1891. A.M.N.H. ser. 6, vii. 91; Monog. 192.

Haplotaxis, Hoffmeister, 1843.

smithi, Beddard, 1888 = *Phreoryctes s.*, Beddard. A.M.N.H. ser. 6, i. 393, pl. 23; Monogr. 190.

Family Phreodrilide.

Phreodrilus, Beddard, 1891.

subterraneus, Beddard. A.M.N.H. 6, vii. 92; Monogr. 275.

Family Tubificidæ.

Tubifex, Lamarck, 1818.

tubifex, O. É. Müller, 1774 = T. rivulorum. Lamarck. Beddard, Monogr. 244 [? introduced].

Limnodrilus, Claparède, 1862. novæ-zealandiæ, Beddard. Monogr. 247. Sp. nov. innom. Beddard MS.

CLASS, MYZOSTOMIDA.

Myzostoma, Leuckart, 1827. tenuispinum, Graff. Challenger Reports, x. 68. willemœsii, Graff. Challenger Reports, x. 71. murrayi, Graff. Challenger Reports, x. 74.

CLASS, SIPUNCULACEA.

Sipunculus, Lamarck, 1818. æneus, Baird. P.Z.S. 1868, 81; Hutton, T.N.Z.I. xi. 316-? lutulentus, Hutton. T.N.Z.I. xii. 278.

Physcosoma, Selenka, 1897. annulatum, Hutton (*Phascolosoma a.*). T.N.Z.I. xii. 278.

Phascolosoma, Leuckart, 1862. huttoni, Benham MS. ? = Sip. lutulentus, Hutton.

Aspidosiphon, Grube, 1867. suteri, Benham MS.

CLASS, HIRUDINEA.

Order RHYNCHOBDELLIDA. Family ICHTHYOBDELLIDÆ.

Branchellion, Savigny, 1807. rajæ, Parker. T.N.Z.I. xxiv. 714.

Pontobdella, Leach, 1815. Sp. indet. Benham MS.

Family GLOSSIPHONIDÆ.

Glossiphonia, Johnson, 1816. novæ-zealandiæ, Dendy and Olliver. T.N.Z.I. xxxiii. 99.

Order GNATHOBDELLIDA. Family HIRUDINIDÆ.

Hæmadipsa, Tennent.
limbata, Grube. Moore, Proc. U.S. Mus. xxi. 543 (*Geobdella limbata*). [Probably attributed to N.Z. in error.]

PHYLUM, ECHINODERMATA.

CLASS, HOLOTHURIOIDEA.

Order ACTINOPODA.

Family Aspidochirotæ.

Holothuria, Linnæus, 1758.

robsoni, Hutton (Sp. dub.). Dendy, J.L.S. Zool. xxvi. 48; Ludwig, Hamburger Magalhaensische Sammelreise, Holothurien, 7.

Stichopus, Brandt, 1835.

mollis, Hutton. Dendy, J.L.S. Zool. xxvi. 46; Ludwig, Hamburger Magalhaensische Sammelreise, Holothurien, 7.

Mesothuria, Oestergren, 1896.

1actea, Théel = Holothuria lactea, Dendy, J.L.S. Zool. xxvi.
 49. Oestergren, Zur Kenntniss der Subfamilie Synallectinæ unter den Aspidochiroten, Upsala, 1896. (Festskrift för Liljeborg.)

Family Elasipodæ.

Enypniastes, Théel, 1882. eximia, Théel. Challenger Reports, iv. 56.

Pannychia, Théel, 1882.

moseleyi, Théel. Challenger Reports, iv. 88.

Family Dendrochirotæ.

Cucumaria, Blainville, 1830.

alba, Hutton = Colochirus alba, Dendy, J.L.S. Zool. xxvi. 35. Ludwig, Hamburger Magalhaensische Sammelreise, Holothurien, 29.

ocnoides, Dendy = Colochirus ocnoides, Dendy, J.L.S. Zool. xxvi. 36; Ludwigia ocnoides, Reiffen, Zeitschr. wiss. Zool. lxix. 598.

huttoni, Dendy. J.L.S. Zool. xxvi. 32; Ludwig, Hamburger Magalhaensische Sammelreise, Holothurien, 39.

thomsoni, Hutton (sp. dub.). Dendy, J.L.S. Zool. xxvi. 34. turbinata, Hutton (sp. dub.). Dendy, J.L.S. Zool. xxvi. 34.

Phyllophorus, Grube, 1840 (Ludwig emend. 1887).

longidentis (Hutton) = Thyonidium longidentis, Dendy, J.L.S. Zool. xxvi. 42. Ludwig, Hamburger Magalhaensische Sammelreise, Holothurien, 49.

Pseudopsolus, Ludwig, 1898.

macquariensis, Dendy = Psolus macquariensis, Dendy, J.L.S. Zool. xxvi. 41. Ludwig, Hamburger Magalhaensische Sammelreise, Holothurien, 49.

Colochirus, Troschel, 1846.

brevidentis, Hutton. Dendy, J.L.S. Zool. xxvi. 40; Ludwig, Zool. Jahrb. Supp. iv. Heft 2, 1898, 442.

calcareus, Dendy (sp. dub.). J.L.S. Zool. xxvi. 38; Ludwig, Zool. Jahrb. Supp. iv. Heft 2, 1898, 442.

Family MOLPADIIDÆ.

Caudina, Stimpson, 1853.

coriacea, Hutton. Dendy, J.L.S. Zool. xxvi. 28, 456.

Ankyroderma, Danielssen and Koren, 1879. marenzelleri, Théel. Challenger Reports, xiv. 41.

Trochostoma, Danielssen and Koren, 1877. albicans, var. glabrum, Théel. Challenger Reports, xiv. 46. violaceum, Studer. Théel, Challenger Reports, xiv. 42.

Order Paractinopoda. Family Synaptidæ.

Synapta, Eschscholtz, 1829.

uncinata, Hutton. Dendy, J.L.S. Zool. xxvi. 25. inæqualis, Hutton (sp. dub.). Dendy, J.L.S. Zool. xxvi. 26.

Trochodota, Ludwig, 1891.

dunedinensis, Parker = Chirodota dunedinensis, Dendy, J.L.S. Zool. xxvi. 26; Ludwig, Hamburger Magalhaensische Sammelreise, Holothurien, 87.

CLASS, ECHINOIDEA.

Order Spatangoidea. Family Spatangidæ.

Pourtalesia, Agassiz, 1869.

laguncula, Agassiz. Farquhar, P.L.S.N.S.W. xxiii. 322.

Echinocardium, Gray, 1825.

australe, Gray. Farquhar, P.L.S.N.S.W. xxiii. 322.

Brissiopsis, Agassiz, 1840.

luzonica, Gray. Farquhar, P.L.S.N.S.W. xxiii. 322.

Family Cassidulidæ.

Echinobrissus, Breyn, 1732.

recens, Milne-Edwards. Farquhar, P.L.S.N.S.W. xxiii. 321.

Order CLYPEASTRIDEA. Family Scutellidæ.

Arachnoides, Klein, 1734.

placenta, Linnæus. Farquhar, P.L.S.N.S.W. xxiii. 321.

Order REGULARIA. Family CIDARIDÆ.

Goniocidaris, Des , 1846.

umbulacrum, Hutton. Farquhar, P.L.S.N.S.W. xxiii. 316.

Family Salenidæ.

Salenia, Gray, 1825.

hastigera, Agassiz. Challenger Reports, iii. 54.

Family DIADEMATIDÆ.

Aspidodiadema, Agassiz, 1879.

tonsum, Agassiz. Challenger Reports, iii. 66.

Family Echinothuridæ.

Asthenosoma, Grube, 1869.

gracile, Agassiz. Farquhar, P.L.S.N.S.W. xxiii. 317.

Phormosoma, Thomson, 1874.

rigidum, Agassiz. Farquhar, P.L.S.N.S.W. xxiii. 317.

Family Echinometridæ.

Echinometra, Rondel, 1554.

lucunter, Leske. Agassiz, Challenger Reports, iii. 105.

Strongylocentrotus, Brandt, 1835.

tuberculatus, Lamarck. Farquhar, P.L.S.N.S.W. xxiii. 317.

Family Echinidæ.

Temnopleurus, Agassiz, 1841.

reynaudi, Agassiz. Farquhar, P.L.S.N.S.W. xxiii. 318.

Trigonocidaris, Agassiz, 1869.

monolini, Agassiz. Challenger Reports, iii. 111.

Salmacis, Agassiz, 1841.

globator, Agassiz. Farquhar, P.L.S.N.S.W. xxiii. 318.

Amblypneustes, Agassiz, 1841.

formosus, Valenciennes. Farquhar, P.L.S.N.S.W. xxiii. 318. griseus, Blainville. Farquhar, P.L.S.N.S.W. xxxiii. 319.

Echinus, Rondel, 1554. angulosus, Klein. Farquhar, P.L.S.N.S.W. xxiii. 319. magellanicus, Phillipi. Farquhar, P.L.S.N.S.W. xxiii. 320.

Evechinus, Verrill, 1846. chloroticus, Valenciennes. Farquhar, P.L.S.N.S.W. xxiii. 320.

Tripneustes, Agassiz, 1841.
variegatus, Klein. (Kermadecs),

CLASS, OPHIUROIDEA.

Order OPHIURIDA. Family OPHIURIDÆ.

Pectinura, Forbes, 1842. maculata, Verrill. Farquhar, P.L.S.N.S.W. xxiii. 306.

Ophiopeza, Pet., 1851. cylindrica, Hutton. Farquhar, P.L.S.N.S.W. xxiii. 306. danbyi,

Ophioplocus, Lyman, 1861. huttoni, Farquhar. P.L.S.N.S.W. xxiv. 187.

Ophioglypha, Lyman, 1860. rugosa, Lyman. Farquhar, P.L.S.N.S.W. xxiii. 306. ornata, Lyman. Challenger Reports, v. 61.

Ophioceramis, Lyman, 1865. clausa, Lyman. Challenger Reports, v. 26. obstricta, Lyman. Challenger Reports, v. 26.

Ophiocten, Lütken, 1854. hastatum, Lyman. Farquhar, P.L.S.N.S.W. xxiii. 307.

Ophiomusium, Lyman, 1869. lymani, Thomson. Farquhar, P.L.S.N.S.W. xxiii. 306. scalare, Lyman. Challenger Reports, v. 95.

Ophiozona, Lyman, 1865. stellata, Lyman. Farquhar, P.L.S.N.S.W. xxiii. 307.

Ophiomastus, Lyman, 1878. tegulitius, Lyman. Farquhar, P.L.S.N.S.W. xxiii. 307.

Ophiophyllum, Lyman, 1878. petilum, Lyman. Challenger Reports, v. 102.

Ophiactis, Lütken, 1856.
flexuosa, Lyman. Challenger Reports, v. 116.
cuspidata, Lyman. Challenger Reports, v. 117.
nama, Lyman. Challenger Reports, v. 117.
nigrescens, Hutton. Farquhar, P.L.S.N.S.W. xxiii. 307.

Ophionereis, Lütken, 1859. schayeri, Muller and Troschel. Farquhar, P.L.S.N.S.W. xxxiii. 307.

Amphiura, Forbes, 1842.

argentea, Lyman. Challenger Reports, v. 129.
lanceolata, Lyman. Farquhar, P.L.S.N.S.W. xxiii. 308.
canescens, Lyman. Challenger Reports, v. 140.
rosea, Farquhar. P.L.S.N.S.W. xxiii. 308.
pusilla, Farquhar. P.L.S.N.S.W. xxiii. 308.
elegans, Leach. Farquhar, P.L.S.N.S.W. xxiii. 308.
parva, Hutton. Farquhar, P.L.S.N.S.W. xxiii. 308.
aster, Farquhar. T.N.Z.I. xxxiii. 250.

Ophiochiton, Lyman, 1878. lentus, Lyman. Challenger Reports, v. 177.

Ophiacantha, Müller and Troschel, 1842. vepratica, Lyman. Challenger Reports, v. 182. cornuta, Lyman. Challenger Reports, v. 193.

Ophiomitra, Lyman, 1869. plicata, Lyman. Challenger Reports, v. 203.

Ophiopteris, Smith, 1877. antipodum, Smith. Farquhar, P.L.S.N.S.W. xxiii. 308.

Ophiomyxa, Müller and Troschel, 1842. australis, Lütken. Farquhar, P.L.S.N.S.W. xxiii. 309.

> Order Euryalida. Family Astrophyridæ.

Astrochema, Örst. and Lutken, 1856. horridum, Lyman. Challenger Reports, v. 275. salix, Lyman. Challenger Reports, v. 277.

Ophiocreas, Lyman, 1869. constrictus, Farquhar. T.N.Z.I. xxxii. 405.

CLASS, CRINOIDEA.

Order Articulata. Family Comatulidæ.

Antedon, De Fréminville, 1811.

incerta, Carpenter. Challenger Reports, xxvi. 106.
breviradia, Carpenter. Challenger Reports, xxvi. 110.
echinata, Carpenter. Challenger Reports, xxvi. 119.
basicurva, Carpenter. Challenger Reports, xxvi. 120.
incisa, Carpenter. Challenger Reports, xxvi. 124.
alternata, Carpenter. Challenger Reports, xxvi. 179.
inæqualis, Carpenter. Challenger Reports, xxvi. 244.

Endiocrinus, Carpenter, 1882. semperi, Carpenter. Challenger Reports, xxvi. 82.

Family Pentacrinidæ.

Metacrinus, Carpenter, 1884.

varians, Carpenter. Challenger Reports, xi. 353. Wyvillei, Carpenter. Challenger Reports, xi. 358. Challenger Reports, xi. 364.

Pentacrinus, Miller, 1821.

alternicirrus, Carpenter. Challenger Reports, xi. 321. naresianus, Carpenter. Challenger Reports, xi. 324.

CLASS, ASTEROIDEA.

Order Phanerozonia. Family Astropectenidæ.

Astropecten, Linck, 1733.

edwardsi, Verrill. Farquhar, P.L.S.N.S.W. xxiii. 309. polycanthus, Müller and Troschel. Farquhar, P.L.S.N.S.W. xxiii. 309.

Psilaster, Sladen, 1885.

acuminatus, Sladen. Challenger Reports, xxx. 225.

Family Pentagonasteridæ.

Astrogonium, Müller and Troschel, 1842.

pulchellum, Gray.

abnormale, Gray.

Farquhar, P.L.S.N.S.W. xxiii. 310.

Farquhar, P.L.S.N.S.W. xxiii. 310.

Gnathaster, Sladen, 1889. miliaris, Gray. Farquhar, P.L.S.N.S.W. xxiii. 310. rugosus, Hutton. Farquhar, P.L.S.N.S.W. xxiii. 311.

Goniodon, Perrier.

dilatatus, Perrier. Farquhar, P.L.S.N.S.W. xxiii. 311; Loriol, Notes pour servir à l'étude des Echinodermes, 1901, 43.

Family Gymnasteridiæ.

Asterospis. imperialis, Farquhar.

Family Asterinidæ.

Asterina, Nardo, 1834.
regularis, Verrill. Farquhar, P.L.S.N.S.W. xxiii. 312.
novæ-zealandiæ, Perrier. Farquhar, P.L.S.N.S.W. xxiii. 312.

Stegnaster, Sladen. inflatus, Hutton. Farquhar, P.L.S.N.S.W. xxiii. 312.

Order CRYPTOZONIA. Family STICHASTERIDÆ.

Stichaster, Müller and Troschel, 1840.

australis, Verrill. Farquhar, P.L.S.N.S.W. xxiii. 313.

polyplax, Müller and Troschel. Farquhar, P.L.S.N.S.W. xxiii. 313.

suteri, Loriol. Farquhar, P.L.S.N.S.W. xxiii. 313. var. lævigatus, Hutton. Farquhar, P.L.S.N.S.W. xxiii. 313-insignis, Farquhar. P.L.S.N.S.W. xxiii. 314.

Family Linckiida.

Ophidiaster, Agassiz, 1835. cylindricus. Sladen, Challenger Reports, xxx. 403.

Family Solasteridæ.

Solaster, Forbes, 1839. torulatus, Sladen. Challenger Reports, xxx. 457.

Family Echinasteridæ.

Cribrella, Agassiz, 1834.
ornata, Perrier. Farquhar, P.L.S.N.S.W. xxiii. 314.
compacta, Sladen. Farquhar, P.L.S.N.S.W. xxiii. 314.
sufflata, Sladen. Challenger Reports, xxx. 549.
lukinsii, Farquhar. T.N.Z.I. xxx. 190.

Echinaster, Gray, 1840. purpureus, Gray. Farquhar, P.L.S.N.S.W. xxiii. 314-

Family Brisingidæ.

Freyella, Perrier, 1885. polycnema, Sladen. Challenger Reports, xxx. 621.

Family ASTERIIDÆ.

Asterias, Linnæus, 1748.

calamaria, Gray. Farquhar, P.L.S.N.S.W. xxiii. 315.
scabra, Hutton. Farquhar, P.L.S.N.S.W. xxiii. 315.
mollis, Hutton. Farquhar, P.L.S.N.S.W. xxiii. 316.
fragilis, Sladen. Farquhar, P.L.S.N.S.W. xxiii. 316.
rodolphi, Perrier.

Uniofera, Gray, 1840. granifera, Lamarck. Farquhar, P.L.S.N.S.W. xxiii. 316-

PHYLUM, MOLLUSCOIDA.

CLASS, BRACHIOPODA.

Order ARTICULATA. Family TEREBRATULIDÆ.

Magellania,

lenticularis, Deshayes. Hutton, Man. N.Z. Moll. 176 (Waldheimia).

Terebratella, D'Orbigny, 1847.

sanguinea, Leach = cruenta, Dillwyn. Hutton, Man. N.Z. Moll. 176.

rubicunda, Solander. Hutton, Man. N.Z. Moll. 177.

Terebratulina, d'Orbigny, 1847.

murrayi, Davidson. Challenger Reports, i. 39.

Family RHYNCHONELLIDÆ.

Rhynchonella, Fischer, 1809.

nigricans, Sowerby. Hutton, Man. N.Z. Moll. 178.

CLASS, POLYZOA.

Sub-class Endoprocta.
Order .

Family

Pedicellinopsis, Hincks.

gracilis, Sars. Hilgendorf, T.N.Z.I. xxx. 218.

Sub-class Ectoprocta. Order Phylactolæmata.

Family

Plumatella, Lamarck, 1816.

aplinii, MacGillivray (?). Hutton, Man. N.Z. Moll. 1880, 179. repens, Allman. Hamilton, T.N.Z.I. xii. 302.

Order Gymnolæmata. Sub-order Ctenostomata. Family Halcyonellidæ.

Flustrella, Ehrenberg, 1838.

binderi, Harvey. Hutton, T.N.Z.I. xxiii. 107.

Family VESICULARINIDÆ.

Amathia, Lamouroux, 1812.

swainsoni, Hutton. Cat. Marine Moll. N.Z. 91 (Beania).

Sub-order Cheilostomata. Division Stolonata. Family Æteidæ.

Ætea, Lamouroux, 1812.

dilatata, Busk. Cat. Pol. Brit. Mus. i. 31.

Family EUCRATEADÆ.

Hippothoa, Lamouroux, 1821.

flagellum, Manzoni. Hutton, T.N.Z.I. xxiii. 106. divaricata, Lamouroux. Hamilton, T.N.Z.I. xxx. 196.

Division RADICELLATA. Family CATENARIADÆ.

Catenicella, Blainville, 1830.

ventricosa, Busk. Cat. Pol. Brit. Mus. i. 7.
hastata, Busk. Cat. Pol. Brit. Mus. i. 7 (C. bicuspis, Gray).
cribraria, Busk. Cat. Pol. Brit. Mus. i. 9.
perforata, Busk. Cat. Pol. Brit. Mus. i. 10.
elegans, Busk. Cat. Pol. Brit. Mus. i. 10.
elegans, Busk. Cat. Pol. Brit. Mus. i. 11.
cornuta, Busk. Cat. Pol. Brit. Mus. i. 11.
carinata, Busk. Cat. Pol. Brit. Mus. i. 12.
scutella, Hutton. T.N.Z.I. xxiii. 103.
alata, Wyville Thomson. Hamilton, T.N.Z.I. xxx. 199.
crystallina, Wyville Thomson. Nat. Hist. Rev. 1858.

Claviporella,

geminata, Wyvllle Thomson. MacGillivray, Cat. Vict. Pol. 12. aurita, MacGillivray. Cat. Vic. Pol. 12.

Family Cellulariadæ.

Cellularia, Pallas, 1760.

cuspidata, Busk. Hutton, T.N.Z.I. xxiii. 103.

Menipea, Lamouroux, 1812.

cirrata, Lamouroux. Busk, Cat. Pol. Brit. Mus. i. 21. buskii, Wyville Thomson. Nat. Hist. Review, 1858. crystallina, Gray. In Dieffenbach's N.Z. ii. 293 (Emma). tricellata, Busk. Cat. Pol. Brit. Mus. i. 28 (Emma). patagonica, Busk. Cat. Pol. Brit. Mus. i. 22.

Scrupocellaria, Van Beneden, 1845. scrupea, Busk. Cat. Pol. Brit. Mus. i. 24.

Caberea, Lamouroux, 1816. texta, Lamarck. Hutton, T.N.Z.I. xxiii. 103. Caberea lyallii, Busk. Hutton, T.N.Z.I. xxiii. 103. rostrata, Busk. Hutton, T.N.Z.I. xxiii. 103. boryi, Audouin. Hamilton, T.N.Z.I. xxx. 194.

Family BICELLARIADÆ.

Bicellaria, Blainville, 1830. tuba, Busk. Cat. Pol. Brit. Mus. i. 42.

Bugula, Oken, 1835.
neritina, Linnæus. Busk, Cat. Pol. Brit. Mus. i. 44.
dentata, Lamouroux. Busk, Cat. Pol. Brit. Mus. i. 46.
prismatica, Gray. Dieffenbach's N.Z. ii. 292.
johnstonii, Gray. Dieffenbach's N.Z. ii. 292 (Halophila).
avicularia, Linnæus. Hutton, T.N.Z.I. xxiii. 103.

Family Genellariadæ.

Dimetopia, Busk, 1851. spicata, Busk. Cat. Pol. Brit. Mus. i. 35. cornuta, Busk. Cat. Pol. Brit. Mus. i. 35.

Family FARCIMINARIADÆ.

Farciminaria, Busk, 1852. aculeata, Busk. Cat. Pol. Brit. Mus. i. 33. blainvillii, Lamouroux. Hutton, T.N.Z.I. xxiii. 104.

Family Flustridæ.

Flustra, Linnæus, 1745.

episcopalis, Busk. Cat. Pol. Brit. Mus. i. 52 (Carbasea).
indivisa, Busk. Cat. Pol. Brit. Mus. i. 53 (Carbasea).
var. cyathyformis, MacGillivray. Trans. Phil. i. Vic.
1859, 97.

Carbasea, Gray, 1848. moselyi, Busk. Challenger Reports, x. 56.

Diachoris, Busk, 1851.
elongata, Hincks. A.M.N.H. 5, xv. 244.
bilaminata, Hincks. A.M.N.H. 5, vii. 44.
intermedia, Hincks. A.M.N.H. 5, viii. 74.
magellanica, Busk. Cat. Pol. Brit. Mus. i. 54.
inermis, Busk. Cat. Pol. Brit. Mus. i. 54.
spinigera, MacGillivray. Cat. Vict. Pol. 17.

Family Membraniporidæ.

Membranipora, Blainville, 1830.

membranacea, Linnæus. Busk, Cat. Pol. Brit. Mus. ii. 56.
pilosa, Linnæus. Busk, Cat. Pol. Brit. Mus. ii. 56.
lineata, Linnæus. Busk, Cat. Pol. Brit. Mus. ii. 58.
spinosa, Quoy and Gaimard. Hutton, T.N.Z.I. xxiii. 104.
trifolium, Wood. Hutton, T.N.Z.I. xxiii. 104.

Membranipora roborata, Hincks. Hutton, T.N.Z.I. xxiii. 104. solidula, Hincks. Hutton, T.N.Z.I. xxiii. 104. valdemuniata, Hincks. Hutton, T.N.Z.I. xxiii. 104. hians, Hincks. Hutton, T.N.Z.I. xxiii. 104. pura, Hincks. Hutton, T.N.Z.I. xxiii. 104. acuta, Hincks. Hutton, T.N.Z.I. xxiii. 104. brunnea, Hutton. T.N.Z.I. xxiii. 104. maorica, Stoliczka. Hutton, T.N.Z.I. xxiii. 104. serrata, McGillivray. Hamilton, T.N.Z.I. xxx. 195.

Family MICROPORIDÆ.

Micropora, Gray, 1848.

lepida, Hincks. Hutton, T.N.Z.I. xxiii. 105.
elongata, Hincks. Hutton, T.N.Z.I. xxiii. 105.

Steganoporella, Hincks, 1879. neozelanica, Busk. Q.J.M.S. n.s. i. 155 (Vincularia); Harmer, Q.J.M.S. xliii. 259.

Family Salicornariadæ.

Cellaria, Ellis, 1754.

malvinensis, Busk. Cat. Pol. Brit. Mus. i. 19.
setigera, Desmarest. Hutton, T.N.Z.I. xxiii. 103.

Family Tubucellariadæ. **Tubucellaria**, d'Orbigny, 1851.

hirsuta, Lamouroux. Hutton, T.N.Z.I. xxiii. 103.

Family Onchoporidæ.

Calwellia, Thomson, 1859.

bicornis, Wyville Thomson. Nat. Hist. Rev. 1858, i. 91.

Family RETEPORIDÆ.

Retepora, Lamarck, 1801. fissa, McGillivray. Waters, A.M.N.H. 6, iv. 18. novæ-zealandiæ, Waters. J.L.S. xxv. 270. monilifera, forma munita, Hincks. T.R.S.Vict. xx. 108. avicularis, McGillivray. Hamilton, T.N.Z.I. xxx. 196.

Family Cribrilinidæ.

Cribrilina, Gray, 1848.

monoceros, Busk. Challenger Reports, x. 133.
figularis, Johnston. Hamilton, T.N.Z.I. xxx. 196.
radiata, Moll. Busk, Challenger Reports, x. 131.

Family Microporellidæ.

Microporella, Hincks.

ciliata, Pallas. Hutton, T.N.Z.I. xxiii. 105.

Microporella decorata, var. angustipora, Hincks. A.M.N.H.

5, xv. 249.
malusii, Audouin. Busk, Cat. Pol. Brit. Mus. ii. 83.
var. disjuncta, Hincks. A.M.N.H. 5, xv. 249.
yarraensis, Waters. Hutton, T.N.Z.I. xxiii. 105.
pellucida, Hutton. Cat. Marine Moll. N.Z. 97.
coscinophora, var. mucromata, McGillivray. Hamilton,
T.N.Z.I. xxx. 195.

Family Escharidæ.

Lepralia, Johnston, 1838.

lyallii, Busk. Cat. Pol. Brit. Mus. ii. 75.

cincta, Hincks. A.M.N.H. 5, xv. 254.

foraminigera, Hincks. A.M.N.H. 5, xi. 109.

poissonii, Audouin. Hincks, A.M.N.H. 5, xii. 109.

rectilineata, Hincks. A.M.N.H. 5, xi. 110.

flexuosa, Hutton. Cat. Marine Moll. N.Z. 99 (Eschara j.).

pallasiana, Moll. Hincks, Brit. Mar. Pol. 297.

Chorizopora, Hincks. brongniartii, Audouin. Hamilton, T.N.Z.I. XXX. 195.

Porella, Gray, 1848. malleolus, Hincks. A.M.N.H. 5, xiii. 361.

Smittia, Hincks, 1879.
napierii, Waters. A.M.N.H. 6, iv. 17.
unispinosa, Waters. A.M.N.H. 6, iv. 15.
trispinosa, Johnston. Hincks, Brit. Marine Pol. 353.
reticulata, McGillivray. A.M.N.H. 1, ix. 467.

Mucronella, Hincks, 1877.

præstans, Hincks. Hutton, T.N.Z.I. xxiii. 105.
bi-incisa, var. bicuspis, Hincks. A.M.N.H. 5, xi. 110.
diaphana, var. armata, Hincks. A.M.N.H. 5, ix. 98.
tricuspis, Hincks. A.M.N.H. 5, viii. 66.
variolosa, Johnston. Busk, Cat. Pol. Brit. Mus. ii. 75.
peachii, var. octodentata, Hincks. Brit. Marine Pol. 361.

Membraponella, nitida, Johnston. Busk, Cat. Pol. Brit. Mus. ii. 76.

Monoporella, crustatina, Waters. Hutton, T.N.Z.I. xxiii. 104. disjuncta, Manzoni. Hutton, T.N.Z.I. xxiii. 104.

Schizoporella, Hincks, 1877. hyalina, Linnæus. Hutton, T.N.Z.I. xxiii. 106. var. cornuta, Busk. Hutton, T.N.Z.I. xxiii. 106. areolata, Busk. Cat. Pol. Brit. Mus. ii. 82. marsupifera, Busk. Challenger Reports, x. 165. Schizoporella biaperta, Michelin. Hincks, Brit. Marine Pol. 255.

biserialis, Hincks. A.M.N.H. 5, xv. 250. cinctipora, Hincks. A.M.N.H. 5, xi. 109. var. personata, Waters. Q.J.Geol.S. xliii. 167. cribrilifera, Hincks. A.M.N.H. 5, xv. 250. spectabilis, Hincks. A.M.N.H. 6, vii. 292. sinuosa, var. armata, Hincks. Brit. Marine Pol. 267. conservata, Waters. Hincks, A.M.N.H. 5, x. 165. auriculata, Hassall. A.M.N.H. i. ix. 411.

Haswellia, Busk, 1884. auriculata, Busk. Challenger Reports, x. 173.

Rhynchopora, Hincks, 1877. bispinosa, Johnston. Hincks, Brit. Marine Pol. 385.

Family Adeonea.

Adeonellopsis, parvipunctata, McGillivray. Hamilton, T.N.Z.I. xxx. 196.

Family Celleporidæ.

Cellepora, Gmelin, 1789.

coronopus, Wood. Hutton, T.N.Z.I. xxiii. 106.
bispinata, Busk. Cat. Pol. Brit. Mus. ii. 87.
mamillata, Busk. Cat. Pol. Brit. Mus. ii. 87.
pustulata, Busk. Challenger Reports, x. 200.
ampliata, Hutton. Cat. Marine Moll. N.Z. 99.
agglutinans, Hutton. Cat. Marine Moll. N.Z. 99.

Sub-order Cyclostomata. Family Crisiadæ.

Crisia, Lamouroux, 1812.

denticulata, var. patagonica, D'Orbigny. Busk, Cat. Pol. Brit. Mus. iii. 8.

edwardsiana, D'Orbigny. Busk, Cat. Pol. Brit. Mus. iii. 5.

Family Idmoneidæ.

Idmonea, Lamouroux, 1821.

milneana, D'Orbigny. I. giebeliana, Stoliczka, Reise der Novara, 115.

radians, Lamarck.
ramosa, D'Orbigny.
serpens, Linnæus.

Busk, Cat. Pol. Brit. Mus. iii. 11.
Waters, Q.J.G.S. xliii. 339.
Hutton, T.N.Z.I. xxiii. 107.

Crisina,

hochstetteriana, Stoliczka. Reise der Novara, Palæ. 113 (*Idmonea*).

Entalophora, Lamouroux, 1821.

raripora, D'Orbigny. E. haastiana, Stoliczka, Reise der Novara, Palæ. 102.

intricaria, Busk. Cat. Pol. Brit. Mus. iii. 22. purpurascens, Hutton. T.N.Z.I. ix. 361 (Pustulipora).

Cinctipora, Hutton, 1873. elegans, Cat. Marine Moll. N.Z. 103.

Hornera, Lamouroux, 1821.
foliacea, McGillivray. Hutton, T.N.Z.I. xxiii. 107.
striata, Stoliczka. Reise der Novara, Palæ. 107.
frondiculata, Lamouroux. Hamilton, T.N.Z.I. xxx. 197.

Family Tubuliporidæ.

Tubulipora, Lamarck, 1816. biduplicata, Waters. Q.J.G.S. xliii. 343. glomerata, Hutton. Cat. Marine Moll. N.Z. 103.

Stromatopora, Blainville, 1830.
racemosa, Hutton. Cat. Marine Moll. N.Z. 103 (Alecto).
major, Johnston. Hamilton, T.N.Z.I. xxx. 197.

Family DIASTOPORIDÆ.

Diastopora, Lamouroux, 1821.
patina, Lamarck. Hutton, T.N.Z.I. xxiii. 107.

perangulata, Waters. Q.J.G.S. xliii. 343. sarniensis, Norman. A.M.N.H. 3, xiii. 89. suborbicularis, Hincks. Brit. Marine Pol. 464.

Family LICHENOPORIDÆ.

Lichenopora, Defrance, 1823.
holdsworthii, Busk. Hutton, T.N.Z.I. xxiii. 107.
neozelanica, Busk. Cat. Pol. Brit. Mus. iii. 32 (*Discoporella*).
clypeiformis, D'Orbigny. Hamilton, T.N.Z.I. xxx. 197.
pristis, McGillivray. Cat. Vict. Pol. 336.

Defranchia, Bronn, 1835. dentata, Hutton. Cat. Marine Moll. N.Z. 199.

Family FRONDIPORIDÆ.

Supercystis, D'Orbigny.

digitata, D'Orbigny.

Busk, Cat. Pol. Brit. Mus. iii. 37

(Fasciculipora).

Family HETEROPORIDÆ.

Heteropora, Blainville, 1830. pelliculata, Waters. Hutton, T.N.Z.I. xxiii. 107.

PHYLUM, TROCHELMINTHES.

CLASS, ROTIFERA.

Order RHIZOTA. Family FLOSCULARIDÆ.

Floscularia, Oken, 1815.

coronetta, Cubitt. Hudson and Gosse, The Rotifera, i. 49. Hudson and Gosse, The Rotifera, i. 50. Hudson and Gosse, The Rotifera, i. 53.

Family Melicertadæ.

Melicerta, Schrank, 1803.

ringens, Schrank. Hudson and Gosse, The Rotifera, i. 70.

Order BDELLOIDA. Family Philodinadæ.

Philodina, Ehrenberg, 1830.

erythrophthalma, Ehrenberg. Hudson and Gosse, The Rotifera, i. 99.

roseola, Ehrenberg. Hudson and Gosse, The Rotifera, i. 99. megalotrocha, Ehrenberg. Hudson and Gosse, The Rotifera, i. 101.

microps, Gosse. Hudson and Gosse, The Rotifera, Supplement, 8.

Rotifer, Cuvier, 1798.

vulgaris, Schrank. Hudson and Gosse, The Rotifera, i. 104. macrurus, Schrank. Hudson and Gosse, The Rotifera, i. 107.

Callidina, Ehrenberg, 1830.

bihamata, Gosse. Hudson and Gosse, The Rotifera, i. 111. quadridens, Hilgendorf. T.N.Z.I. xxxi. 113. venusta, Bryce.

Order PLOIMA.
Sub-order ILLORICATA.
Family HYDATINADÆ.

Notops, Hudson, 1886.

minor, Rousselet. Quekett Jour. Jan. 1892 = Postclausa circularis and minuta, Hilgendorf, T.N.Z.I. xxxi. 125-6.

Hydatina, Ehrenberg, 1830. senta, Ehrenberg. Hudson and Gosse, The Rotifera, ii. 9.

Family NOTOMMATADÆ.

Notommata, Ehrenberg, 1830. tripus, Ehrenberg. Hudson and Gosse, The Rotifera, ii. 22. pentophthalma, Hilgendorf. T.N.Z.I. xxxi. 116.

Proales, Gosse, 1886.

decipiens, Ehrenberg. Hudson and Gosse, The Rotifera, ii. 36.

Diglena, Ehrenberg, 1830. forcipata, Ehrenberg. Hudson and Gosse, The Rotifera, ii. 36.

Eosophora, Ehrenberg, 1830. aurita, Ehrenberg. Hudson and Gosse, The Rotifera, ii. 47.

Sub-order Loricata. Family RATTULIDE.

Mastigocerca, Ehrenberg, 1830.
lophoessa, Gosse. Hudson and Gosse, The Rotifera, ii. 60
= M. rectocaudatus, Hilgendorf, T.N.Z.I. xxxi. 120.

Rattulus, Ehrenberg, 1830.

tigris, Muller. Hudson and Gosse, The Rotifera, ii. 65.

cimolius, Gosse. Hudson and Gosse, The Rotifera, ii. 65.

weberi, Jennings.

Cœlopus, Gosse, 1886.

tenuior, Gosse. Hudson and Gosse, The Rotifera, ii. 68.

= Mastigocerca flectocaudatus, Hilgendorf, T.N.Z.I. xxxi. 119.
brachyurus, Gosse. Hudson and Gosse, The Rotifera, ii. 69.

Family DINOCHARIDÆ.

Dinocharis, Ehrenberg, 1830. inornata, Hilgendorf. T.N.Z.I. xxxi. 121.

Family SALPINADÆ.

Diaschiza, Gosse, 1886.

tenuior, Gosse. Hudson and Gosse, The Rotifera, ii. 81

— D. taurocephalus, Hilgendorf, T.N.Z.I. xxxi. 123.

semiaperta, Gosse. Hudson and Gosse, The Rotifera, ii. 80paeta, Gosse. Hudson and Gosse, The Rotifera, ii. 79.

ventripes, Dixon-Nuttall.

Family Euchlanidæ.

Euchlanis, Ehrenberg, 1830. dilatata, Ehrenberg. Hudson and Gosse, The Rotifera, ii. 90. Cathypna, Gosse, 1886. hudsoni, Lord.

Monostyla, Ehrenberg, 1830.

cornuta, Ehrenberg. Hudson and Gosse, The Rotifera, ii. 98. lunaris, Ehrenberg. Hudson and Gosse, The Rotifera, ii. 98.

Family COLURIDÆ.

Coluris, Ehrenberg, 1830.

amblytelus or caudatus (or both), Ehrenberg. Hudson and Gosse, The Rotifera, ii. 104.

Metopidia, Ehrenberg, 1830.

solidus, Gosse. Hudson and Gosse, The Rotifera, ii. 106. acuminata, Ehrenberg. Hudson and Gosse, The Rotifera, ii. 107.

triptera, Ehrenberg. Hudson and Gosse, The Rotifera, ii. 108.

Family Pterodinadæ.

Pterodina, Ehrenberg, 1830.

patina, Ehrenberg. Hudson and Gosse, The Rotifera, ii. 112.

Family ANURÆADÆ.

Anuræa, Gosse, 1851, nec Ehrenberg.

hypelasma, Gosse. Hudson and Gosse, The Rotifera, ii. 123.

Notholca, Gosse, 1886.

jugosa, Gosse. Hudson and Gosse, The Rotifera, Supplement, 56 = N. regularis, Hilgendorf, T.N.Z.I. xxxi. 132.

PHYLUM, NEMATELMINTHES.

CLASS, NEMATOIDEA.*

Family ASCARIDÆ.

Ascaris, Linnæus, 1746.

macruri, v. Linstow. Challenger Reports, xxiii. 7, in *Macruris rudis*.

labiata, Rudolphi, in *Conger vulgaris*. ecaudata, Dujardin, in *Conger vulgaris*. clavata, Rudolphi, in *Conger vulgaris*.

orthagorisci, Rudolphi, in Orthagoriscus mola.

incurva, Rudolphi, in Xiphias gladius.

bi-uncinata, Molin, in Zeus faber. bramæ, v. Beneden, in Brama raii.

granulosa, Schneider, in Fregatta aquila.

spiculigera, Rudolphi, in *Podiceps cristatus* and in *Phala-crocorax carbo*.

microcephala, Rudolphi, in *Herodias egretta*. aurita, v. Linstow, in *Micranous leucocapillus*. conocephala, Krabbe, in *Delphinus delphis*.

apterycis, Chatin, in Apteryx sp.; Bull. Soc. Philom. 7, ix. 36.

Heterakis, Dujardin, 1845.

hians, Dujardin, in *Conger vulgaris*. præcinctus, Dujardin, in *Conger vulgaris*. congri, v. Beneden, in *Conger vulgaris*.

Family FILARIDÆ.

Ichthyonema, Diesing, 1860. congeri vulgaris, Molin, in Conger vulgaris.

Filaria, Müller, 1787.

acuta, Diesing, in *Podiceps cristatus*. recta, v. Linstow, in *Podiceps cristatus*. squamata, v. Linstow, in *Phalacrocorax carbo*. dubia, Leidy, in *Diomedea exulans*.

^{*} This list of Parasites is for the most part abstracted from v. Linstow's 'Compendium d. Helminthologie,' 1878, and Appendix, 1889, with a few recently described species from Zool. Record. It has been impossible to determine the synonyms, owing to absence of literature.

Spirophera, Rudolphi, 1819.
acanthocephalica, Molin, in *Hydroprogne caspica*.
campbelli, Chatin, in *Notothenia filholi*, Bull. Soc. Philom.
7, ix. 37.

Family TRICHOTRACHELIDÆ.

Trichosoma, Rudolphi, 1819. carbonis, Rudolphi, in *Phalacrocorax carbo*. convolutum, Fourment, in *Ossiphraga gigantea*.

Tropidocerca, Diesing, 1860. certa, Leidy, in *Diomedea exulans*.

Family STRONGYLIDÆ.

Eustrongylus, Diesing, 1850.

papillosum, Rudolphi, in *Phalacrocorax carbo*.

tubifex, Diesing, in *Podiceps cristatus*.

Family (?).

Agamonema, Diesing, 1851.
capsularia, Diesing, in Conger vulgaris.
zenis, Wedl, in Zeus faber.
fabri, Diesing, in Zeus faber.
carancum, Diesing, in Caraux trachurus.
campbelli, Chatin, Bull. Soc. Philom. 7, ix. 37, in various fishes.

CLASS, GORDIACEA.

Family Gordine.

Gordius, Linnæus, 1767.
diblastus, Oerley, Ann. Mag. N.H. 5, viii. 331.
pachydermus, Oerley, Ann. Mag. N.H. 5, viii. 331.

CLASS, ACANTHOCEPHALA.

Family Есніногнунснідж.

Echinorhynchus, O. F. Müller, 1776. urniger, Dujardin, in *Zeus faber*. annulatus, Molin, in *Lepidopus caudatus* and in *Conger*

nulatus, Molin, in *Lepidopus caudatus* and in *Conger vulgaris*.

lamelliger, Diesing, in Naucrates ductor.
vasculosus, Rudolphi, in Brama raii.
acus, Rudolphi, in Conger vulgaris.
solitarius, Molin, in Conger vulgaris.
hystrix, Bremser, in Phalacrocorax carbo.
striatus, Goeze, in Phalacrocorax carbo.
longicollis, Villot, in Stepsilas interpres.
sphærocephalus, Bremser, in Larus dominicanus.

Echinorhynchus capitatus, v. Linstow, in *Pseudorca crassidens* and in *Globicephalus melas*.

porrigens, Rudolphi, in Balænoptera rostrata.

turbinella, Diesing, in Balænoptera musculus and in Delphinus delphis.

CLASS, CHÆTOGNATHA.

Krohnia, Langerhans, 1880.

Sp. innom., Parker. T.N.Z.I. xxviii. 758 (? = Spadella hamata, Mœbius).

PHYLUM, PLATYHELMINTHES.

CLASS, TURBELLARIA.

Order RHABDOCŒLIDA. Sub-order RHABDOCŒLA. Family VORTICIDÆ.

Chonostomum, Schmarda, 1859.

crenulatum, Schmarda. N.W.Th. (1) 4; Hutton, T.N.Z.I. xi. 314.

Family PRORHYNCHIDÆ.

Prorhynchus, M. Schultze, 1851. putealis, Haswell. Q.J.M.S. xl. 631.

Order POLYCLADIDA. Family LEPTOPLANIDÆ.

Leptoplana, Ehrenberg, 1831.

californica, Plehn. Zool. Jahrb. Syst. xii. 448.

? polysora, Schmarda. N.W.Th. (1), 25 (Centrostomum); Hutton, T.N.Z.I. xi. 315.

? brunnea, Cheeseman. T.N.Z.I. xv. 214.

Polycelis, Schmarda, 1859.

australis, Schmarda. N.W.Th. (1), 21; Hutton, T.N.Z.I. xi. 315.

Family Pseudoceridæ.

Thysanozoon, Grube, 1840.

brocchii, Risso. Lang, Die Polycladen, 1885, 525 = T. cruciatum, Schmarda. Hutton, T.N.Z.I. xi. 315 = T. aucklandica, Cheeseman, T.N.Z.I. xv. 213. var. huttoni, T. W. Kirk. T.N.Z.I. xiv. 267.

Family Euryleptidæ.

Prostheceræus, Schmarda, 1859.

herberti, T. W. Kirk (Eurylepta h.). T.N.Z.I. xiv. 267.

Order TRICLADIA. Tribe TERRICOLA. Family GEOPLANIDÆ.

Geoplana, Schultze, 1856.

testacea, Hutton. T.N.Z.I. xii. 277; Graff, Mon. de Turbellarien, ii. 353.

Geoplana triangulata, Dendy. T.N.Z.I. xxvii. 179. var. australis, Dendy. T.N.Z.I. xxvii. 180; xxviii. 211. flavimarginata, Dendy. T.N.Z.I. xxix. 259. purpurea, Dendy. T.N.Z.I. xxvii. 182; xxviii. 212. garveyi, Dendy. T.N.Z.I. xxxiii. 234. tenuis, Dendy. T.N.Z.I. xxvii. 188. traversii, Moseley. Q.J.M.S. n.s. xvii. 284. challengeri, Graff. Mon. Turb. ii. 370. moseleyi, Hutton. T.N.Z.I. xii. 277; Dendy, T.N.Z.I. xxix. 261. graffii, Dendy. T.N.Z.I. xxvii. 180; xxxiii. 224. var. somersii, Dendy. T.N.Z.I. xxviii. 212. var. nodosa, Dendy. T.N.Z.I. xxxiii. 227. var. angusta, Dendy. T.N.Z.I. xxxiii. 228. var. clintonensis, Dendy. T.N.Z.I. xxxiii. 228. var. occidentalis, Dendy. T.N.Z.I. xxix. 260. var. otiraensis, Dendy. T.N.Z.I. xxix. 261. var. nigrescens, Dendy. T.N.Z.I. xxxiii. 230. var. castanea, Dendy. T.N.Z.I. xxxiii. 225. var. ocellata, Dendy. T.N.Z.I. xxxiii. 226. var. wharekauriensis, Dendy. T.N.Z.I. xxxiii. 226. var. dorsomarmorata, Dendy. T.N.Z.I. xxxiii. 228. iris, Dendy. T.N.Z.I. xxviii. 213. sulphurea, Fletcher and Hamilton. Dendy, T.N.Z.I. xxvii. 183. alfordensis, Dendy. T.N.Z.I. xxviii. 212. agricola, Dendy. T.N.Z.I. xxvii. 184. var. maori, Dendy. T.N.Z.I. xxxiii. 233. inæqualistriata, Dendy. T.N.Z.I. xxvii. 182. fagicola, Dendy. T.N.Z.I. xxxiii. 233. exulans, Dendy. T.N.Z.I. xxxiii. 233. munda, Fletcher and Hamilton. T.N.Z.I. xxxiii. 236. splendens, Dendy. T.N.Z.I. xxvii. 183. laingii, Dendy. T.N.Z.I. xxvii. 185. spectabilis, Dendy. hamiltoni, Dendy. gelatinosa, Dendy. T.N.Z.I. xxvii. 186. T.N.Z.I. xxvii. 186. quinquelineata, Fletcher and Hamilton. T.N.Z.I. xxviii. 212. jacksoniana, Dendy. T.N.Z.I. xxix. 262. lateropunctata, Dendy. T.N.Z.I. xxxiii. 232. huttoni, Graff. Mon. Turb. ii. 352. subquadrangulata, Dendy. T.N.Z.I. xxvii. 187. mœbiusi, Graff. Mon. Turb. ii. 386. meridionalis, Graff. Mon. Turb. ii. 377. suteri, Dendy. T.N.Z.I. xxix. 263.

aucklandica, Dendy. T.N.Z.I. xxxiii. 235.

Geoplana howesi, Dendy. T.N.Z.I. xxxiii. 238. cooperi, Dendy. T.N.Z.I. xxxiii. 239. latissima, Dendy. T.N.Z.I. xxviii. 211. cucullata, Dendy. T.N.Z.I. xxvii. 259. mariæ, Dendy. T.N.Z.I. xxvii. 184.

CLASS, TEMNOCEPHALOIDEA.

Order Dactylifera. Family Temnocephalidæ.

Temnocephala, Blanchard, 1849.

novæ-zealandiæ, Haswell. Q.J.M.S. xxviii. 279; Macleay Mem. 1893, 138; Chilton, T.N.Z.I. xxi. 252 (on *Parane-phrops*).

CLASS, TREMATODA.*

Order HETEROCOTYLEA. Family TRISTOMIDÆ.

Tristomum, Cuvier, 1817.
coccineum, Cuvier, in Xiphias gladius.

papillosum, Diesing, in Xiphias gladius. molæ, Blanchard, in Orthagoriscus mola. rudolphianum, Diesing, in Orthagoriscus mola.

cephala, Risso, in Orthagoriscus mola.

squali, Blanchard, in a shark (unnamed) from New Zealand. Encotyllabe, Diesing, 1850.
nordmanni, Diesing, in *Brama raii*.

Family MICROCOTYLIDÆ.

Gastrocotyle, Van Beneden and Hesse, 1863.

trachuri, Van Beneden and Hesse, in Caranx trachurus.

Order Aspidocotylea. Family Aspidobothridæ.

Macraspis, Olsson, 1868.

Sp. Benham MS. in Callorhynchus.

Order MALACOTYLEA.

^{*} This list of Parasites is for the most part abstracted from v. Linstow's 'Compendium d. Helminthologie,' 1878, and Appendix, 1889, and a few have been taken from the Zoological Record of more recent date. It has not been possible in all cases to determine the matter of synonymy, owing to the absence of literature.

Family DISTOMIDÆ.

Distomum, Retzius, 1776.

insigne, Diesing, in Echinorhinus spinosus.

veliporum, Creplin, in Scymnus lichia and in Echinorhinus spinosus.

macrocotyle, Diesing, in Orthagoriscus mola. contortum, Rudolphi, in Orthagoriscus mola.

nigroflavum, Rudolphi, in Orthagoriscus mola.

foliatum, Linton, in Orthagoriscus mola.

calceolus, Molin, in Conger vulgaris.

rufoviride, Rudolphi, in Conger vulgaris and in Zeus faber.

simplex, Rudolphi, in Conger vulgaris. varicum, Zeder, in Conger vulgaris.

echeneidis remoræ, Rudolphi, in Echeneis remora.

lageniforme, Linton, in Echeneis remora.

monticelii, Linton, Echeneis remora.

dendriticum, Rudolphi, in Xiphias gladius.

clavatum, Rudolphi, in Xiphias gladius. polonii, Molin, in Caranx trachurus.

giardii, Stossich, in Naucrates ductor.

grandiporum, Rudolphi, in Conger vulgaris.

laticolle, Rudolphi, in Caraux trachurus.

cochleariforme, Rudolphi, in Fregatta aquila. concavum, Creplin, in Podiceps cristatus.

echinatum, Zeder, in Podiceps cristatus and in Phalacrocorax carbo.

spinulosum, Rudolphi, in Podiceps cristatus.

goliath, v. Beneden, in Balænoptera rostrata.

palliatum, Looss, in *Delphinus delphis*. dephini, Poirier, in *Delphinus delphis*.

erinaceum, Poirier, in Delphinus delphis.

rochebruni, Poirier, in Delphinus delphis.

longissimum, Poirier, in *Desputuus desputs*.

Kællikeria, Cobbold, 1859.

filicolle, Rudolphi, in Brama raii and in Orthagoriscus mola.

Family Holostomidæ.

Holostomum, Nitzsche, 1819.

platycephalum, Dujardin, in *Phalacrocorax carbo* and in *Podiceps cristatus*.

variegatum, Dujardin, in Podiceps cristatus and in Phalacrocorax carbo.

squamosum, Villot, in Strepsilas interpres.

Hemistomum, Diesing, 1850.

trilobum, Rudolphi, in Phalacrocorax carbo.

Hemistomum pileatum, Brandes, in *Hydroprogne caspia*. commutatum, Diesing, in *Hydroprogne caspia*.

Family Monostomidæ.

Monostomum, Zeder, 1800.
filarinum, Diesing, in Orthagoriscus mola.
filum, Dujardin, in Brama raii.
echinostomum, Diesing, in Sula fusca.
petasatum, Deslongchamps, in Strepsilas interpres.
holostomioides, Mehlis, in Podiceps cristatus.
pingue, Mehlis, in Podiceps cristatus.

Family Gasterostomidæ. Gasterostomidm, V. Siebold, 1848. armatum, Molin, in Conger vulgaris.

Family DIDYMOZOONTIDE.

Didymozoon, Taschenberg, 1879.
exocœti, Parona and Perugia in Exocœtus.

CLASS, CESTOIDEA.

Order GYROCOTYLACEA. Family GYROCOTYLIDÆ.

Gyrocotyle, Diesing, 1850. urna, Wagner, in *Callorhynchus* (see Spencer, T.R.S.V. i. 136).

Order Caryophyllacea. Family Caryophyllæidæ.

Monobothrium, Diesing, 1850.

punctatum, Molin, in *Conger vulgaris* [?a young form of Tetrabothrid].

Order Pseudophyllidea. Family Bothriocephalidæ.

Anchistrocephalus, Monticelli, 1890.
macrocephalus, Rudolphi, in Orthagoriscus mola (Bothriocephalus m.).

Fistulicola, Lühe, 1899. plicatus, Rudolphi, in Xiphias gladius (Bothriocephalus p.).

Bothriocephalus, Rudolphi, 1810. quadratus, v. Linstow, in Ogmorhinus leptonyx. bramæ, Ariola, in Brama raii.

Schistocephalus, Creplin, 1829. nodosus, Bloch, in *Podiceps cristatus*. Ligula, Bloch, 1782. monogramma, Creplin, in *Podiceps cristatus*. digramma, Creplin, in *Podiceps cristatus*.

Order TETRAPHYLLIDEA. Family TETRABOTHRIDÆ.

Tetrabothrium (Rudolphi), Fuhrmann, 1899.
maculatum, Olssen, in Lamna cornubica.
macrocephalum, Rudolphi, in Podiceps cristatus.
auriculatum, v. Linstow, in Thalassaca glacialoides and
Daption capensis.
erostris, Limsberg, in Catarhactes chrysocome.

Orygmatobothrium, Diesing, 1854. dohrnii, Oerley, in Scymnus lichia.

Amphoterocotyle, Diesing, 1863. elegans, Diesing, in Daption capensis.

Phyllobothrium, v. Beneden, 1849. delphini, Gervais, in Tursiops tursio.

Anthobothrium, v. Beneden, 1849. cornucopia, v. Beneden, in Lamna cornubica.

Cylindrophorus, Diesing, 1863. typicus, Diesing, in Carcharodon rondeletii.

Dinobothrium, v. Beneden, 1889. septaria, v. Beneden, in Lamna cornubica.

Diplobothrium, v. Beneden, 1889. simile, v. Beneden, in Lamna cornubica.

Order TETRARHYNCHA. Family TETRARHYNCHIDÆ.

Tetrarhynchus, sensu lato, Vaullegard, 1899.

bicolor, v. Nordmann, in Carch. rondeletii = Abothros carcharias, Welch.

erinaceus, v. Beneden, in Scymnus lichia. infulatus, Diesing, in Zeus faber and in Conger vulgaris. paleaceus, Rudolphi, in Conger vulgaris and in Caranx trachurus.

crassiceps, Diesing, in Brama raii.
gracilis, Wagener, in Orthagoriscus mola.
attenuatus, Rudolphi, in Xiphias gladius.
tenuicaudatus, Leidy, in Echeneis remora.

gigas, Vaullegard = reptans, Wagener = elongatus, Rudolphi, in Zeus faber and in Orthagoriscus mola.

Order Tetracotylea. Family Tænidæ.

Drepanidotænia, Raillet, 1892. apterygis, Benham. Q.J.M.S. xliii. 83, in Apteryx. minuta, Benham. Q.J.M.S. xliii. 83, in Apteryx.

Tænia, sensu lato, Linnæus, 1758. scolecina, Rudolphi, in Phalacrocorax carbo. increscens, v. Linstow, in Hamatopus unicolor. coronata, Krefft, in Himantopus leucocephalus. rugosa, Krefft, in Himantopus leucocephalus. cylindrica, Krefft, in Anas superciliosa. pediformis, Krefft, in Anas superciliosa. flavescens, Krefft, in Anas superciliosa and in Spatula rhvnchota. bairdi, Krefft, in Anas superciliosa. tuberculata, Krefft, in Nyroca australis. filum, Goeze, in Strepsilas interpres. clavigera, Krabbe, in Strepsilas interpres. retirostris, Krabbe, in Strepsilas interpres. furcifera, Krabbe, in Podiceps cristatus. capillaris, Rudolphi, in Podiceps cristatus. pelecani aquilæ, Rudolphi, in Fregatta aquila. sulciceps, Baird, in Diomedea exulans. apterycis, Chatin, in Apteryx, Bull. Soc. Philom. (7), ix. 36.

[Is probably identical with one of the two sp. *Drepanidotænia*, above.]

CLASS, NEMERTINI.

Order METANEMERTINI.

? Amphiporus, Ehrenberg, 1831, or **? Eunemertes**, Vaillant, 1890.

heterophthalma, Schmarda. N.W.Th. (1), 41; Ommatoplea h., Hutton, T.N.Z.I. xi. 316.

? Amphiporus or ? Drepanophorus, Hubrecht, 1874. novæ-zealandiæ, Quoy and Gaimard. Voy. Astrolabe, Zool. iv. 290 (Borlasia, N.Z.); Hutton, T.N.Z.I. xii. 277.

Family Prosorhochmidæ.

Geonemertes, Semper, 1863.
novæ-zealandiæ, Dendy. T.N.Z.I. xxvii. 192; xxviii. 214.

Order HETERONEMERTINI. Family EUPOLIIDÆ.

Eupolia, Hubrecht, 1887.

giardii, McIntosh. Challenger Reports, xix. 11.

australis, Hubrecht. Challenger Reports, xix. 13.

Family LINEIDÆ.

Cerebratulus, Renier, 1804.

macrostomus, Schmarda (Meckelia m.). N.W.Th. (1), 42;

Hutton, T.N.Z.I. xi. 316.

macrorhochmus, Schmarda (Meckelia m.). N.W.Th. (1), 43; Hutton, T.N.Z.I. xi. 316.

parkeri, Hubrecht. Challenger Reports, xix. 43. angusticeps, Hubrecht. Challenger Reports, xix. 44. macroren, Hubrecht. Challenger Reports, xix. 46.

PHYLUM, CŒLENTERATA.

CLASS, CTENOPHORA. Order SACCATA.

Family Pleurobrachidæ. Eschscholthia, Lesson, 1843. dimidiata, Lesson. Ann. Sc. Nat. v. 254; Acalèphes, 102.

CLASS, ACTINOZOA.

Sub-class Zoantharia.
Order Actiniaria.
Family Phyllactidæ.
Oulactis, H. Milne-Edwards, 1857.
plicatus, Hutton. T.N.Z.I. xi. 311.

Family SAGARTIADÆ.

Gregoria, Gosse, 1860.
albocincta, Hutton. T.N.Z.I. xi. 312.

Sagartia, Cassa 1848.

Sagartia, Gosse, 1858. crocata, Hutton (*Diactis*). T.N.Z.I. xii. 275.

Family Antheadæ.

Paractis, H. Milne-Edwards, 1857.

monilifera, Drayton. Hutton, T.N.Z.I. xii. 275.

Anthea, Johnstone, 1838. olivacea, Hutton. T.N.Z.I. xii. 312.

Family Actiniadæ.

Actinia, Gmelin, 1789.
striata, Quoy and Gaimard (gen. dub.). Hutton, T.N.Z.I.
xii. 213.
tenebrosa, Farquhar. J.L.S. xxvi. 535.
thomsoni, Coughtrey. T.N.Z.I. vii. 280 (genus doubtful);

Farquhar, J.L.S. xxvi. 527.

Phymactis, H. Milne-Edwards, 1857. polydactyla, Hutton. T.N.Z.I. xi. 313. inconspicua, Hutton. T.N.Z.I. xi. 313.

Family ILYANTHIDÆ.

Peachia, Gosse, 1854. carnea, Hutton. T.N.Z.I. xii. 275.

Family MINYADIDÆ.

Minyas, Cuvier, 1817. viridula, Quoy and Gaimard. Hutton, T.N.Z.I. xi. 314.

> Order Madreporaria. Section Aporosa. Sub-section Turbinolida. Family Turbinolidæ.

Flabellum, Lesson, 18—. rubrum, Quoy and Gaimard. Voy. Astrolabe, iv. 188.

Conocyathus, d'Orbigny, 1849. zealandiæ, Duncan. P.Z.S. 1876, 431.

Cylicia, Edwards and Haime, 1851.
rubeola, Quoy and Gaimard. Voy. Astrolabe, iv. 197.
huttoni, Ten. Woods. P.L.S.N.S.W. iii. 132.
vacua, Ten. Woods. P.L.S.N.S.W. iii. 133.

Placotrochus, Edwards and Haime, 1848. pedicellatus, Ten. Woods. P.L.S.N.S.W. iii. 134.

Polyphyllia, Quoy and Gaimard, 1833. pelvis, Quoy and Gaimard. Voy. Astrolabe, iv. 185.

Caryophyllia, Lamarck, 1801.
maculata, Pourtales. Moseley, Challenger Reports, ii. 139.
lamellifera, Moseley. Challenger Reports, ii. 140.

Order ANTIPITHARIA. Family ANTIPATHIDÆ.

Aphanipathes, Brook, 1889. fruticosa, Gray. Brook, Challenger Reports, xxxii. 124.

Taxipathes, Brook, 1889.
recta, Brook (?). Challenger Reports, xxxii. 156. [Specimen in Canterbury Museum.]

Sub-class Alcyonaria.
Order Alcyonacea.
Family Cornulariidæ.

Anthopodium, Verrill, 1872. australe, Verrill. Bull. U.S. Mus. 1876, 76. Family ALCYONIDÆ.

Lobularia, Lamarck, 1816.

aurantiaca, Lamarck. Quoy, Voy. Astrolabe, iv. 277.

Order PENNATULACEA. Family VIRGULARIDÆ.

Virgularia, Lamarck, 1816.

gracillima, Kölliker. Dendy, T.N.Z.I. xxix. 256.

Family Protocaulidæ.

Protocaulon, Kölliker, 1880.

molle, Kölliker. Challenger Reports, i. 26.

Family PROTOPTILIDÆ.

Leptoptilum, Kölliker, 1880.

gracile, Kölliker. Challenger Reports, i. 27.

Order GORGONACEA. Family Dasygorgidæ.

Dasygorgia, Verrill, 1883.

expansa, Wright and Studer. Challenger Reports, xxxi. 16. acanthella, Wright and Studer. Challenger Reports, xxxi. 18. axillaris, Wright and Studer. Challenger Reports, xxxi. 20.

Family PRIMNOIDÆ.

Calytrophora, Gray, 1866.

wyvillei, Wright and Studer. Challenger Reports, xxxi. 52.

Stachyodes, Wright and Studer, 1889.

regularis, Wright and Studer. Challenger Reports, xxxi. 55.

Thouarella, Gray, 1870.

moseleyi, Wright and Studer. Challenger Reports, xxxi. 61.

Primnoella, Gray, 1857. australasiæ, Gray. Wright and Studer, Challenger Reports, xxxi. 88.

Family Sclerogorgiadæ.

Rhipidigorgia, Valenciennes, 1854.

cribum, Valenciennes. H. Milne-Edwards, Coralleairies,

i. 175.

arenata, Valenciennes. H. Milne-Edwards, Coralleairies, i. 176.

CLASS, SCYPHOZOA.

Order STAUROMEDUSÆ. Family Lucernaridæ.

Craterolophus, Clark, 1863.

macrocystis, Lendenfeld (nomen nudum). P.L.S.N.S.W. ix. 165.

Order PEROMEDUSÆ. Family PERICOLPIDÆ.

Pericrypta, Haeckel, 1879.

campana, Haeckel. Lendenfeld, P.L.S.N.S.W. ix. 167.

Family PERIPHYLLIDÆ.

Periphylla, Steenstrup, 1837.

mirabilis, Haeckel. Lendenfeld, P.L.S.N.S.W. ix. 168.

Order DISCOMEDUSÆ. Family TOREUMIDÆ.

Archirhiza, Haeckel, 1880.

aurosa, Haeckel. Lendenfeld, P.L.S.N.S.W. ix. 282 and 425.

Toreuma, Haeckel, 1880.

theophila, Haeckel. Lendenfeld, P.L.S.N.S.W. ix. 283 and 426.

Cannorhiza, Haeckel, 1880.

connexa, Haeckel. Lendenfeld, P.L.S.N.S.W. ix. 294 and 427.

CLASS, HYDROZOA.

Order SIPHONOPHORA. Family VELELLIDÆ.

Velella, Lamarck, 1816.

cyanea, Lesson. Haeckel, Challenger Reports, xxviii. 83.

Family Desmophyidæ.

Desmalia, Haeckel, 1888.

imbricata, Haeckel. Challenger Reports, xxviii. 169.

Family DIPHYIDÆ.

Diphyes, Cuvier, 1817.

appendicularia, Eschscholtz. Hutton, T.N.Z.I. xii. 274.

Family AGALMIDÆ.

Stephanomia, Péron and Lesueur, 1807.

imbricata, Quoy and Gaimard. Voy. Astrolabe, iv. 71.

Family DISCOLABIDÆ.

Physophora, Forskal, 1775.

australis, Quoy and Gaimard. Hutton, T.N.Z.I. xii. 274.

Family STEPHALIDÆ.

Stephonalia, Haeckel, 1888.

bathyphysa, Haeckel. Challenger Reports, xxviii. 299.

Family Physalidæ.

Physalia, Lamarck, 1818.

utriculus, Eschscholtz. Haeckel, Challenger Reports, xxviii. 351.

Order Hydrocorallina. Family Stylasteridæ.

Stylaster, Gray, 1831.

erubescens, Pourtales. Moseley, Challenger Reports, ii. 81. gracilis, H. Milne-Edwards and Haime. Moseley, Challenger Reports, ii. 81.

1ævis, Studer. Moseley, Challenger Reports, ii. 81. sanguineus, Valenciennes. Lendenfeld, P.L.S.N.S.W. ix. 615.

Allopora, Ehrenberg, 1834. profunda, Moseley. Challenger Reports, ii. 62.

Cryptohelia, H. Milne-Edwards and Haime. pudica, H. Milne-Edwards and Haime. Moseley, Challenger Reports, ii. 71.

Conopora, Moseley, 1881. tenuis, Moseley. Challenger Reports, ii. 82.

Errina, Gray, 1835. [Two species are in the Canterbury Museum.]

Order Hydroida. Sub-order Gymnoblastea. Family Clavidæ.

Tubiclava, Allman, 1862.

rubra, Farquhar. T.N.Z.I. xxvii. 209.

fruticosa, Allman. Hilgendorf, T.N.Z.I. xxx. 201.

Cordylophora, Allman, 1844. lacustrus (?), Hamilton. N.Z. Jour. Science, i. 419.

Family Corynidæ.

Coryne, Lamarck, 1801. tenella, Farquhar. T.N.Z.I. xxvii. 208.

Family Eudendridæ.

Eudendrium, Ehrenberg, 1834. novæ-zealandiæ, Marktanner-Turneretscher. Farquhar, T.N.Z.I. xxviii. 459.

Family BOUGAINVILLIDÆ.

Hemitheca, Hilgendorf, 1898.
intermedia, Hilgendorf. T.N.Z.I. xxx. 202.

Family TUBULARIIDÆ.

Tubularia, Linnæus, 1756.

attenuoides, Coughtrey. T.N.Z.I. viii. 302; Hilgendorf, T.N.Z.I. xxx. 202.

Pelagohydra, Dendy, 1902.

mirabilis, Dendy. Q.J.M.S. xlvi. 1.

Sub-order Calyptoblastea. Family Campanulariidæ.

Eucopella, Lendenfeld, 1883.

crenata, Hartlaub.

C. caliculata var. makrogona, Lendenfeld. Farquhar, T.N.Z.I. xxviii. 459.

Hypanthea, Allman, 1876.

bilabiata, Coughtrey. Farquhar, T.N.Z.I. xxviii. 460; Hilgendorf, T.N.Z.I. xxx. 213. asymmetrica, Hilgendorf. T.N.Z.I. xxx. 212.

Campanularia, Lamarck, 1816.

carduella, Allman. Farquhar, T.N.Z.I. xxviii. 460. fruticosa, Esper. Farquhar, T.N.Z.I. xxviii. 460.

Obelia, Lamarck, 1821.

geniculata, Linnæus. Farquhar, T.N.Z.I. xxviii. 460. australis, Lendenfeld. Farquhar, T.N.Z.I. xxviii. 460. pygmæa, Coughtrey. Farquhar, T.N.Z.I. xxviii. 460. nigrocaulus, Hilgendorf. T.N.Z.I. xxx. 203.

Hebella, Allman, 1888.

scandens, Bale. Farquhar, T.N.Z.I. xxviii. 460.

Calycella,

parkeri, Hilgendorf. T.N.Z.I. xxx. 205.

Clytia, Lamarck, 1812.

elongata, Marktanner-Turneretscher (gen. dub.). Farquhar, T.N.Z.I. xxviii. 461.

johnstoni, Alder. Hartlaub, Zoologischen Jahrbüchern, xiv. 364.

Eucope, Geg. , 1856.

annulata, Lendenfeld. Farquhar, T.N.Z.I. xxviii. 461.

Thyroscyphus, Allman, 1877.

tridentatus, Bale. Hartlaub, Zoologischen Jahrbüchern, xiv. 364.

Family Perisiphoniidæ.

Lafoëa, Lamouroux, 1821.

cylindrica, Lendenfeld. Farquhar, T.N.Z.I. xxviii. 461. dumosa, Coughtrey (sp. dub.). Farquhar, T.N.Z.I. xxviii. 461.

Cryptolaria, Busk, 1857.

gracilis, Allman. Farquhar, T.N.Z.I. xxviii. 461.

Perisiphonia, Allman, 1888.

pectinata, Allman. Farquhar, T.N.Z.I. xxviii. 461.

Family Halechdæ.

Halecium, Oken, 1815.

delicatula, Coughtrey. Farquhar, T.N.Z.I. xxviii. 461. parvulum, Bale. Farquhar, T.N.Z.I. xxviii. 461.

Family Sertularidæ.

Sertularia, Linnæus, 1748.

elongata, Lamouroux. Farquhar, T.N.Z.I. xxviii. 461.
bispinosa, Gray. Farquhar, T.N.Z.I. xxviii. 462.
crinis, Allman. Farquhar, T.N.Z.I. xxviii. 462.
trispinosa, Coughtrey. Farquhar, T.N.Z.I. xxviii. 462.
ramulosa, Coughtrey. Farquhar, T.N.Z.I. xxviii. 462.
operculata, Linnæus. Farquhar, T.N.Z.I. xxviii. 462.
minima, Thompson. Farquhar, T.N.Z.I. xxviii. 462.
unguiculata, Busk. Farquhar, T.N.Z.I. xxviii. 463.
simplex, Lendenfeld. Farquhar, T.N.Z.I. xxviii. 463.
huttoni, Marktanner-Turneretscher. Farquhar, T.N.Z.I.

unilateralis, Allman. Farquhar, T.N.Z.I. xxviii. 463. australis, Thompson. Lendenfeld, P.L.S.N.S.W. ix. 408.

Diphasia, Agassiz, 1862.

symmetrica, Lendenfeld. P.L.S.N.S.W. ix. 414.

Sertularella, Gray, 1848.

johnstoni, Gray. Farquhar, T.N.Z.I. xxviii. 463. capillaris, Allman. Farquhar, T.N.Z.I. xxviii. 463. polyzonias, Linnæus. Farquhar, T.N.Z.I. xxviii. 463. robusta, Coughtrey. Farquhar, T.N.Z.I. xxviii. 464. pygmæa, Bale. Farquhar, T.N.Z.I. xxviii. 464. ramosa, Thompson. Farquhar, T.N.Z.I. xxviii. 464. exigua, Thompson. Farquhar, T.N.Z.I. xxviii. 464. integra, Allman. Farquhar, T.N.Z.I. xxviii. 464. muelleri, Kirchenpauer. Farquhar, T.N.Z.I. xxviii. 464. episcopus, Allman. Farquhar, T.N.Z.I. xxviii. 464. tenella, Alder. Hartlaub, Zoologischen Jahrbüchern, xiv. 370. solidula, Bale. Hartlaub, Zoologischen Jahrbüchern, xiv. 371. fusiformis, var. nana, Hartlaub. Zoologischen Jahrbüchern, xiv. 372.

Thuiaria, Fleming, 1828.

zelandica, Gray. Farquhar, T.N.Z.I. xxviii. 464. monilifera, Hutton. Farquhar, T.N.Z.I. xxviii. 465. subarticulata, Coughtrey. Farquhar, T.N.Z.I. xxviii. 465. quadridens, Bale. Farquhar, T.N.Z.I. xxviii. 465. Selaginopsis, Allman, 1876.

novæ-zealandiæ, Thompson. Farquhar, T.N.Z.I. xxviii. 465.

Desmoscyphus, Allman, 1876.

buskii, Allman. Farquhar, T.N.Z.I. xxviii. 465.

Hydrallmania, Hincks, 1869.

bicalicula, Coughtrey (Gen. dub.). Farquhar, T.N.Z.I. xxviii. 465.

Family Synthechide.

Synthecium, Allman, 1876.

elegans, Allman. Farquhar, T.N.Z.I. xxviii. 465. ramosum, Allman. Farquhar, T.N.Z.I. xxviii. 465. campylocarpum, Allman. Farquhar, T.N.Z.I. xxviii. 466.

Family PLUMULARIIDÆ.

Plumularia, Lamarck, 1815.

setacea, Ellis. Farquhar, T.N.Z.I. xxviii. 466. spinulosa, Bale. Farquhar, T.N.Z.I. xxviii. 466. turgida, Bale. Farquhar, T.N.Z.I. xxviii. 466. campanula, Busk. Farquhar, T.N.Z.I. xxviii. 466. multinoda, Allman. Farquhar, T.N.Z.I. xxviii. 466. simplex, Coughtrey (Gen. dub.). Farquhar, T.N.Z.I. xxviii. 466.

tripartita, Lendenfeld. P.L.S.N.S.W. ix. 477.

Antennularia, Lamarck, 1816.

antennina, Linnæus. Farquhar, T.N.Z.I. xxviii. 466.

Family Aglaopheniidæ.

Aglaophenia, Lamarck, 1812.

incisa, Coughtrey. Farquhar, T.N.Z.I. xxviii. 467. banksii, Gray. Farquhar, T.N.Z.I. xxviii. 467. huttoni, Coughtrey. Farquhar, T.N.Z.I. xxviii. 467. acanthocarpa, Allman. Farquhar, T.N.Z.I. xxviii. 467. laxa, Allman. Farquhar, T.N.Z.I. xxviii. 467. formosa, Busk. Farquhar, T.N.Z.I. xxviii. 467. filicula, Allman. Hilgendorf, T.N.Z.I. xxx. 215.

Family IDIIDÆ.

Idia, Lamarck, 1816.

pristis, Lamouroux. Farquhar, T.N.Z.I. xxviii. 467.

Sub-order Eleutheroblastea. Family Hydridæ.

Hydra, Linnæus, 1756.

viridis, Linnæus. Farquhar, T.N.Z.I. xxviii. 468.

PHYLUM, PORIFERA.

CLASS, CALCAREA. Order Homocoela.

Family Leucosolenidæ.

Leucosolenia, Bowerbank, 1862.
lucasis, Dendy. T.N.Z.I. xxvi. 178.
echinata, Kirk. T.N.Z.I. xxvi. 177.
cerebrum, Haeckel. T.N.Z.I. xxviii. 207.
challengeri, Polejaeff. T.N.Z.I. xxviii. 207.
clathrus, Schmidt. T.N.Z.I. xxviii. 206.
depressa, Dendy. T.N.Z.I. xxviii. 209.
intermedia, Kirk. T.N.Z.I. xxviii. 208.

Order HETEROCOELA. Family Leucascidæ. Leucascus, Dendy, 1892. simplex, Dendy. T.N.Z.I. xxx. 313.

laxa, Kirk. T.N.Z.I. xxviii. 208. proxima, Dendy. T.N.Z.I. xxviii. 207. rosea, Kirk. T.N.Z.I. xxviii. 209.

Family SYCETTIDÆ.

Sycon, Risso, 1827.

dendyi, Kirk. T.N.Z.I. xxvii. 287.
inconspicua, Lendenfeld. P.L.S.N.S.W. 1885, 1093.
ornatum, Kirk. T.N.Z.I. xxix. 314.
pedicellatum, Kirk. T.N.Z.I. xxix. 313.
3 sp. innominata.

Family Grantidæ. Lamontia, Kirk, 1894. zona, Kirk. T.N.Z.I. xxvii. 289.

Leucandria, Haeckel, 1872. Species innominata.

Grantessa, Lendenfeld, 1885. intus-articulata, Carter.

Vosmaeropsis, Dendy, 1892. macera, Carter.

CLASS, SILICEA.

Sub-class Hexactinellida. Family Euplectellidæ.

Walteria, Schulze, 1887.

flemmingii, Schulze. Challenger Reports, xxi. 96.

Family Rossellidæ.

Euryplegma, Schulze, 1887.

auriculare, Schulze. Challenger Reports, xxi. 176.

Aulochone, Schulze, 1887.

cylindrica, Schulze. Challenger Reports, xxi. 168.

Family Hyalonematidæ.

Poliopogon, Wyville-Thomson, 1877.

gigas, Schulze. Challenger Reports, xxi. 254.

Family FARREIDÆ.

Farrea, Bowerbank, 1862. Challenger Reports, xxi. 277.

Family Coscinosporidæ.

Chonelasma, Schulze, 1887.

lamella, Schulze. Challenger Reports, xxi. 321. hamatum, Schulze. Challenger Reports, xxi. 323.

Sub-class Triaxonia. Order Hexaceratina. Family Aplysyllidæ.

Dendrilla, Lendenfeld, 1883.

rosea, Lendenfeld. Cat. Sponges in Aust. Mus. 28.

Sub-class Tetrazonia. Order Chondrospongia. Family Tethydæ.

Tethya, Lamarck, 1816.

fissurata, Lendenfeld. Cat. Sponges in Aust. Mus. 48.

Family STELLETTIDÆ.

Tethyopsis, Stewart, 1870.

radiata, Marshall. Challenger Reports, xxv. 190.

Family Axinellidæ.

Axinella, Schmidt, 1862.

sinclairi, Gray. T.N.Z.I. xxx. 317.

Family Spongilidæ.

Spongilla, Lamarck, 1816.

lacustris, Johnston. N.Z. Jour. Sci. i. 383 and 572.

Order Cornacuspongia. Family Desmacidonidæ.

Cladorhiza, Sars, 1872. pentacrini, Dendy. A.M.N.H. 5, xx. 279-

Myxilla, Schmidt, 1862. frondosa, Ridley and Dendy. Challenger Reports, xx. 144-

Clathria, Schmidt, 1862. macropora, Lendenfeld. Cat. Sponges in Aust. Mus. 221.

Rhaphidophlus, Ehlers, 1870. anchoratum, var. lamellosus, Lendenfeld. Cat. Sponges in Aust. Mus. 220 (*Echinonema*).

Family HETERORRAPHIDÆ. Stylotella, Lendenfeld, 1888.

digitata, Lendenfeld. Cat. Sponges in Aust. Mus. 185.

Family Spongelidæ.

Sigmatella, Lendenfeld, 1888. corticata, var. papillosa, Marshall. Lendenfeld, Man. Horny Sponges, 620.

Psammopemma, Marshall, 1880. crassum, Carter. Lendenfeld, Man. Horny Sponges, 638.

Haastia, Lendenfeld, 1889. navicularis, Lendenfeld. Man. Horny Sponges, 628.

Spongelia, Nardo, 1834.
ramsayi, Lendenfeld. Cat. Sponges in Aust. Mus. 209.
varia, Gray. T.N.Z.I. xxx. 319.
elastica, Schulze, var. lobosa, Lendenfeld. A.M.N.H. 6,
xix. 124.

Family Homorraphidæ.

Chalina, Grant, 1861. ramosa, Gray. T.N.Z.I. xxx. 318.

Cacochalina, Schmidt, 1870.
pandæa, Lendenfeld. Zool. Jahrb. 1887, ii. 763.
velinae, Lendenfeld. Zool. Jahrb. 1887, ii. 762.
truncatella, Lendenfeld. Zool. Jahrb. 1887, ii. 763.
typica, Lendenfeld. Zool. Jahrb. 1887, ii. 764.

Cladochalina, Schmidt, 1870. dendroides, Lendenfeld. Zool. Jahrb. 1887, ii. 769. mammillata, Lendenfeld. Zool. Jahrb. 1887, ii. 769. tenuiraphis, Lendenfeld. Zool. Jahrb. 1887, ii. 769.

Pachychalina, Schmidt, 1868. paucispina, Lendenfeld. Zool. Jahrb. 1887, ii. 776. ramulosa, Lendenfeld. Zool. Jahrb. 1887, ii. 777. Pachychalina macrospina, Lendenfeld. Zool. Jahrb. 1887, ii. 777. elegans, Lendenfeld. Zool. Jahrb. 1887, ii. 777.

rigida, Lendenfeld. Zool. Jahrb. 1887, ii. 778.

Ceraochalina, Lendenfeld, 1887.
papillata, Lendenfeld. Zool. Jahrb. 1887, ii. 780.
microrhaphis, Lendenfeld. Zool. Jahrb. 1887, ii. 783.
multiformis, Lendenfeld. Zool. Jahrb. 1887, ii. 783.
reteplax, Lendenfeld. Zool. Jahrb. 1887, ii. 785.
extrema, Lendenfeld. Zool. Jahrb. 1887, ii. 785.

Antherochalina, Lendenfeld, 1887.
renicroides, Lendenfeld. Zool. Jahrb. 1887, ii. 788.
concentrica, Lendenfeld. A.M.N.H. 6, xix. 124.

Placochalina, Lendenfeld, 1887. arenosa, Lendenfeld. Zool. Jahrb. 1887, ii. 791.

Toxochalina, Ridley, 1884. folioides, Lendenfeld. Zool. Jahrb. 1887, ii. 797.

Phylosiphonia, Lendenfeld, 1887. pumila, Lendenfeld. Zool. Jahrb. 1887, ii. 799.

Dactylochalina, Lendenfeld, 1885. arenosa, Carter. Zool. Jahrb. 1887, ii. 811. candelabrum, Lendenfeld. Zool. Jahrb. ii. 812.

Euchalinopsis, Lendenfeld, 1887. oculata, Lendenfeld. Zool. Jahrb. 1887, ii. 815. minima, Lendenfeld. Zool. Jahrb. 1887, ii. 816.

Euchalina, Lendenfeld, 1887. paucispina, Lendenfeld. Zool. Jahrb. 1887, ii. 818.

Family Spongidæ.

Phyllospongia, Ehlers, 1872.

perforata, Hyatt. Lendenfeld, Man. Horny Sponges, 172.

macropora, Lendenfeld. Man. Horny Sponges, 173.

papyracea, Esper. Man. Horny Sponges, 187.

distans, Lendenfeld. Man. Horny Sponges, 189.

arbuscula, Lendenfeld. Man. Horny Sponges, 190.

foliascens, Pallas. Man. Horny Sponges, 196.

spiralis, Lendenfeld. Man. Horny Sponges, 200.

Chalinopsilla, Lendenfeld, 1889. australis, var. reticulata, Lendenfeld. Cat. Sponges in Aust. Mus. 105.

arborea, var. macropora, Lendenfeld. Cat. Sponges in Aust. Mus. 110.

arborea, var. massa, Lendenfeld. Man. Horny Sponges, 153.

Euspongia, Bronn, 1859.

irregularis, var. silicata, Lendenfeld. Cat. Sponges in Aust. Mus. 134.

Aust. Mus. 134.

irregularis, var. tenuis, Lendenfeld. Man. Horny Sponges, 251. irregularis, var. villosa, Lendenfeld. Man. Horny Sponges,

irregularis, var. villosa, Lendenfeld. Man. Horny Sponges, 252.

Hippospongia, Schulze, 1879.

equina, var. elastica, Lendenfeld. Man. Horny Sponges, 307.

canaliculata, var. microtuba, Lendenfeld. Man. Horny Sponges, 325.

Thorecta, Lendenfeld, 1888.

exemplum, var. tertia, Lendenfeld. Cat. Sponges in Aust. Mus. 145. squalidus, Lendenfeld. Man. Horny Sponges, 348. meandrinus, Lendenfeld. Man. Horny Sponges, 350.

Aplysina, Nardo, 1833.
ramosa, Lendenfeld. Man. Horny Sponges, 411.
procumbens, Lendenfeld. Man. Horny Sponges, 416.
meandrina, Lendenfeld. Man. Horny Sponges, 418.

byssoides, Lamarck. Man. Horny Sponges, 365.

Stelospongia, Schmidt, 1870.
serta, Lendenfeld. Man. Horny Sponges, 489.
australis, var. conulata, Lendenfeld. Man. Horny Sponges, 516.

PHYLUM, PROTOZOA.

CLASS, INFUSORIA.

Order Tentaculifera.

Acineta, Ehrenberg, 1832.

speciosa, Maskell. T.N.Z.I. xix. 60, and xx. 18.
simplex, Maskell. T.N.Z.I. xix. 61.
flos, Maskell. T.N.Z.I. xx. 17.
angularis, Maskell. T.N.Z.I. xx. 17.
tulipa, Maskell. T.N.Z.I. xx. 18.
lasanicola, Maskell. T.N.Z.I. xx. 18.

Trichophyra, Claparède and Lachmann, 1859. epistilidis, Claparède and Lachmann. Maskell, T.N.Z.I. xx. 17.

Sphærophyra, Claparède and Lachmann, 1859. magna, Maupas. Maskell, T.N.Z.I. xix. 60.

Order CILIATA.
Sub-order Hypotricha.
Family Euplotidæ.

Euplotes, Ehrenberg, 1832. patella, Ehrenberg. Maskell, T.N.Z.I. xix. 60. charon, Müller. Maskell, T.N.Z.I. xx. 17.

Glaucoma, Ehrenberg, 1830. scintillaris, Ehrenberg. Maskell, T.N.Z.I. xix. 60.

Aspidisca, Ehrenberg, 1830. turrita, Claparède and Lachmann. Maskell, T.N.Z.I. xix. 60.

Family Oxytrichidæ.

Stylonychia, Ehrenberg, 1830. mytilus, Ehrenberg. Maskell, T.N.Z.I. xix. 60.

Histrio, Sterki. acuminatus, Maskell. T.N.Z.I. xix. 59.

Opisthotricha, Saville-Kent, 1882. parallela, Engelmann. Maskell, T.N.Z.I. xx. 17.

Gastrostyla, Engelmann, 1861. steinii, Engelmann. Maskell, T.N.Z.I. xix. 59. Uroleptus, Ehrenberg, 1832. musculus, Müller. Maskell, T.N.Z.I. xix. 59.

Stichotricha, Pertz, 1852. remex, Hudson. Maskell, T.N.Z.I. xix. 59.

Keroma, Müller, 1786.
polyporum, Ehrenberg. Maskell, T.N.Z.I. xx. 16.

Psilotricha, Stein, 1859. acuminata, Stein. Maskell, T.N.Z.I. xix. 59.

Family DYSTERIADÆ. Ægyria, Claparède and Lachmann. astyla, Maskell. T.N.Z.I. xx. 15. distyla, Maskell. T.N.Z.I. xx. 15.

Family Chlamydodontidæ.

Loxodes, Ehrenberg, 1830.
rostrum, Ehrenberg. Maskell, T.N.Z.I. xix. 59.

Chilodon, Ehrenberg, 1834.
cucullulus, Müller. Maskell, T.N.Z.I. xix. 59.

Phascolodon, Stein. elongatus, Maskell. T.N.Z.I. xx. 14.

Family LITONOTIDÆ.

Litonotus, Wrzesmiowski, 1870.
fasciola, Ehrenberg. Maskell, T.N.Z.I. xix. 59.

Family Thurophorid. E. Thurophora, Maskell, 1888. lucens, Maskell. T.N.Z.I. xx. 16.

Sub-order Peritricha. Family Vorticellidæ.

Vorticella, Müller, 1773.

annularis, Müller. Kirk, T.N.Z.I. xviii. 215.
longifilum, Kent. Kirk, T.N.Z.I. xviii. 216.
campanula, Ehrenberg. Maskell, T.N.Z.I. xix. 58.
cratera, Kent. Maskell, T.N.Z.I. xix. 58.
citrina, Ehrenberg. Maskell, T.N.Z.I. xix. 58.
zealandica, Kirk. T.N.Z.I. xviii. 216.
elongata, De Fromentel. Maskell, T.N.Z.I. xix. 58.
patellina, Müller. Maskell, T.N.Z.I. xix. 58.
nebulifera, Ehrenberg. Maskell, T.N.Z.I. xix. 58.
nebulifera, Ehrenberg. Maskell, T.N.Z.I. xix. 58.
marina, Greeff. Kirk, T.N.Z.I. xviii. 215.
oblonga, Kirk. T.N.Z.I. xviii. 215.
striata, Dujardin. Kirk, T.N.Z.I. xviii. 215.
aperta, De Fromentel. Kirk, T.N.Z.I. xviii. 217.

Carchesium, Ehrenberg, 1838. polypinum, Linnæus. Maskell, T.N.Z.I. xx. 13.

Zoöthamnium, Ehrenberg, 1838. affine, Stein. Maskell, T.N.Z.I. xix. 58. limpidum, Maskell. T.N.Z.I. xx. 13.

Epistylis, Ehrenberg, 1830. leucoa, Ehrenberg. Maskell, T.N.Z.I. xix. 58. anastatica, Linnæus. Maskell, T.N.Z.I. xx. 13.

Opercularia, Goldfuss, 1820. parallela, Maskell. T.N.Z.I. xix. 58. nutans, Ehrenberg. Maskell, T.N.Z.I. xx. 13.

Vaginicola, Lamarck, 1816. crystallina, Ehrenberg. Maskell, T.N.Z.I. xix. 59.

Thuricola, Saville-Kent, 1881. valvata, Wright. Maskell, T.N.Z.I. xx. 13.

Cothurnia, Ehrenberg, 1832. patellæ, Hutton. T.N.Z.I. xi. 330. parallela, Maskell. T.N.Z.I. xx. 13.

Pyxicola, Saville-Kent, 1882. furcifer, Hutton. Jour. R. Micros. Soc. 1878, p. 49 (Cothurnia).

Platycola, Saville-Kent, 1882. decumbens, Ehrenberg. Maskell, T.N.Z.I. xx. 13.

Family URCEOLARIIDÆ. Licnophora, Claparède, 1867. setifera, Maskell. T.N.Z.I. xix. 57.

Family Gyrocoridæ.

Gyrocoris, Stein, 1867. oxyura, Stein. Maskell, T.N.Z.I. xix. 57.

Urocentrum, Nitzsch, 1817. turbo, Müller. Maskell, T.N.Z.I. xix. 57.

Family HALTERIIDÆ.

Halteria, Dujardin. grandinella, Müller. Maskell, T.N.Z.I. xix. 57.

Strombidion, Claparède and Lachmann, 1859. claparedii, Kent. Maskell, T.N.Z.I. xix. 57. intermedium, Maskell. T.N.Z.I. xx. 12. Sub-order HETEROTRICHA. Family TINTINNODÆ.

Tintinnidium, Saville-Kent, 1881. fluviatile, Stein. Maskell, T.N.Z.I. xx. 11.

Family STENTORIDÆ.

Stentor, Oken, 1815.
gracilis, Maskell. T.N.Z.I. xix. 56.
striatus, Maskell. T.N.Z.I. xix. 57.
attenuatus, Maskell. T.N.Z.I. xx. 20.

Family Spirostomidæ.

Spirostomum, Ehrenberg, 1833.

ambiguum, Ehrenberg, 1833.

Ambiguum, Ehrenberg. Maskell, T.N.Z.I. xix. 56.

Family Bursaride.

Metopus, Claparède and Lachmann, 1858.
sigmoides, Müller. Maskell, T.N.Z.I. xix. 56.

Sub-order HOLOTRICHA. Family PLEURONEMIDÆ.

Pleuronema, Dujardin, 1836. coronata, Kent. Maskell, T.N.Z.I. xix. 55. cyclidium, Maskell. T.N.Z.I. xix. 56.

Cyclidium, Müller, 1786. glaucoma, Ehrenberg. Maskell, T.N.Z.I. xix. 56. Uronema, Dujardin.

marinum, Dujardin. Maskell, T.N.Z.I. xix. 56.

Family Ophryoglenidæ.

Colpidium, Stein.
cucullus, Schrank. Maskell, T.N.Z.I. xix. 55.

Plagiopyla, Stein, 1860. varians, Maskell. T.N.Z.I. xix. 55.

Family TRACHELIIDÆ.

Amphileptus, Ehrenberg, 1830.
anser, Ehrenberg. Maskell, T.N.Z.I. xix. 55.
irregularis, Maskell. T.N.Z.I. xx. 9.
rotundus, Maskell. T.N.Z.I. xx. 9.
tracheloides, Maskell. T.N.Z.I. xx. 9.

Family Trachelocercidæ. Trachelocera, Ehrenberg, 1834. filiformis, Maskell. T.N.Z.I. xix. 54.

Chœnia, Quennerstedt. crassa, Maskell. T.N.Z.I. xx. 8. Family Erchelyidæ.

Tillina, Gruber, 1879. enormis, Maskell. T.N.Z.I. xix. 53. inequalis, Maskell. T.N.Z.I. xix. 54.

Family Colepidæ.

Coleps, Nitzsch, 1817. hirtus, Ehrenberg. Maskell, T.N.Z.I. xix. 53.

Family Trachelophyllide.

Trachelophyllum, Claparède and Lachmann, 1859.

apiculatum, Pertz. Maskell, T.N.Z.I. xix. 53.

Family Prorodontidæ.

Prorodon, Ehrenberg, 1834.

sulcatus, Maskell. T.N.Z.I. xix. 53.

Nassula, Ehrenberg, 1834. ambigua, Stein. Maskell, T.N.Z.I. xx. 8.

Family PARAMŒCIDÆ.

Paramecium, Hill, 1851. aurelia, Müller. Maskell, T.N.Z.I. xix. 53. bursaria, Ehrenberg. Maskell, T.N.Z.I. xix. 53.

CLASS, MASTIGOPHORA.

Order Choanoflagellata. Family Salpingæcidæ.

Salpingœca, Jas. Clark, 1866. amphoridium, Clark. Maskell, T.N.Z.I. xix. 51. inquillata, Kent. Maskell, T.N.Z.I. xx. 6. steinii, Kent. Maskell, T.N.Z.I. xx. 7.

Family Codonosigidæ.

Monosiga, Saville-Kent.

consociata, Kent. Maskell, T.N.Z.I. xix. 51.

breviceps, Kent. Maskell, T.N.Z.I. xx. 6.

Codosiga, Jas. Clark, 1866. botrytis, Ehrenberg. Maskell, T.N.Z.I. xx. 6.

> Order Flagellata. Sub-order Cilio-flagellata. Family Peridiniidæ.

Gymnodinium, Stein, 1879 varians, Maskell. T.N.Z.I. xx. 7.

Peridinium, Ehrenberg, 1832. tabulatum, Ehrenberg. Maskell, T.N.Z.I. xix. 52. Sub-order Eustomata. Family Anisonemidæ.

Anisonema, Dujardin. grande, Ehrenberg. Maskell, T.N.Z.I. xx. 7. ovatum, Maskell. T.N.Z.I. xx. 7.

Family Zygoselmidæ.

Sterromonas, Saville-Kent, 1880.
formicina, Kent. Maskell, T.N.Z.I. xix. 52.

Family Chrysomonadid. E.

Uvella, Bory, 1824. virescens, Ehrenberg. Maskell, T.N.Z.I. xix. 52.

Dinobryon, Ehrenberg, 1834. sertularia, Ehrenberg. Maskell, T.N.Z.I. xix. 52.

Family Euglenid. E.

Euglena, Ehrenberg, 1832.
viridis, Ehrenberg. Maskell, T.N.Z.I. xix. 52.
spirogyra, Ehrenberg. Maskell, T.N.Z.I. xix. 52.
acus, Ehrenberg. Maskell, T.N.Z.I. xix. 52.

Amblyophis, Ehrenberg, 1832. viridis, Ehrenberg. Maskell, T.N.Z.I. xix. 52.

Phacus, Nitzsch, 1816. triqueter, Ehrenberg. Maskell, T.N.Z.I. xix. 52.

Trachelomonas, Ehrenberg, 1834.
volvocina, Ehrenberg. Maskell, T.N.Z.I. xix. 52.
armata, Ehrenberg. Maskell, T.N.Z.I. xix. 52.
crenulatocollis, Maskell. T.N.Z.I. xix. 52.
hispida, Pertz. Maskell, T.N.Z.I. xx. 7.
teres, Maskell. T.N.Z.I. xx. 7.
cylindrica, Ehrenberg. Maskell, T.N.Z.I. xx. 7.

Family ASTASIADÆ.

Astasia, Ehrenberg, 1830. trichophora, Ehrenberg. Maskell, T.N.Z.I. xix. 52.

Family PARAMONADID.E.

Phialonema, Stein.

cyclostomum, Stein. Maskell, T.N.Z.I. xix. 52.

Sub-order Pantostomata.
Family Heteromitide.

Heteromita, Dujardin, 1840. lens, Müller. Maskell, T.N.Z.I. xix. 51. Family Spongomonadidæ.

Rhipidodendron, Stein. huxleyi, Kent. Maskell, T.N.Z.I. xix. 51.

splendidum, Stein. Maskell, T.N.Z.I. xx. 6.

Spongomonas, Stein.
discus, Stein. Maskell, T.N.Z.I. xix. 51.
sacculus, Kent. Maskell, T.N.Z.I. xix. 51.

Family AMPHIMONADIDÆ.

Goniomonas, Stein.

truncata, Fres. Maskell, T.N.Z.I. xix. 51. elongata, Maskell. T.N.Z.I. xx. 5.

Family BIKŒCIDÆ.

Stylobryon, Fromentel, 1875. petiolatum, Dujardin. Maskell, T.N.Z.I. xx. 5.

Family DENDROMONADIDÆ.

Dendromonas, Stein.
virgaria, Weisse. Maskell, T.N.Z.I. xix. 51.
producta, Maskell. T.N.Z.I. xx. 5.

Anthophysis, Bory, 1822. socialis, Fromentel. Maskell, T.N.Z.I. xix. 51. vegetans, Müller. Maskell, T.N.Z.I. xix. 51.

Cephalothamnium, Stein. coronatum, Maskell. T.N.Z.I. xx. 5.

Family Cercomonadidæ.

Oikomonas, Saville-Kent, 1880. mutabilis, Kent. Maskell, T.N.Z.I. xix. 50. termo, Clark. Maskell, T.N.Z.I. xx. 5.

Family Monadidæ.

Monas, Müller, 1773.
fluida, Dujardin. Maskell, T.N.Z.I. xix. 50.
attenuata, Dujardin. Maskell, T.N.Z.I. xix. 50.
irregularis, Pertz. Maskell, T.N.Z.I. xx. 4.

Scytomonas, Stein.
pusilla, Stein. Maskell, T.N.Z.I. xix. 50.

CLASS, RHIZOPODA.

Order FORAMINIFERA. Family MILIOLIDÆ.

Nubecularia, Defrance, 1825. lucifuga, Defrance. Haeusler, T.N.Z.I. xix. 197. Biloculina, d'Orbigny, 1826.
irregularis, d'Orbigny. Challenger Reports, ix. 140.
sphæra, d'Orbigny. Challenger Reports, ix. 141.
ringens, Lamarck. Challenger Reports, ix. 142.
comata, Brady. Challenger Reports, ix. 144.
depressa, d'Orbigny. Challenger Reports, ix. 145.
var. serrata, Brady. Challenger Reports, ix. 146.
var. murrhyna, Schwager. Challenger Reports, ix. 146.

Spiroloculina, d'Orbigny, 1826. Species undetermined. Haeusler, T.N.Z.I. xix. 197.

Miliolina, Williamson, 1858.

oblonga, Montagu. Challenger Reports, ix. 160.
valvularis, Reuss. Challenger Reports, ix. 161.
venusta, Karrer. Challenger Reports, ix. 162.
tricarinata, d'Orbigny. Challenger Reports, ix. 165.
secans, d'Orbigny. Haeusler, T.N.Z.I. xix. 198.
circularis, Bornemann. Challenger Reports, ix. 169.
labiosa, d'Orbigny. Haeusler, T.N.Z.I. xix. 198.
bicornis, Walker and Jacob. Haeusler, T.N.Z.I. xix. 198.
seminulum, Linnæus. Challenger Reports, ix. 157.
linnæana, d'Orbigny. Haeusler, T.N.Z.I. xix. 198.

Planispirina, Seguenza, 1880. celata, Costa. Challenger Reports, ix. 197. sigmoidea, Brady. Challenger Reports, ix. 197.

Cornuspira, Schultze, 1854. foliacea, Philippi. Challenger Reports, ix. 199.

Family Astrorhizidæ.

Pelosina, Brady, 1879.

variabilis, Brady.
rotundata, Brady.
cylindrica, Brady.
Challenger Reports, ix. 236.
Challenger Reports, ix. 236.
Challenger Reports, ix. 236.

Technitella, Norman, 1875. melo, Norman. Challenger Reports, ix. 246.

Bathysiphon, Sars, 1871. filiformis, Sars. Challenger Reports, ix. 248.

Psammosphæra, Schulze, 1874. fusca, Schulze. Challenger Reports, ix. 249.

Jaccullela, Brady, 1879. acuta, Brady. Challenger Reports, ix. 255.

Hyperammira, Brady, 1878. friabilis, Brady. Challenger Reports, ix. 258. ramosa, Brady. Challenger Reports, ix. 261. Rhabdamina, Sars, 1868.

abyssorum, Sars. Haeusler, T.N.Z.I. xix. 198. discreta, Brady. Challenger Reports, ix. 268. linearis, Brady. Challenger Reports, ix. 269. cornuta, Brady. Challenger Reports, ix. 270.

Family LITUOLIDÆ.

Reophax, Montfort, 1808.

diffulgiformis, Brady. Challenger Reports, ix. 289. scorpiurus, Montfort. Challenger Reports, ix. 291. dentaliniformis, Brady. Challenger Reports, ix. 293. nodulosa, Brady. Challenger Reports, ix. 294. guttifera, Brady. Challenger Reports, ix. 295. distans, Brady. Challenger Reports, ix. 296. adunca, Brady. Challenger Reports, ix. 296.

Haplophragmium, Reuss, 1860.

agglutinans, d'Orbigny. Challenger Reports, ix. 301.
tenuimargo, Brady. Challenger Reports, ix. 303.
foliaceum, Brady. Challenger Reports, ix. 304.
emaciatum, Brady. Challenger Reports, ix. 305.
latidorsatum, Bornemann. Challenger Reports, ix. 307.
scitulum, Brady. Challenger Reports, ix. 308.
glomeratum, Brady. Challenger Reports, ix. 309.
canariense, d'Orbigny. Haeusler, T.N.Z.I. xix. 198.
nanum, Brady. Challenger Reports, ix. 311.
globigeriniforme, Parker and Jones. Challenger Reports, ix. 312.

Placopsilina, d'Orbigny, 1850. bulla, Brady. Challenger Reports, ix. 315.

Thurammina, Brady, 1879. papillata, Brady. Challenger Reports, ix. 321.

Hormosina, Brady, 1879. globulifera, Brady. Challenger Reports, ix. 326. monile, Brady. Challenger Reports, ix. 328. normani, Brady. Challenger Reports, ix. 329.

Ammodiscus, Reuss, 1861.
incertus, d'Orbigny. Challenger Reports, ix. 330.
tenuis, Brady. Challenger Reports, ix. 332.
charoides, Jones and Parker. Challenger Reports, ix. 334.

Trochammina, Jones and Parker, 1859.
squamata, Jones and Parker. Challenger Reports, ix. 337.
trullissata, Brady. Challenger Reports, ix. 342.
galeata, Brady. Challenger Reports, ix. 344.
pauciloculata, Brady. Challenger Reports, ix. 344.

Webbina, d'Orbigny, 1839.
clavata, Jones and Parker. Challenger Reports, ix. 349.
hemispherica, Jones and Parker. Challenger Reports,
ix. 350.

Cyclammina, Brady, 1876. cancellata, Brady. Challenger Reports, ix. 351. orbicularis, Brady. Challenger Reports, ix. 353.

Family Textularidæ.

Textularia, Defrance, 1824.

quadrilatera, Schwager. Challenger Reports, ix. 358.
concava, Karrer. Challenger Reports, ix. 360.
sagittula, Defrance. Challenger Reports, ix. 361.
agglutinans, d'Orbigny. Challenger Reports, ix. 363.
aspera, Brady. Challenger Reports, ix. 367.

Gaudryina, d'Orbigny, 1840. pupoides, d'Orbigny. Challenger Reports, ix. 378. siphonella, Reuss. Challenger Reports, ix. 382.

Verneuilina, d'Orbigny, 1840. pygmæa, Egger. Challenger Reports, ix. 385. propinqua, Brady. Challenger Reports, ix. 387.

Valvulina, d'Orbigny, 1826. concinna, Jones and Parker. Haeusler, T.N.Z.I. xix. 198.

Clavulina, d'Orbigny, 1826. communis, d'Orbigny. Challenger Reports, ix. 394.

Bulimina, d'Orbigny, 1826.
elegans, d'Orbigny. Challenger Reports, ix. 398.
pyrula, d'Orbigny. Challenger Reports, ix. 399.
ovata, d'Orbigny. Challenger Reports, ix. 400.
affinis, d'Orbigny. Challenger Reports, ix. 400.
aculeata, d'Orbigny. Challenger Reports, ix. 406.
inflata, Seguenza. Challenger Reports, ix. 406.
buchiana, d'Orbigny. Challenger Reports, ix. 407.

Virgulina, d'Orbigny, 1826. schreibersiana, Czjzek. Challenger Reports, ix. 414. subsquamosa, Egger. Challenger Reports, ix. 415. subdepressa, Brady. Challenger Reports, ix. 416.

Bolivina, d'Orbigny, 1839.

punctata, d'Orbigny. Haeusler, T.N.Z.I. xix. 198.
textilarioides, Reuss. Challenger Reports, ix. 419.

Cassidulina, d'Orbigny, 1826. subglobosa, Brady. Challenger Reports, ix. 430.

Ehrenbergina, Reuss, 1849. serrata, Reuss. Challenger Reports, ix. 434. Family Chilostomellidæ.

Chilostomella, Reuss, 1849.

ovoidea, Reuss. Challenger Reports, ix. 436.

Family LAGENIDÆ.

Lagena, Williamson, 1848.

globosa, Montagu. Challenger Reports, ix. 452.
apiculata, Reuss. Haeusler, T.N.Z.I. xix. 198.
lævis, Montagu. Challenger Reports, ix. 455.
truncata, Brady. Challenger Reports, ix. 457.
hispida, Reuss. Challenger Reports, ix. 459.
striata, d'Orbigny. Challenger Reports, ix. 460.
acuticosta, Reuss. Challenger Reports, ix. 464.
gracilis, Williamson. Challenger Reports, ix. 464.
striato-punctata, Jones and Parker. Haeusler, T.N.Z.I.
xix. 198.

squamosa, Montagu. Challenger Reports, ix. 471.
hexagona, Williamson. Challenger Reports, ix. 472.
marginata, Walker and Boys. Challenger Reports, ix. 476.
var. semi-marginata, Reuss. Challenger Reports, ix. 477.
quadricostulata, Reuss. Challenger Reports, ix. 486.
auriculata, Brady. Challenger Reports, ix. 487.

Nodosaria, Lamarck, 1816.

lævigata, d'Orbigny. Challenger Reports, ix. 490.
radicula, Linnæus. Challenger Reports, ix. 495.
simplex, Silvestri. Challenger Reports, ix. 496.
soluta, Reuss. Challenger Reports, ix. 503.
communis, d'Orbigny. Challenger Reports, ix. 504.
obliqua, Linnæus. Challenger Reports, ix. 513.

Vaginulina, d'Orbigny, 1826. spinigera, Brady. Challenger Reports, ix. 531.

Cristellaria, Lamarck, 1816.
compressa, d'Orbigny. Challenger Reports, ix. 538.
reniformis, d'Orbigny. Challenger Reports, ix. 539.
rotulata, Lamarck. Challenger Reports, ix. 547.
cultrata, Montfort. Challenger Reports, ix. 550.

Polymorphina, d'Orbigny, 1826. angusta, Egger. Challenger Reports, ix. 563.

Uvigerina, d'Orbigny, 1826.
tenuistriata, Reuss. Challenger Reports, ix. 574.
angulosa, Williamson. Challenger Reports, ix. 576.
aculeata, d'Orbigny. Challenger Reports, ix. 578.
asperula, Czjzek. Challenger Reports, ix. 578.
var. auberiana, d'Orbigny. Challenger Reports, ix. 579.

Z

Family GLOBIGERINIDÆ.

Globigerina, d'Orbigny, 1826.
bulloides, d'Orbigny. Challenger Reports. ix. 593.
var. triloba, Reuss. Challenger Reports, ix. 595.
dubia, Egger. Challenger Reports, ix. 595.
inflata, d'Orbigny. Challenger Reports, ix. 601.
æquilateralis, Brady. Challenger Reports, ix. 605.

Orbulina, d'Orbigny, 1839. universa, d'Orbigny. Challenger Reports, ix. 608.

Pullenia, Parker and Jones, 1862.
sphæroides, d'Orbigny. Challenger Reports, ix. 615.
quinqueloba, Reuss. Challenger Reports, ix. 617.
obliquiloculata, Parker and Jones. Challenger Reports, ix. 618.

Sphæroidina, d'Orbigny, 1826. bulloides, d'Orbigny. Challenger Reports, ix. 620. dehiscens, Parker and Jones. Challenger Reports, ix. 621.

Family ROTALIDÆ.

Patellina, Williamson, 1858. corrugata, Williamson. Haeusler, T.N.Z.I. xix. 198.

Discorbina, Parker and Jones, 1862.

turbo, d'Orbigny. Haeusler, T.N.Z.I. xix. 199.
globularis, d'Orbigny. Haeusler, T.N.Z.I. xix. 199.
valvulata, d'Orbigny. Haeusler, T.N.Z.I. xix. 199.
rosacea, d'Orbigny. Haeusler, T.N.Z.I. xix. 199.
orbicularis, Terquem. Haeusler, T.N.Z.I. xix. 199.

Truncatulina, d'Orbigny, 1826.
lobatula, Walker and Jacob. Challenger Reports, ix. 660.
muellerstorfi, Schwager. Challenger Reports, ix. 662.
akneriana, d'Orbigny. Challenger Reports, ix. 663.
tenera, Brady. Challenger Reports, ix. 665.
pygmæa, Hantken. Challenger Reports, ix. 666.

Pulvinulina, Parker and Jones, 1862.
repanda, Fichtel and Moll. Haeusler, T.N.Z.I. xix. 199.
canariensis, d'Orbigny. Challenger Reports, ix. 692.
crassa, d'Orbigny. Challenger Reports, ix. 694.
micheliniana, d'Orbigny. Challenger Reports, ix. 694.
exigua, Brady. Challenger Reports, ix. 696.
pauperata, Parker and Jones. Challenger Reports, ix. 696.
elegans, d'Orbigny. Challenger Reports, ix. 699.

Rotalia, Lamarck, 1804. beccarii, Linnæus. Haeusler, T.N.Z.I. xix. 199. orbicularis, d'Orbigny. Challenger Reports, ix. 706. Rotalia soldani, d'Orbigny. Challenger Reports, ix. 706. clathrata, Brady. Challenger Reports, ix. 709.

Family NUMMULINIDÆ.

Nonionina, d'Orbigny, 1826.

depressula, Walker and Jacob. Haeusler, T.N.Z.I. xix. 199. scapha, Fichtel and Moll. Haeusler, T.N.Z.I. xix. 199. asteriscus, Walker and Jacob. Haeusler, T.N.Z.I. xix. 199. umbilicatula, Montagu. Challenger Reports, ix. 726. pompiloides, Fichtel and Moll. Challenger Reports, ix. 727.

Polystomella, Lamarck, 1822.

striatopunctata, Fichtel and Moll. Haeusler, T.N.Z.I.

crispa, Linnæus. Haeusler, T.N.Z.I. xix. 199. macella, Fichtel and Moll. Haeusler, T.N.Z.I. xix. 199.

Order Radiolaria. Sub-order Spumellaria. Series Collodaria. Family Thalassicolidæ.

Thalassicolla, Huxley, 1851.

australis, Haeckel. Challenger Reports, xviii. 20.

Collozoum, Haeckel, 1862.

inerme, Haeckel. Challenger Reports, xviii. 25.

Family SPHÆOZOIDÆ.

Rhaphidozoum, Haeckel, 1862.

australe, Haeckel. Challenger Reports, xviii. 48.

Series Sphærellaria. Family Collosphæridæ.

Siphonosphæra, Müller, 1858.

fragilis, Haeckel. Challenger Reports, xviii. 106.

Family DRUPPULIDÆ.

Stylatractus, Haeckel, 1887.

disetaneus, Haeckel. Challenger Reports, xviii. 331.

Series Acanthometra. Family Astrolophidæ.

Actinelius, Haeckel, 1865.

protogenes, Haeckel. Challenger Reports, xviii. 730.

Sub-order Acantharia. Series Acanthometra. Family Astrolonchidæ.

Stauracantha, Haeckel, 1881.

orthostaura, Haeckel. Challenger Reports, xviii. 762.

Pristacantha, Haeckel, 1887. polyodon, Haeckel. Challenger Reports, xviii. 766.

Series Acanthophracta. Family Dorataspidæ.

Dodecaspis, Haeckel, 1887. trizonia, Haeckel. Challenger Reports, xviii. 835.

> Sub-order Nassellaria. Series Plectellaria. Family Plagonidæ.

Hexaplagia, Haeckel, 1881. australis, Haeckel. Challenger Reports, xviii. 916.

Series CYRTELLARIA. Family TRIPOCYRTIDÆ.

Lampromitra, Haeckel, 1881. huxleyi, Haeckel. Challenger Reports, xviii. 1215.

> Sub-order Phæodaria. Series Phæocystina. Family Aulacanthidæ.

Aulodendron, Haeckel, 1887. australe, Haeckel. Challenger Reports, xviii. 1589.

Series Phæogromia. Family Castanellidæ.

Castanidium, Haeckel, 1879. bromleyi, Haeckel. Challenger Reports, xviii. 1685.

Order Lobosa. Family Amæbidæ.

Amæba, Ehrenberg, 1830. Several undetermined species.

ADDITIONS.

AVES.

- Page 29.—Cyanorhamphus forbesi, Rothschild. P.Z.S. 1893, 529.
 - " 32.—Himantopus leucocephalus, Gould. C.B.M. xxiv. 317; Buller, ii. 211.
 - " 38.—Anchylochilus subarquatus, Guildenst. C.B.M. xxiv. 386; T.N.Z.I. xxxvi.

PISCES.

- " 44.—Centrolophus britannicus, Gunther. Cat. Fishes B.M. ii. 402; T.N.Z.I. xxxvi.
- " 49.—Genypterus microstomus, Regan. A.M.N.H. 7, xi. 599.

MOLLUSCA.

- " 63.—Ranfurlyea constanciæ, Suter. P.Mal.S. 1903.
- " 70.—Cavolina uncinata, Rang et Souleyet. Hist. Nat. Moll. Ptéropodes, 37.

longirostris, Lesueur. Rang et Souloyet, Hist. Nat. Moll. Ptéropodes, 41.

trispinosus, Lesueur. Rang et Souleyet, Hist. Nat. Moll. Ptéropodes, 45.

COLEOPTERA.

- " 139.—Lissotes auriculatus, Broun. A.M.N.H. 7, xi. 615.
- " 139.—Mitophyllus comognathus, Broun. A.M.N.H. 7, xi. 616.
- " 142.—Mecodema costellatum, Broun. A.M.N.H. 7, xi. 451. intricatum, Broun. A.M.N.H. 7, xi. 451. nitidum, Broun. A.M.N.H. 7, xi. 452. variolosum, Broun. A.M.N.H. 7, xi. 453.

- Page 143.—Metaglymma rugiceps, Broun. A.M.N.H. 7, xi. 454. calcaratum, Broun. A.M.N.H. 7, xi. 455.
 - " 143.—Dichrochile cordicolle, Broun. A.M.N.H. 7, xi. 455.
 - " 144.—Anchomenus walkeri, Broun. A.M.N.H. 7, xi. 456.
 - akaroaensis, Broun. A.M.N.H. 7, xi. 602. akaroaensis, Broun. A.M.N.H. 7, xi. 603. bucolicus, Broun. A.M.N.H. 7, xi. 604.
 - memes, Broun. A.M.N.H. 7, xi. 604.
 prasignis, Broun. A.M.N.H. 7, xi. 606.
 setiventris, Broun. A.M.N.H. 7, xi. 606.
 - " 147.—Allocinopus sculpticollis, Broun. A.M.N.H. 7, xi. 608.
 - " 149.—Tarastethus simplex, Broun. A.M.N.H. 7, xi. 457. lævicollis, Broun. A.M.N.H. 7, xi. 458.
 - ,, 149.—Oöpterus latipennis. Broun. A.M.N.H. 7, xi. 609. probus, Broun. A.M.N.H. 7, xi. 610. parvulus, Broun. A.M.N.H. 7, xi. 610.
 - ,, 149.—Bembidium actuarium, Broun. A.M.N.H. 7, xi. 611.
 - " 151.—Scopodes viridis, Broun. A.M.N.H. 7, xi. 612.
 - " 152.—Rygmodus nigripennis, Broun. A.M.N.H. 7, xi. 612-
 - " 152.—Cytomissus glabratus Broun. A.M.N.H. 7, xi. 613.
 - " 152.—Zeadolopus spinipes, Broun. A.M.N.H. 7, xi. 614.
 - " 171.—Pycnomerus nitiventris, Broun. A.M.N.H. 7, xi. 617.
 - " 171.—Bothrideres picipes, Broun. A.M.N.H. 7, xi. 618.
 - ,, 184.—Trogophlæus maritimus, Broun. A.M.N.H. 7, xi. 615.
 - ,, 185.—Syrphetodes simplex, Broun. A.M.N.H. 7, xii. 69.
 - " 190.—Thelyphassa furcata, Broun. A.M.N.H. 7, xii. 70.
 - ,, 190.—Techmessa longicollis, Broun. A.M.N.H. 7, xii.
 - " 190.—Exocalopus antennalis, Broun. A.M.N.H. 7, xii.
 - " 196.—Hylobasius cognatus, Broun. A.M.N.H. 7, xii. 82. laticollis, Broun. A.M.N.H. 7, xii. 83. gracilipes, Broun. A.M.N.H. 7, xii. 84. genalis, Broun. A.M.N.H. 7, xii. 84.

- Page 199.—Cecyropa lineifera, Broun. A.M.N.H. 7, xii. 72. striata, Broun. A.M.N.H. 7, xii. 73.
- " 202.—Brachylous albescens, Broun. A.M.N.H. 7, xii. 73.

cervalis, Broun. A.M.N.H. 7, xii. 74.

- " 202.—Aphela pictipes, Broun. A.M.N.H. 7, xii. 75.
- " 202.—Anagotus pallescens, Broun. A.M.N.H. 7, xii. 76.
- " 202.—Sargon carinatus, Broun. A.M.N.H. 7, xii. 77.
- " 202.—Memes rufirostris, Broun. A.M.N.H. 7, xii. 79.
- " 202.—Xerostygnus binodulus, Broun. A.M.N.H. 7, xii. 80.
- " 209.—Stephanorhynchus pygmæus, Broun. A.M.N.H. 7, xii. 80.
- " 209.—Drototelus politus, Broun. A.M.N.H. 7, xii. 82.
- " 209.—Eualema walkeri, Broun. A.M.N.H. 7, xii. 86.

HEMIPTERA.

" 222.—Henicocephalus maclachlani, Kirkaldy. Ent. Mag. xxxvii. 217 (1901).

MYRIAPODA.

" 236.—Necrophlæsophagus spenceri, Pocock. A.M.N.H. 7, viii. 462.

ARACHNIDA.

" 246.—Eylais schauinslandi, Koenike. Zool. Jahrb. Syst. xiii. 125 (1901).

PEDIPALPIDA.

,, 246.—Pantopsalis coronata, Pocock. A.M.N.H. 7, xi.

trippi, Pocock. A.M.N.H. 7, xi. 437. jenningsi, Pocock. A.M.N.H. 7, xi. 437.

" 246.—Sorensenella bicornis, Pocock. A.M.N.H. 7, xi.

CRUSTACEA.

- Page 250.—Pinnotheres schauinslandi, Lenz. Zool. Jahrb. Syst. xiv. 468 (1901).
 - " 251.—Eupagurus intermedius, Lenz. Zool. Jahrb. Syst. xiv. 446 (1901).

OLIGOCHÆTA.

" 283.—Notiodrilus aucklandicus, Benham. T.N.Z.I. xxxv. 275.

HIRUDINEA.

" 285.—Hirudo antipodum, Benham. T.N.Z.I. xxxvi.

POLYZOA.

" 292.—Paludicella ehrenbergi, Van Beneden. T.N.Z.I. xxxv. 262.

CŒLENTERATA.

" 319.—Eucopella crenata, Hartlaub. Zool. Jahrb. Syst, xiv. 364 (1901).

APPENDIX.

PHYLUM, ANNULATA.

CLASS, POLYCHÆTA.

The following additional identifications were received from Ehlers since the list on pp. 276–282 was printed:—

Family Syllidæ.

Syllis closterobranchia, Schmarda. N.W.Th. (2), 72, fide Ehlers MS.

Trypanoscyllis, Claparède, 1864. occipitalis, Ehlers M.S.

Family APHRODITIDÆ.

'Polynoe' australis, Schmarda. N.W.Th. (2), 154, fide Ehlers MS.

Family Lycoridæ.

Nereis amblyodonta, Schmarda (Nereilepas a.). N.W.Th. (2), 106, fide Ehlers MS.

Family EUNICIDÆ.

Lumbriconereis brevicirrus, Schmarda (*Notocirrus b.*). N.W.Th. (2), 117, *fide* Ehlers MS.

Stauronereis australis, Haswell. P.L.S.N.S.W. x. 747, fide Ehlers MS.

Family Spionidæ.

Spio, Lamarck, 1818. æqualis, Ehlers MS.

Polydora, Bosc, 1802. polybranchia, Haswell. P.L.S.N.S.W. x. 275, fide Ehlers MS. monilaris, Ehlers M.S

Family TEREBELLIDÆ.

Leprea, Malmgren, 1865. orotavæ, Langerhaus, *fide* Ehlers MS. Family Scalibregmidæ. **Eumenia analis**, Ehlers MS.

Family Chloræmidæ. Flabelligera semiannulata, Ehlers MS.

CLASS, OLIGOCHÆTA.

The following additional Oligochæta have been identified since pp. 283–285 were printed:—

Family Phreodrilldæ.

Phreodrilus, Beddard, 1891. lacustris, Benham. Q.J.M.S. 1903. mainensis, Benham. Q.J.M.S. 1903. beddardi, Benham. Q.J.M.S. 1903.

Family Tubicifidæ.

Taupodrilus, Benham, 1903. simplex, Benham. P.Z.S. 1903.

Limnodrilus vejdovskyanus, Benham. P.Z.S. 1903. lucasi, Benham. P.Z.S. 1903.

Family Enchytræidæ. Euchytræus, Heule, 1837.

simulans, Benham. P.Z.S. 1903.

Achæta, Vejsdovsky, 1877. maorica, Benham. P.Z.S. 1903

Family Haplotaxidæ. **Haplotaxis heterogyne**, Benham. Q.J.M.S. 1903.

Family Megascolidæ.

Plutellus, Perrier, 1873. lacustris, Benham. P.Z.S. 1903.

Diporochæta aquatica, Benham. P.Z.S. 1903.

LIST OF NATURALISED ANIMALS.

This list includes those animals which have been introduced, either intentionally or unintentionally, by human agencies, and have become so well established that they may be considered as part of the fauna. Domesticated animals which have not gone wild are not included.

MAMMALIA.

Mustelus putorius, Linnæus. (Ferret.) Europe.
erminea, Linnæus. (Stoat.) Europe.
vulgaris, Gmelin. (Weasel.) Europe.
Erinaceus europeus, Linnæus. (Hedgehog.) Europe.
Mus decumanus, Pallas. (Brown rat.) Europe.
rattus, Linnæus. (Black rat.) British islands.
exulans, Peale. (Maori rat.) Polynesia.
musculus, Linnæus. (Mouse.) Europe.
Cervus elaphus, Linnæus. (Red deer.) Europe.
Dama vulgaris, Gray. (Fallow deer.) Europe.
Sus scrofa, Linnæus. (Pig.) Europe and North Africa.
Halmaturus, sp. (Rock wallaby.) Australia.
Trichosurus fuliginosus, Ogilby. (Sooty opossum.) Tasmania.
vulpecula, Kerr. (Opossum.) Australia.

AVES.

Turdus musicus, Linnæus. (Song-thrush.) Europe.

merula, Linnæus. (Blackbird.) Europe.

Accentor modularis, Linnæus. (Hedge-sparrow.) Europe.

Passer domesticus, Linnæus. (Sparrow.) Europe.

Ligurinus chloris, Linnæus. (Greenfinch.) Europe.

Fringilla cœlebs, Linnæus. (Chaffinch.) Europe.

Carduelis elegans, Stephens. (Goldfinch.) Europe.

Linota rufescens, Vieillart. (Red-poll.) Europe.

Linota rufescens, Vieillart. (Red-poll.) Europe.

Emberiza citrinella, Linnæus. (Yellow-hammer.) Europe.

cirlus, Linnæus. (Cirl-bunting.) Europe.

Sternus vulgaris, Linnæus. (Starling.) Europe.

Acridotheres tristis, Linnæus. (House mynah.) India

Corvus frugilegus, Linnæus. (Rook.) Europe. Gymnorhina leuconota, Gould. (Australian magpie.) Australia.

Alauda arvensis, Linnæus. (Skylark.) Europe. Cygnus olor, Gmelin. (White swan.) Europe. atratus, Lathrades. (Black swan.) Australia.

Synœcus australis, Lathrades. (Swamp quail.) Australia. Callipepla californica, Shaw. (Californian quail.) California.

Phasianus colchicus, Linnæus. (Pheasant.) England. torquatus, Gmelin. (Ring-necked pheasant.) China.

AMPHIBIA.

Hyla aurea, Lesson. (Green frog.) Australia.

PISCES.

Perca fluviatilis, Linnæus. (Perch.) Europe. Salmo fario, Linnæus. (Trout.) Europe. iridens, Mitchell. (Rainbow trout.) California. Carassius vulgaris, Nilsson. (Carp.) Europe. auratus, Linnæus. (Gold-fish.) China.

MOLLUSCA.

PULMONATA.

Limnæa stagnalis, Linnæus. Europe.

Testacella maugei, Férussac. (*T. vagans*, Hutton.) Europe.

Limax agrestis, Linnæus. (Slug.) (*L. molestus*, Hutton.)

Europe.

maximus, Linnæus. Europe. variegatus, Drapanaud. Europe. Amalia gagates, Drapanaud. Europe.

(= L. fuliginosa, Gould; L. antipoda, Pfeiffer); and M. emarginata, Hutton.

Hyalina cellaria, Mueller. (H. corneo - fulva, Pfeiffer.)
Europe.

alliaria, Mueller. Europe. crystallina, Mueller. Europe.

Helix hortensis, Mueller. Europe. aspera, Mueller. (Garden snail.) Europe.

Helicella caperata, Montagu. Europe.

Cochlostyla fulgetrum, Broderip. (B. antipodarum, Gray.)
Philippines.

Cochlostyla daphnis, Broderip. Philippines. tricolor, Pfeiffer. Solomon Islands.

Vallonia excentrica, Sterki. Europe and North America.

Arion empiricorum, Férussac. Europe.

subfusca, Drapanand. (A. incommodus, Hutton.) Europe. hortensis, Férussac. Europe.

Cochlicopa lubrica, Mueller. Europe.

HYMENOPTERA.

APIDÆ.

Apis mellifica, Linnæus. (Honey-bee.) Asia (?). ligustica, Spin. (Ligurian bee.) Italy.

Bombus terrestris, var. virginalis, Kirby. (Humble-bee.)

hortorum, Linnæus. Europe. hortorum, var. harrisellus, Kirby. Europe.

FORMICIDÆ.

Prenolepis longicornis, Fabricius. Europe and Asia. T.N.Z.I. xxxiii. 120.

PARASITICA.

Lissopimpla semipunctata, Kirby. Australia (?). Bassus lætatorius, Fabricius. (S. varipes, Smith; B. generosus, Cameron.) Europe. Dacnusa, sp. Cameron, Manchester Memoirs, xlvi. p. 26.

Eulophus albitarsis, Ashmead. North America.

TENTHREDINIDÆ.

Eriocampa adumbrata, Klug. (Monostegia antipoda, Kirby.) (Slug-worm.) Europe.

LEPIDOPTERA.

CARADRINIDA.

Utethesia pulchella, Linnæus. Europe.

Pyralidina.

Melliphora grisella, Fabricius. Europe. Pyralis farinelis, Linnæus. Europe.

TORTRICINA.

Carpocapsa pomonella, Linnæus. (Codlin moth.) Europe.

TINEINA.

Trochilium tipuliforme, Cramer. (Currant moth.) Europe.

Ecophora pseudospretella, Stainton. Europe.

Plutella cruciferarum, Zeller. Europe.

Chorentis bjerkandrella, Thunberg. Europe.

Bedellia somnulentella, Zeller. Europe.

Monopsis ferruginella, Hübner. Europe.

ethelella, Newman. Europe.

Tineola biselliella, Humboldt. Europe.

Trichophaga tapetiella, Linnæus. (Clothes moth.) Europe.

Tinea fuscipunctella, Hawthorn. Europe.

terranea, Butler. Europe. Lita solanella, Boisduval. (Potato moth.) Africa (?).

DIPTERA.

SCHIZOPHORA.

Gasterophilus equi, Meigen. (Bot-fly.) Europe.
hæmorrhoidalis, Linnæus. Europe.
Estrus ovis, Linnæus. Europe.
Sarcophaga impatiens, Walker. Australia.
Lucilia cæsar, Linnæus. (Greenbottle.) Europe.
Calliphora erythrocephala, Meigen. (Bluebottle.) Europe.
Musca domestica, Linnæus. (House-fly.) Europe.
corvina, Fabricius. (fide Hilgendorf.) Europe.
Muscina stabulans, Meigen. Europe.
Stomoxys calcitrans, Fabricius. (Horse-fly.) Europe.
Homalomyia canicularis, Linnæus. Europe.
Tephrites tryoni, Froggart. Australia.

ASCHIZA.

Eristalis tenax, Linnæus. (Drone-fly.) Europe.

NEMOCERA.

Cecidomyia destructor, Say. (Hessian-fly.) N. America (?). Scatopse notata, Linnæus. Europe. Psychoda phalænoides, Linnæus. Europe.

PUPIPARA.

Melophagus ovinus, Linnæus. Europe.

APHANIPTERA.

Pulex irritans, Linnæus. (Flea.) Europe (?). serraticeps, Gervasson. (Dog-flea.) Europe. avium, Taschb. (Pigeon-flea.) Europe.

COLEOPTERA.

LAMELLICORNIA.

Onthophagus granulatus, Boh. Australia.
posticus, Erichson. Australia.
Aphodius granarius, Linnæus. Europe.
Proctophanes sculptus, Hope. Australia.
Trox, sp. Reported by Dr. Swale.

ADEPHAGA.

Læmosthenes complanatus, Dejean. S. Europe, &c. Rhytisternus puella, Chaudoir. New South Wales. Hypharpax australasiæ. Dejean. Australia. australis. Dejean. Australia. Agonochila binotata, White. Australia.

POLYMORPHA.

Hydrobius assimilis, Hope. Australia. Paracymus nitidiusculus. Australia. Cyclonotum marginale, Sharp. Australia. Cercyon flavipes, Fabricius. Europe. Homalota sordida, Marsham. Europe. Quedius fulgidus, Fabricius. Europe. Philonthus æneus, Rossi. Europe. scybalarius. Europe. affinis, Roth. Europe. nigritulus, Gravenhorst. Europe. Xantholinus punctulatus, Paykull. Europe. Oxytelus rugosus. Australia. Carcinops 14-striata, Stephens. Europe. Platysoma bakewelli, Marseul. Australia. Carpophilus hemipterus, Linnæus. Cosmopolitan. mutilatus, Erichson. Cosmopolitan. Osmosita colon, Linnæus. Europe. Tenebrioides mauritanicus, Linnæus. Cosmopolitan. Silvanus surinamensis, Linnæus. Cosmopolitan. unidentatus, Fabricius. Europe. Coccinella 11-punctata, Linnæus. (Lady-bird.) Europe. Novius cardinalis, Mulsart. Australia. Monotoma picipes, Herbst. Europe. sub-4-foveolata, Watson. Europe. spinicollis, Aubé. Europe. Coniuomus nodifer, Westwood. Europe. Metiorhynchus rufipennis, Fabricius. Dermestes vulpinus, Fabricius. Cosmopolitan. lardarius, Linnæus. Cosmopolitan.

Anthrenus mussæorum, Linnæus. Cosmopolitan.
Lyctus brunneus, Stephens. Europe.
Ptinus fur, Linnæus. Cosmopolitan.
Anobium domesticum, Linnæus. (Wood-borer.) Europe.
paniceum, Linnæus. Cosmopolitan.
Necrobia ruficollis, Fabricius. Cosmopolitan.
rufipes, De Geer. Cosmopolitan.
Buprestis lauta, Leconte. North America.
Stigmodera gulielmi, White. Australia.
Lacon variabilis, Candêze.* Australis.
Monocrepidius exsul, Sharp. Australis.

HETEROMERA.

Tenebrio obscurus, Fabricius. Cosmopolitan.
molitor, Linnæus. Cosmopolitan.
Gnathocerus cornutus, Fabricius. Europe.
Tribolium ferrugineum, Fabricius. Cosmopolitan.
Anthicus floralis, Linnæus. Europe.
Macerdes melanura, Schmidt. Europe.

Рнуторнада.

Bruchus rufimanus, Boh. Europe. Hylotrupes bajulus, Linnæus. (T.N.Z.I. vii. 320.) Europe. Phoracantha recurva, Newman. (T.N.Z.I. vi. 154.) Australia. Callirhoe allaspa, Newman. Australia. Tessaromma undatum, Newman. Australia.

RHYNCHOPHORA.

Doticus pestilens, Oliff. Australia.
Otiorhynchus sulcatus, Fabricius. Europe.
Gonypterus sp. Australia.
Calandra granaria, Linnæus. Cosmopolitan.
oryzæ, Linnæus. Cosmopolitan.
Anthronomus pomorum, Linnæus. Europe.
Sitones lineatus, Linnæus. Europe.

HEMIPTERA.

HETEROPTERA.

Sciocoris helferi, Fieber. Reported by Novara Expd. Europe. Nezara prasina, Linnæus (?). Europe.

^{*} In T.N.Z.I. xxx. 156, I mentioned Lacon murinus as introduced into the Chatham Islands. This is a mistake, as the insect referred to is really Psorochroa granulata.

Nabis lineatus, Dahlberg (?). Europe. Cimex lectularius, Linnæus. (Bed-bug.) Europe.

HOMOPTERA.

Ricania australis, Walker. Australia.

Aspidiotus aurantii, Maskell. T.N.Z.I. xxvii. 2. Australia, &c.

budleiæ, Signoret. Europe. camelliæ, Signoret. Europe. epidendrii, Bouché. Europe. nerii, Bouché. Europe.

Diaspis boisduvalii, Signoret. Europe.

rosæ, Sandberg. Europe.

Mytilaspis citricola, Packard. North America.

pomorum, Bouché. Europe.

Chionaspis citri, Comstock. North America.

Leucanium hemisphæricum, Targioni-Tozzetti. Europe.

hesperidum, Linnæus. Europe. hibernaculorum, Boisduval. Europe. maculatum, Signoret. Europe. mori, Signoret. Europe. nigrum, Nietner. Australia. oleæ, Bernard. Europe.

ribis, Fitch. North America.

Pulvinaria camellicola, Signoret. Europe. Dactylopius adonidum, Linnæus. Europe. Siphonophora rosæ, Reaum. (Rose aphis.) Europe.

granaria, Kirby. Europe.

Mysus cerasi, Fabricius. Europe. Aphis brassicæ, Linnæus. Europe.

Chermes corticalis, Kaltenbach. Europe. pini, Koch. (T.N.Z.I. xviii. 13.) Europe.

Schizoneura lanigera, Haus. (Woolly aphis.) Europe.

Phylloxera vastatrix, Planchon. Europe. Rhizobius graminis, Thompson. Europe.

ANOPLEURA.

Pediculus capitis, Nitzsch. (Louse.) Cosmopolitan. vestimenti, Nitzsch. Cosmopolitan. Hæmatopinus eurysternus, Nitzsch. Cosmopolitan.

ORTHOPTERA.

Gryllus servillei, Saussure. (Field-cricket.) Australia. Cœdicia olivacea, Brunner. Australia. Orthodera ministralis, Fabricius. (T.N.Z.I. xxix. 242) Mantis. Australia.

Blatta germanica, Linnæus. (Cockroach.) Cosmopolitan. latipennis, Brunner. India (?).
Polyzosteria truncata, Brunner. Australia.
Periplaneta americana, Linnæus. Cosmopolitan.
Forficula auricularia, Linnæus. (Ear-wig.) Europe.
Chelisoches morio, Fabricius. Malay Archipelago.

NEUROPTERA.

Chrysopa perla, Schneider. Europe. (Fide Hilgendorf.) Trichodectes scalaris, Nitzsch. (Ox-louse.)

THYSANOPTERA.

Thrips sp.

APTERA.

Lepisma saccharina, Linnæus. (Silver-fish.) Cosmopolitan-Entomobrya multifasciata, Tullberg. Smith, T.N.Z.I. xxviii. 475. Achorutes armatus, Nicolet. Smith, T.N.Z.I. xxviii. 475.

ARACHNIDA.

ARANEIDA.

Theridion tepidariorum, Blackwall. (House-spider.) Europe? rufipes, Lucas. Simon, Zool. Jahr. 1899, 422. Europe and Asia.

Walckenæra cristata, Blackwall. Europe.

ACARINA.

Ixodes ricinus, Linnæus. (Sheep-tick.) Europe.
 Tyroglyphus siro, Linnæus. (Cheese-mite.) Cosmopolitan.
 Glycyphagus domesticus, de Geer. (Common-mite.) Cosmopolitan.

Tetranychus telarius, Linnæus. (Red-spider.) Cosmopolitan. Morton, T.N.Z.I. vi. 380.

CRUSTACEA.

Isopoda.

Porcellio scaber, Latreille. (Wood-louse.) Chilton, T.L.S. Zool. viii. 139. Cosmopolitan.

Armadillidium vulgare, Latreille. Chilton, T.L.S. Zool. viii. 149. Europe.

ANNULATA.

OLIGOCHÆTA.

Eiseniella tetraedrus, Savigny. Europe.

Eisenia fœtida, Savigny. Europe.

rosea, Savigny. Europe.

Helodrilus caliginosus, Savigny. Europe.

rubidus, Savigny. Europe.

Otoclasium cyaneum, Savigny. Europe.

Lumbricus rubellus, Hoffmeister. (L. campestris, Hutton.)
Europe.

castaneus, Savigny. Europe.

terrestris, Linnæus. T.N.Z.I. xxv. 117 (fide Smith). Europe.

Didymogaster sylvatica, Fletcher. New South Wales.

Eudrilus eugeniæ, Kinberg. Equatorial West Africa, but widely spread in the tropics.

Pontoscolex corethrurus, Fr. Müller. Central America, but widely spread in the tropics.

PLATYHELMINTHES.

TURBELLARIA.

Geoplana sanguinea, Moseley. T.N.Z.I. xxvii. 178. Australia. cærulea, Moseley. T.N.Z.I. xxvii. 181. Australia.

Placocephalus kewensis, Moseley. Cosmopolitan.

Platydesmus moseleyi, Fletcher and Hamilton. T.N.Z.I. xxvii. 189. Australia.



INDEX TO THE GENERA.

Abræus, 173 Acalles, 212 Acallistus, 143 Acallopais, 214 Acanthephyra, 255 Acanthidositta, 29 Acanthochæra, 37 Acanthochites, 86 Acanthoclinus, 46 Acanthoderus, 234 Acanthodoris, 67 Acanthomunna, 264 Acanthopleura, 86 Acantophrys, 248 Acartia, 270 Accentor, 347 Achæta, 346 Achorutes, 354 Acineta, 327 Aclis, 80 Acmæa, 85 Acontiophorus, 272 Acrantus, 219 Acosmetus, 170 Acrocyrta, 194 Actæcia, 265 Actæon, 69 Actenonyx, 150 Actidium, 168 Actinelius, 339 Actinia, 314 Actinopteryx, 168 Actizeta, 185 Adelium, 187 Adeonellopsis, 298 Adolopus, 153 Adoxophyes, 116 Adula, 94 Æga, 262 Ægiatilis, 38 Ægoenicthys, 45 Æolidiella, 68 Æolis, 67 Ægyria, 328 Æschna, 230 Æschrodomus, 60 Ætea, 294 Ætobatus, 53 Agacalles, 212 Agalba, 154 Agamonema, 304 Agandecca, 225

Aganeuma, 208 Agapanthida, 192 Agastegnus, 216 Agathinus, 210 Aglaia, 268 Aglaja, 69 Aglaophenia, 321 Aglophus, 156 Agonochila, 150 Agonostomus, 46 Agræcia, 231 Agrilochilus, 217 Agromyza, 129 Agrostis, 106 Aka, 225 Akera, 69 Aldonus, 211 Alema, 198 Aleochara, 181 Alepas, 274 Alepisaurus, 50 Aleurodes, 225 Allaorus, 218 Allasterna, 199 Allocatops, 175 Allocharis, 198 Allocinopus, 342 Allodiscus, 63 Alloparnus, 153, 162 Allopora, 318 Alloprocas, 207 Allopterus, 188 Alloptes, 245 Allotherma, 102 Alogus, 147 Alona, 266 Alope, 254 Alopias, 54 Alpheus, 254 Alysia, 100 Amalia, 348 Amarosoma, 188 Amarotypus, 141 Amathia, 294 Amarygmus, 188 Amaryllis, 258 Amaura, 80 Amaurobius, 238 Ambeodontus, 192 Amblyophis, 332 Amblypneustes, 288 Amblypone, 97

Amblytelus, 101 Ameletus, 231 Ammodiscus, 335 Ammothea, 247 Ammotretis, 48 Amœba, 340 Ampelisca, 260 Amphibola, 66 Amphileptus, 330 Amphilochus, 258 Amphinecta, 238 Amphipeplea, 66 Amphiplatys, 157 Amphiporus, 312 Amphitrite, 280 Amphiura, 290 Amphixystis, 124 Amphoroidea, 263 Amphitretus, 57 Amphoterocotyle, 311 Amplectopus, 157 Amylopterus, 210 Amymone, 271 Anabarhynchus, 131 Anacharis, 102 Anagotus, 203, 343 Anaitis, 89 Anarhynchus, 32 Anas, 36 Anchistrocephalus, 310 Anchomenus, 143, 342 Anchylochilus, 341 Ancilla, 74 Ancistropterus, 210 Anclylomera, 257 Andaniotes, 258 Aneuma, 208 Aneura, 134 Aneurus, 222 Anguilla, 52 Aniculus, 252 Anillus, 150 Anisolabis, 234 Anisomeristes, 174 Anisonema, 332 Anisoplaca, 118 Anisops, 223 Anobium, 161 Anomalomyia, 134 Anomia, 95 Anomyx, 258

Amblyrhynchotus, 52

Anosia, 103, 125 Anoteropsis, 244 Anoura, 234 Antedon, 290 Antennularia, 321 Anthea, 314 Anthicus, 189, 352 Anthobothrium, 311 Anthonomus, 352 Anthophysis, 333 Anthopodium, 315 Anthornis, 28 Anthorochalina, 325 Anthosoma, 273 Anthrenus, 352 Anthribus, 219 Anthura, 262 Anthus, 28 Antiporus, 151 Anubis, 221 Anuræa, 302 Aora, 260 Apale, 162 Apatolestes, 132 Apeosima, 191 Aphænogaster, 97 Aphanasium, 194 Aphanipathes, 315 Aphela 343 Aphelomera, 134 Aphilon, 198 Aphis, 353 Aphobetus, 99 Aphodius, 139, 351 Aphrodita, 277 Aphrophora, 224 Aphytopus, 181 Apion, 210 Apis, 349 Aplysina, 326 Apollo, 75 Apomatus, 282 Aporolobus, 201 Apsetta, 48 Apseudes, 262 Apsoma, 131 Aptenodytes, 35 Apterina, 129 Apteryx, 37 Apthora, 186 Arabella, 279 Arachnoides, 288 Arachnura, 242 Aradus, 222 Aræocerus, 221 Aræoscapus, 205 Arbanitis, 237 Archidoris, 67 Archirhiza, 317 Architeuthis, 58 Arctocephalus, 25 Arctoneura, 133 Arcturus, 264 Ardetta, 31

Arecocryptus, 217 Arecopais, 220 Arecophaga, 218 Arenaria, 31 Arenicola, 281 Argentina, 51 Argiope, 241 Argonauta, 57 Argosarcus, 234 Argutor, 147 Argyrodes, 238 Argyropelecus, 50 Argyrophegna, 103 Ariamnes, 238 Arion, 349 Armadillidium, 354 Armadillo, 266 Arnomus, 197 Arocatus, 222 Arripis, 41 Arthopus, 187 Arthracanthus, 160 Artotrogus, 272 Artystoma, 187 Asaphodes, 108 Ascaris, 303 Aschleta, 119 Ascidia, 56 Ascogaster, 100 Asilis, 161 Asilus, 131 Askyroderma, 287 Asobara, 100 Asphærites, 174 Aspidiotus, 225, 353 Aspidisca, 327 Aspidodiadema, 288 Aspidosiphon, 285 Assiminea, 77 Astacilla. 264 Astasia, 332 Asteia, 129 Asterias, 292 Asterina, 291 Asterope, 269 Asteropsis, 291 Astetholea, 193 Astetholid +, 193 4sthena, 108 Asthenosoma, 288 Astralium, 81 Astrape, 53 Astrochema, 290 Astrogonium, 291 Astropecten, 291 Astyplus, 205 Asymphus, 155 Atactodea, 91 Atagena, 67 Atalophebia, 231 Atherina, 46 Athoracophorus, 59 Athysaurus, 224 Atkinsonia, 239

Atomatricha, 119 Atopida, 158 Atricatus, 197 Attus, 245 Atylus, 259 Atypichthys, 41 Auchenoceros, 49 Audouinia, 279 Aulochrone, 323 Aulodendron, 340 Axinella, 323 Axothea, 281

BACTRA, 116 Baculipalpus, 190 Badumma, 238 Bæocera, 174 Bæorhopalus, 217 Bæosilpha, 175 Bairdia, 268 Balæna, 25 Balænoptera, 26 Balanus, 275 Balcus, 160 Bantiades, 205 Barbatia, 94 Barleeina, 78 Barnea, 88 Bassus, 244 Bathygadus, 49 Bathymetis, 101 Bathypterois, 50 Bathysaurus, 50 Bathysyphon, 334 Batrachedra, 121 Bedelia, 123, 350 Bembidium, 149, 342 Benthesicymus, 254 Berardius, 26 Beris, 132 Berosus, 152 Beryx, 43 Betæus, 254 Betarmon, 157 Betyla, 98 Bicellaria. 295 Bidessus, 151 Biloculina, 334 Bircenna, 260 Bithynis, 255 Bitoma, 169 Bittium, 7 Bityla, 106 Blabophanes, 125 Blatta, 234, 354 Blediotrogus, 184 Blosyropus, 193 Boeckella, 270 Holitophagus, 186 Bolitophila, 133 Bolivina, 336 Boltenia, 56

Bombus, 349 Borborus, 129 Botaurus, 31 Bothrideres, 171, 342 Bothriocephalus, 310 Botryllus, 55 Bovichthys, 43 Brachaspis, 233 Brachicarpus, 255 Brachidocrania, 134 Brachiella, 274 Brachylous, 202, 343 Brachynopus, 174 Brachypeplus, 172 Brachypleura, 48 Brachysara, 119 Brachyscelus, 257 Bradypatæ, 204 Brama, 44 Branchellion, 285 Branchiomma, 281 Brevicornu, 134 Brexius, 210 Bristiopsis, 287 Brontopriscus, 167 Brounia, 157 Bruchus, 352 Brullea, 143 Bryobates, 199 Bugula, 295 Bulla, 69 Bulimina, 336 Bullinula, 70 Buprestis, 352 Butalis, 121 Byrrhocryptus, 157 Byrrhodes, 157

CABALUS, 30 Caberea, 294 Caccomolpus, 198 Cacochalina, 324 Cacodrotus, 193 Cacœcia, 117 Cadulus, 86 Cæcioperca, 41 Cænophanes, 208 Cafius, 183 Cafioquedus, 182 Calandra, 352 Calanus, 269 Calathus, 143 Calcager, 126 Calicotis, 121 Caligus, 273 Callianassa, 253 Callidina, 300 Calliopius, 259 Calliostoma, 83 Callipepla, 348 Calliphora, 127, 350 Calliprason, 193 Callirhoë, 352

Calliteuthis, 57 Callochiton, 87 Callorhynchus, 53 Calodera, 181 Calotermes, 230 Calwellia, 296 Calycella, 319 Calyptrea, 79 Calytrophora, 316 Camacho, 261 Cambridgia, 238 Camiarus, 174 Campanularia, 319 Camptocladius, 137 Camptoscapus, 217 Campylomyza, 135 Cancellaria, 71 Cancer, 248 Candace, 270 Candonocypris, 267 Canno hiza, 317 Cantharidus, 82 Caphius, 183 Caprella, 261 Caprellinopsis, 261 Caprodon, 41 Capromimus, 45 Capsus, 223 Capua, 116 Caranx, 44 Carbasea, 295 Carcharias, 53 Carcharinus, 53 Carcharodon, 54 Carchesium, 329 Cardiastethus, 223 Cardita, 92 Cardium, 89 Carduelis, 347 Carinaria, 70 Carpocapsa, 349 Carpophilus, 351 Carasius, 348 Carsinops, 351 Carthæa, 64 Caryophyllia, 315 Casa, 133 Casarca, 36 Cassidina, 263 Cassidulina, 336 Castanidium, 340 Catarrhactes, 36 Catenicella, 294 Cateristis, 123 Cathartocryptus, 167 Cathypna, 302 Catopsolius, 175 Catoptes, 201 Caudina, 287 Caulopsetta, 48 Cavolina, 70, 341 Cecidomyia, 135, 350 Cecrops, 273 Cecyropa, 199, 343

Ceina, 257 Celænia, 242 Celetotelus, 208 Cellaria, 296 Cellepora, 298 Cellularia, 294 Centriscops, 46 Centrolophus, 44, 341 Centromma, 272 Centropages, 270 Cephalorhynchus, 26 Cephaloscillium, 54 Cephalothamnium, 333 Cerabilia, 147 Ceraochalina, 325 Ceratognathus, 139 Ceratopogon, 137 Cerchneis, 38 Cercyodes, 153 Cerebratulus, 313 Ceresium, 194 Ceriodaphnia, 266 Cerithiopsis, 77 Cermatia, 236 Cermatulus, 221 Cerodolus, 188 Ceroplatus, 133 Cerosomyia, 126 Cerozodia, 137 Certhiparus, 28 Cervus, 347 Cetonurus, 49 Cetorhinus, 54 Chærodes, 185 Chætosoma, 166 Chætozone, 280 Chalastria, 111 Chalcococcyx, 29 Chalcodrya, 189 Chalina, 321 Chalinolobas, 25 Chalinopsilla, 325 Chalinura, 49 Chamæsephis, 205 Chamæsipho, 275 Chamostrea, 87 Chanos, 51 Charadrius, 31 Charopa, 59 Chasmagnathus, 250 Chauliodes, 229 Cheimarrichthys, 43 Chelifer, 246 Chelisoches, 354 Chermes, 353 Chilodactylus, 42 Chilodon, 328 Chilostomella, 337 Chiltonia, 257 Chimæra, 53 Chionaspis, 226 353 Chione, 89 Chiracanthium, 237

Chironemus, 42 Chironomus, 137 Chiton, 86 Chlœia, 278 Chloroclystis, 107 Chlorophthalmus, 50 Chœnia, 330 Choleva, 175 Chondracanthus, 274 Chonelasma, 323 Chorascus, 170 Choreutis, 350 Chorinæus, 102 Chorizopoda, 297 Chromodoris, 67 Chronostomum, 306 Chrosis, 155 Chrysopa, 354 Chrysophanes, 103 Chydorus, 266 Cicindela, 141 Ciconissus, 171 Cilibe, 186 Cillenum, 150 Cimex, 353 Cinctipora, 299 Circia, 122 Circostella, 123 Circus, 30 Cirolana, 263 Cirroteuthis, 57 Cirsonella, 83 Cis, 162 Cixius, 224 Cladochalina, 324 Cladorhiza, 324 Clambus, 173 Clathria, 324 Clathurella, 71 Clausocalanus, 269 Claviporella, 294 Clavulina, 336 Cleantis, 264 Clepricosma, 114 Clibanaria, 251 Clinocera, 130 Clitarchus, 233 Clitellaria, 132 Clivina, 142 Clubinona, 237 Clupea, 51 Clypeorhynchus, 205 Clytia, 319 Clytus, 194 Coccinella, 164. 351 Cochlicopa, 349 Cochlodesma, 87 Cochlostyla, 348 Codosiga, 331 Cœdicia, 353 Cœlopa, 128 Cœlopus, 301 Cœlostoma, 228 Cœlorhynchus, 49

Cœnocydnus, 222 Cœnosia, 127 Cogia, 26 Coleps, 331 Collozoum, 339 Colobracis, 101 Coloburiscus, 231 Colochirrus, 287 Cologrammus, 46 Colpidium, 330 Columbella, 72 Coluris, 302 Cominella, 73 Compsistis, 123 Cona, 225 Condylocardia, 92 Congermuræna, 52 Congiopodus, 42 Coninomus, 351 Conocyathus, 315 Conopomæpha, 123 Conopora, 318 Conostoma, 272 Conurus, 182 Copelatus, 151 Coprostygnus, 184 Coptoma, 194 Corbula, 88 Cordylophora, 318 Cordylura, 128 Corethra, 138 Coridodax, 47 Coriscium, 123 Corixa, 224 Cormocephalus, 236 Cornicularia, 240 Cornuspira, 334 Coronula, 274 Corophium, 261 Corticaria, 164 Corvus, 348 Corycæus, 272 Corymbites, 154 Coryne, 318 Cosmocephalus, 236 Cosmodes, 106 Costleya, 140 Cotes, 189 Cothurnia, 329 Cottapistus, 42 Coturnix, 30 Coxelus, 169 Crambus, 112 Cranophorus, 165 Crapatalus, 42 Craspedosoma, 235 Crassatellites, 92 Cratena, 68 Craterolophus, 316 Crayracion, 52 Creadion, 27 Cremogenes, 120 Crepidogaster, 47 Crepidula, 79

Cribella, 292 Cribrilina, 296 Crisina, 298 Crissia, 298 Crissius, 212 Cristellaria, 337 Cristiceps, 46 Crocidophora, 111 Crossophorus, 269 Cruregens, 262 Crymophilus, 38 Cryptamorpha, 167 Cryptodacne, 166 Cryptodromia, 251 Cryptohelia, 318 Cryptohynus, 155 Cryptolaria, 320 Cryptomera, 191 Cryptomina, 112 Cryptophagus, 166 Cryptops, 236 Cryptus, 101 Cteniza, 237 Ctenoneurus, 222 Ctenochiton, 226 Ctenognathus, 144 Ctenoplectron, 188 Ctenopseustes, 117 Cubiceps 44 Cucumaria, 286 Culeolus, 56 Culex, 138 Cuniopterus, 205 Curimus, 162 Cuspidaria, 87 Cyamiomactra, 90 Cyamium, 92 Cyamus, 262 Cyanorhamphus, 29, 341 Cybium, 45 Cyclacalles, 214 Cyclammina, 336 Cyclaspis, 256 Cyclasterope, 269 Cyclaxyra, 173 Cyclidium, 330 Cyclocterus, 244 Cyclogaster, 132 Cyclograpsus, 250 Cycloneura, 134 Cyclonotum, 153 351 Cyclops, 270 Cyclothorax, 149 Cylichna, 69 Cylicia, 315 Cylindrophorus 311 Cyliosoma, 234 Cyloma, 152 Cymodoce, 263 Cymodocella, 263 Cymodroma, 34 Cymolutes, 48 Cymospira, 282 Cyphanus, 157

Cyphon, 158 Cyphotelus, 159 Cypridopsis, 267 Cyprinotus, 268 Cypris, 267 Cyprobius, 157 Cyproidia, 258 Cystisoma, 256 Cystodytes, 55 Cythere, 268 Cythereides, 268 Cytherella, 269 Cytheropteron, 268 Cytilissus, 163 Cytomissus, 342 Cyttalia, 208 Cyttus, 45

DACNOPHYLLA, 206 Dacnusa, 349 Dactylochalina, 325 Dactylopius, 227, 353 Dactylopus, 271 Dalatias, 54 Dalma, 178 Dalminissus, 178 Dama, 347 Dammarobius, 190 Daphnella, 71 Daphnia, 266 Daption, 35 Dasybatis, 53 Dasycolletes, 96 Dasygorgia, 316 Dasylobus, 246 Dasypodia, 106 Dasytes, 160 Dasyuris, 100 Deana, 115 Decadarchis, 124 Declana, 111 Defranchia, 299 Degithina, 101 Deguernea, 270 Deinacrida, 231 Deinagnatha, 241 Delatus, 54 Deleatidium, 231 Delphinapterus, 26 Delphinus, 27 Demetrida, 150 Demiegretta, 31 Demtrius, 187 Dendrilla, 323 Dendroblax, 139 Dendrocygna, 39 Dendromonas, 333 Dendrophagus, 167 Dendrostygnus, 212 Dendrotrupes, 219 Dentalium, 85 Dermestes, 351 Dermochelys, 40

Dermothrius, 214 Dermotrichus, 205 Desis, 238 Desmalia, 317 Desmocyphus, 321 Diachasma, 100 Diachoris, 295 Diadema, 125 Diæa, 243 Diagrypnodes, 166 Diaprepocoris, 224 Diapria, 98 Diarthrocera, 164 Diarthrodes, 271 Diaschiza, 301 Diasemia, 114 Diaspis, 226, 353 Diastemerus, 197 Diastopora, 299 Diastylis, 256 Dichrochile, 143, 342 Dichromodus, 110 Dicœlotus, 101 Dicotylichthys, 52 Dicranomyia, 136 Dictyotus, 221 Didymocantha, 191 Didymogaster, 355 Didymozoon, 310 Diglena, 301 Diglimma, 143 Digrammus, 182 Dilophus, 133 Dimetopia, 295 Dinematichthys, 49 Dinematrum, 273 Dinobothrium, 311 Dinobryum, 332 Dinocharis, 301 Dinodrilus, 284 Diöedimorpha, 217 Diomedea, 35 Diopatra, 278 Diphasia, 320 Diphyes, 317 Diplobothrium, 311 Diplocrepis, 47 Diplodon, 91 Diplodonta, 92 Diplopseustis, 115 Diplosis, 135 Diporochæta, 284, 346 Dipterina, 117 Diptychophora, 112 Diretmus, 45 Discorbina, 338 Discothyrea, 97 Distoma, 309 Divaricella, 92 Dodecaspis, 340 Dodonidia, 103 Dolichernis. 123 Dolichoglossus, 56 Dolichopezea, 135

Doliocenthus, 205 Doliolum, 56 Dolium, 75 Dolomedes, 243 Domina, 129 Dorcatoma, 161 Doriopsis, 67 Doris, 67 Doryctomorpha, 99 Dorydium, 224 Doryichthys, 52 Dorytomus, 207 Dosinia, 89 Doticus, 352 Drassus, 237 Drasterius, 154 Drepanepteryx, 229 Drepanidotænia, 312 Drepanodes, 111 Drepanura, 234 Drillia, 70 Drimostonia, 144 Drosophila, 129 Drototelus, 343 Drotus, 193 Dryandula, 124 Dryocera, 166 Dryopais, 204 Dryptops, 168 Ducoscolex, 282 Duymæria, 48 Dysnocryptus, 220

EBALIA, 251 Eburida, 193 Echinaster, 292 Echinobrissus, 288 Echinocardium, 287 Echinometra, 288 Echinophthirus, 228 Echinorhinus, 54 Echinorhynchus, 304 Echinus, 289 Echiurus, 283 Echthrogaleus, 273 Ectatomma 97 Ectinosoma, 271 Ectopis, 211 Edalus, 187 Ehrenbergina, 336 Eiconaxius, 253 Eiratus, 204 Eiseniella, 355 Eisenia, 355 Elachista, 121 Elamena, 251 Elasmonetta, 36 Elasmonotus, 252 Elasmopus, 260 Eledone, 57 Eleotris. 45 Elminius, 275 Elvira, 107

Emarginula, 84 Emberiza, 347 Emesoderma, 223 Emmelichthys, 41 Empis, 130 Enarsus, 169 Encephalia, 181 Endophthora, 124 Endrosis, 121 Entalophora, 229 Entium, 217 Entomobrya, 354 Entomolepis, 272 Enypniaster, 286 Eone, 279 Eosophora, 301 Epalxiphora, 116 Epheus, 193 Ephydra, 129 Epiblema, 116 Epidosis, 135 Epiera, 241 Eprerus, 173 Epiphthora, 118 Epirranthis, 110 Episinus, 242 Epistranus, 170 Epistylus, 329 Epitimestes, 200 Epuræa, 172 Erana, 106 Erebiola, 103 Erechthris, 124 Erennetis, 124 Ericentrus, 46 Erigone, 240 Erinaceus 347 Eriocampa, 351 Eriochiton, 227 Eriococcus, 227 Erirhinnus 200 Eristalis, 350 Errina, 318 Erycina, 239 Erymnetus, 204 Eschatotypa, 124 Eschscholthia, 314 Ethalia, 83 Etheophanus, 208 Etnalis, 220 Eualema, 343 Euchæta, 269 Euchalina, 325 Eucharinopsis, 325 Euchelus, 83 Euchœca, 108 Euchytræus, 346 Euclanis, 301 Eucolaspis, 197 Eucope, 319 Eucopella, 319, 344 Eucossomus, 216 Eucotyllabe, 308 Euctenopus, 102

Eudendrium, 318 Euderia, 162 Eudiocrinus, 291 Eudoxochiton, 86 Eudyptula, 36 Eudrilus, 355 Euglena, 332 Euglyptus, 176 Eugoniscus, 220 Eugonomus, 208 Eulalia, 277 Eulechria, 119 Eulimella, 74 Eulophus, 349 Eumede, 160 Eumenia, 281, 346 Eumetopias, 25 Eunice, 278 Euodontes, 218 Eupagurus, 251, 344 Eupelmus, 99 Euplectus, 179 Euplocamus, 67 Euplotes, 327 Eupolia, 313 Eupomatus, 282 Euprocas, 207 Eupines, 177 Enpterolicus, 246 Enryceras, 134 Eurychæna, 196 Eurycope, 265 Eurynolamorus, 248 Euryphegma, 323 Eurystomus, 37 Eurythecta, 117 Eurytoma, 99 Eusirus, 259 Eusoma, 140 Euspongia, 326 Eustrongylus, 304 Euterpe, 271 Euthemisto, 256 Euthenarus, 148 Euthria, 73 Euthyrhinus, 214 Eutora, 123 Eutornus, 218 Evadne, 267 Evechinus, 289 Evistius, 44 Exaireta, 132 Exeirarthra, 179 Exilis, 220 Exocalopus, 190, 342 Exocœtus, 49 Exœolus, 155 Exohadijus, 185 Exomesistes, 218 Exoria, 116 Exospheroma, 263 Exsul, 127 Exydrus, 152 Eylais, 246, 343

FACELINA, 68 Faculifer, 245 Falagria, 181 Falciger, 246 Farciminaria, 295 Farrea, 323 Fhogra, 100 Filaria, 303 Fiona, 68 Fiorinia, 226 Fissurella, 84 Fistulicola, 310 Flabelligera, 281, 346 Flabellum, 315 Flammulina 02 Flavia, 271 Floscularia, 300 Flustra, 295 Flustrella, 293 Forficula, 354 Fossarina, 83 Fraudator. 131 Fregatta, 33, 38 Freyella, 292 Fridericia, 284 Fringilla, 347 Fuligula, 37 Fusus, 73

Gadinia, 68 Galathea, 252 Galaxias, 51 Galeorhinus, 54 Galeus, 54 Gallinago, 32, 38 Gammaroparnops, 232 Gammaropsis, 260 Gangliopus, 273 Garrodia, 34 Gasterochisma, 45 Gasterophilus, 350 Gasterostomum, 310 Gasteruption, 99 Gastrobothrus, 177 Gastrocotyle, 308 Gastrophysus, 52 Gastrosarus, 193 Gastrostyla, 327 Gathocles, 169 Gaudrina, 336 Gehyra, 39 Gelasimus, 249 Gelechia, 118 Genotia, 70 Genyagnus, 42 Genypterus, 49, 341 Geochus, 203 Geonemertes, 312 Geophilus, 236 Geoplana, 306, 355 Geotomus, 221 Geotria, 55 Ceramus, 154

Geranomyia, 136 Gerontia, 64 Getacalles, 212 Gibbula, 82 Gilbertia, 40 Glaucoma, 327 Glaucopsis, 27 Glenentela, 170 Globiocephalus, 27 Globigerina, 338 Gloiopotes, 273 Glossiphonia, 285 Glottis, 38 Glycera 279 Glycymeris, 94 Glycyphagus, 354 Glyphipteryx, 122 Glyhocrangon, 254 Glyphoramphus, 217 Gnathaster, 291 Gnathocerus, 352 Gnomodes, 193 Gnophomyia, 136 Gobiomorphus, 45 Gobius, 46 Goniocidaris, 288 Goniodon, 291 Goniomonas, 333 Gonophylla, 111 Gonorhynchus, 51 Gonostoma, 50 Gonypterus, 352 Gordius, 304 Gorvtes, 98 Gossyparia, 227 Gracillaria, 123 Grammaroparnops, 232 Grampus, 27 Grantessa, 322 Graspus, 249 Graucalus 37 Gregoria, 314 Gryllus, 349 Grynoma, 172 Gundlachia, 66 Gygis, 33 Gymnobathra, 119 Gymnodinium, 331 Gymnophania 127 Gyninoplectron 232 Gymnorhina 348 Gynoplistia, 137 Gyrinu 4, 151 Gyrocoris, 329 Gyrocotyle, 310 Gyrophæna, 181

Haastia, 324 Habronestes, 240 Habrophila, 124 Hadracalles, 212 Hæmadipsa, 285 Hæmatopinus, 353

Hæmatopus, 31 Halacarus, 246 Halargyreus, 48 Halcyon, 29 Halecium, 320 Halicarcinus, 250 Halictus, 96 Halimus, 247 Haliotis, 83 Haliporus, 254 Halirages, 259 Halla, 279 Halmaturus, 317 Halobæna, 35 Halteria, 329 Halytes, 160 Haminea, 69 Hamotulus, 177 Haplocheira, 261 Haplodactylus, 41 Haplolobus, 202 Haplophragmium, 335 Haplophthalmus, 265 Haplotaxis, 284 346 Harmologa, 117 Harmonia, 261 Harmothoë 276 Harpacticus, 271 Harpalus, 148 Haswellia, 298 Hebella, 319 Hednota, 111 Helæcius, 249 Helicæ, 250 Helicarion, 65 Helicella, 348 Heliostribes, 122 Heliothela, 113 Heliothis, 106 Helix, 348 Helle, 131 Helodrilus, 355 Helœcius, 249 Helomyza, 128 Helophilus, 130 Hemerocætes, 46 Hemiclava, 243 Hemideina, 231 Hemipenæus, 254 Hemiphaga, 30 Hemiplax, 2 9 Hemipodus, 279 Hemirhamphus, 49 Hemistomum, 309 Hemiteles, 101 Hemitheca, 318 Hendecastricha, 116 Henicocephalus, 343 Henicops, 235 Henlea, 284 Henops, 131 Hepialus, 125 Heptatrema, 55 Herodias, 31

Herpyllus, 237 Hesperophanes, 192 Heteractites, 38 Heteragus, 169 Heterakis, 303 Heteralocha, 27 Heteraomus, 203 Heterocrossa, 117 Heterodactylus, 144 Heterograpsus, 249 Heteromita, 332 Heteromyza, 128 Heteronyx, 140 Heteropleuron, 55 Heteropora, 299 Heteropsis, 217 Heteropygia, 32 Heterostoma, 235 Heterostyles, 203 Heterozius, 248 Hexaplagia, 340 Hexathele, 237 Hexatricha, 194 Hilara, 130 Himantopus, 32, 341 Hippocampus, 52 Hippolyte, 254 Hipponyx, 79 Hippospongia, 326 Hippothoa, 294 Hirudo, 344 Histiophorus, 43 Histrio, 327 Hochstetteria, 93 Hofmannia, 123 Holcaspis, 146 Holoparamecus, 164 Holopsis, 165 Holostomum, Holothuria, 286 Holotrochus, 184 Homalomyia, 127, 350 Homalota, 181 Homepuræa, 172 Homodus, 201 Homœodytes, 151 Homœosoma, 111 Homoreda, 211 Hoplocneme, 209 Hoplodactylus, 39 Hormosina, 335 Hornera, 299 Huberia, 97 Huttonia, 240 Huxelhydrus, 151 Hyale, 257 Hyalina, 348 Hybernia, 111 Hybolasius, 196 Hydatina, 301 Hydora, 153, 163 Hydra, 321 Hydrallmannia, 321 Hydriomena, 107

Hydrobiosis, 229 Hydrobius, 351 Hydrocena, 80 Hydroessa, 223 Hydrocheilodon, 38 Hydroprogne, 32 Hydropsyche, 229 Hydrostygnus, 152 Hydrus, 40 Hygrochus, 201 Hyla, 348 Hylastes, 219 Hylobasius, 196, 342 Hylobia, 189 Hymenia, 113 Hymenicus, 250 Hymenoloemus, 37 Hymenosoma 251 Hypanthea, 319 Hypenodes, 106 Hyperammina, 334 Hyperosoma, 183 Hypeuryntis, 123 Hypharpax, 148, 351 Hypolycodes, 49 Hypotænidia, 30 Hypotagea, 207 Hystricia, 126

IAIS, 264 Iathrippa, 264 Ibacus, 253 Icerya, 228 Ichmalius, 210 Ichneumon, 100 Ichneutica, 105 Ichthybotus, 231 Ichthyocampus, 52 Ichthyoneura, 303 Icosidesmus, 235 Idia, 321 Idmonea, 298 Idotasia, 215 Idotea, 264 Idus, 217 Idya, 272 Ilyodromus, 267 Incentia, 211 Incisidens, 41 Inglisia, 226 Inocatops, 174 Inocatoptes, 202 Inopelonia, 199 Inophlæus, 202 Inosomus, 218 Ipana, 111 Iphimedia, 259 Iphinotus, 250 Ips, 173 Ischalea, 241 Ischnochiton, 87 Ischnoderus, 184

Ischyroplectron, 232 Isidora, 66 Isochasta, 118 Isocladus, 263 Isocolon, 175 Isonomentis, 118 Isoplectron, 232 Isurus, 54 Itamus, 131 Ithris, 170 Ixodes, 245, 350

JACULELLA, 334 Jæropsis, 264 Janthina, 80 Jasus, 253 Julus, 235 Junonia, 103

KATHESOSTOMA, 43 Kellia, 91 Keroma, 328 Kœllikeria, 309 Krithe, 268 Krohnia, 305

LABIDOCERA, 270 Lacon, 352 Læmosthenes, 351 Læstrygones, 244 Lætmonice, 277 Lævilitorina, 79 Lafoëa, 319 Lagena, 337 Lagochilus, 78 Lagrioda, 188 Lamontia, 322 Lampadena, 50 Lampris, 44 Lamprocolletes, 96 Lampromitra, 340 Lamyctes, 235 Lanassa, 280 Lancetes, 151 Lanice, 280 Laoma, 61 Laophonte, 271 Larus, 33 Lasea, 92 Lasiorhynchus, 219 Lasius, 96 Lathicrossa, 119 Lathridius, 164 Latia, 66 Latris, 42 Latrodectus, 239 Lauxamia, 128 Leachia, 228

Leæna, 280 Leanira, 277 Lebia, 150 Lecanium, 227 Lecanochiton, 226 Lecanomerus, 148 Leda, 95 Leiolophus, 250 Leiopeplus, 188 Leioproctus, 96 Leiosoma, 246 Leis, 165 Lenax, 173 Lepas, 274 Lepeophtheirus, 273. Leperina, 172 Lepidonotus, 276 Lepidopleurus, 87 Lepidoplois, 48 Lepidopus, 43 Lepidothynnus, 45 Lepidotrigla, 45 Lepidurus, 267 Lepisma, 350 Lepralia, 297 Leprea, 345 Leptachrous, 192 Leptocephalus, 52 Leptoceras, 229 Leptoclinum, 55 Leptodius, 248 Leptograpsus, 249 Leptomeris, 110 Leptomerocoris, 223 Leptomithrax, 247 Leptoperla, 231 Leptoplana, 306 Leptoptilum, 316 Leptoscopus, 42 Leptothyra, 81 Leria, 128 Lernæopoda, 274 Lernacea, 274 Lernanthropus, 273. Lestes, 230 Lestremia, 135 Leucandria, 322 Leucania, 104 Leucanium, 353 Leucascus, 322 Leuckartia, 270 Leuconopsis, 67 Leucosolenia, 322 Leucothoë, 258 Leucotina, 70 Lianculus, 130 Licophora, 329 Lichenopora, 299 Ligia, 265 Ligula, 311 Ligurinus, 343 Liljeborgia, 259 Lima, 93 Limax, 348

Limnæa, 66, 348 Limnerium, 102 Limnia, 128 Limnichus, 163 Limnobia, 136 Limnodrilus, 285, 346 Limnœcia, 121 Limnophila, 137 Limnophora, 127 Limnoria, 264 Limonites, 32 Limopsis, 94 Limosa, 32, 38 Linota, 347 Linyphea, 239 Liochoria, 163 Liogramma, 191 Liopelma, 40 Lippistes, 79 Lipura, 234 Lirus, 41, 44 Lissonota, 102 Lissopimpla, 349 Lissotes, 138, 341 Lissotrachelus, 231 Lita, 350 Lithobius, 235 Lithocharis, 183 Lithocia, 205 Lithophaga, 94 Lithostygnus, 170 Lithyphantes, 239 Litonotus, 328 Litorina, 78 Livoneca, 262 Lobivanellus, 38 Lobularia, 316 Lomemus, 156 Lonchæa, 129 Lophotes, 47 Lorelus, 186 Lotorium, 75 Loxoconcha, 263 Loxodes, 328 Lucilia, 350 Lumbriconereis, 279, 345 Lumbricus, 355 Luperus, 198 Lycæna, 103 Lycosa, 243 Lyctus, 352 Lygosoma, 39 Lymnichus, 163 Lyperobates, 201 Lyperobius, 203 Lyperopais, 204 Lysiana, 258 Lysiosquilla, 256 Lysiphragma, 121 Lythria, 109

MACERDES, 352 Macoma, 91

Macraspis, 308 Macratia, 190 Macrocera, 133 Macrochlamys, 65 Macrocypris, 268 Macromastix, 136 Macropathus, 233 Macrophthalmus, 249 Macrorhinus, 25 Macroscytalus, 217 Macrurorus, 49 Macrurus, 49 Mactra, 90 Mæra, 260 Magellania, 293 Majaqueus, 34 Maldane, 281 Maldanella, 281 Malletia, 95 Mallobathra, 124 Mangelia, 71 Maoriana, 237 Maoridrilus, 283 Maquartia, 126 Margareta, 222 Marginella, 74 Marginula, 67 Marphysa, 279 Marpissa, 244 Marptusa, 244 Marsenia, 80 Mastigocerca, 301 Mathesis, 160 Maurolichus, 50 Mecastrus, 156 Mecistostylus, 215 Mecodema, 142, 341 Mecyna, 115 Medyla, 65 Megacolabus, 208 Megacraspedus, 118 Megadromus, 148 Megadyptes, 36 Megalestris, 33 Megalocerœa, 223 Megaptera, 26 Megatebenus, 84 Meinertia, 262 Melampsalta, 224 Melanchra, 105 Melanopsis, 76 Melanostoma, 130 Melanus, 154 Melicerta, 300 Melinna, 280 Melita, 260 Melliphora, 349 Melophagus, 350 Membranipora, 295 Membraponella, 297 Memes, 343 Mendosoma, 42 Meninius, 185 Menipea, 294

Meretrix, 89 Merganser, 37 Merhippolyte, 255 Merluccias, 49 Merope, 271 Mesagyrites, 175 Mesocolon, 175 Mesocyphon, 158 Mesodesma, 90 Mesolamia, 195 Mesoleptus, 102 Mesopatrum, 185 Mesoplodon, 26 Mesoreda, 211 Mesoscolopax, 38 Mesoscolytus, 219 Mesotenus, 101 Mesothuria, 286 Mesoxenophasis, 216 Metablax, 157 Metacalles, 214 Metacrias, 104 Metacrinus, 291 Metagerra, 222 Metaglymma, 142, 342 Meteorus, 99 Methemus, 161 Metopidia, 302 Metoponchus, 183 Metoponorthus, 266 Metopus, 330 Metriorhynchus, 35r Miaster, 135 Micippa, 248 Micranous, 33 Microdes, 107 Microlamia, 195 Micromus, 230 Micropora, 296 Microporella, 296 Micropus, 37 Microscolex, 283 Microsilpha, 174 Microtribus, 216 Microtyrus, 176 Migas, 236 Milesia, 130 Milichia, 129 Miliolina, 334 Mimetas, 238 Minyas, 315 Miotopus, 232 Miro, 28 Miselia, 104 Mitophyllus, 139, 341 Mitra, 73 Mitrastethus, 215 Mnesarchæa, 125 Modiolarca, 94 Modiolaria, 94 Mohua, 28 Mola, 53 Monacanthus, 52

Monas, 333

Monilea, 83 Monobothrium, 310 Monocrepidius, 156, 352 Monodonta, 81 Monomiorium, 97 Monoporella 297 Monops s, 350 Monosiga, 331 Monostomum, 310 Monostyla, 302 Monotoma, 351 Mordeila, 191 Mordellisterna, 191 Morna, 223 Mucronella, 297 Mugil, 46 Munida, 252 Munna, 264 Munnopsis, 265 Muræna, 51 Murex, 71 Mus, 347 Musca, 350 Muscina, 350 Musotina, 114 Mustelus, 347 Mycetophila, 134 Myctophum, 50 Mygopsocus, 230 Mylitta, 92 Myodora, 88 Myrmeleon, 229 Mystacops 25 Mysus, 353 Mytilaspis, 226, 353 Mytilus, 94 Myxilla, 324 Myzostoma, 285

NABIS, 223, 353 Nascis, 153 Nassa, 72 Nassula, 331 Natica, 80 Naucrates, 44 Naultinus, 39 Nausitora, 88 Nauticaris, 255 Nautilograpsus, 250 Navomorpha, 194 Nebalia, 266 Necrobia, 352 Necrophilus, 174 Necrophlæsophagus, 236, 343 Nectocarcinus, 249 Neides, 222 Nematocarcinus, 255 Nematonurus, 49

Nemorea, 126

Neobalæna, 26

Neochanna, 51

Neocharis, 153

Neodrilus, 283 Neolepton, 92 Neomycta, 207 Neonetus, 232 Neophrynichthys, 42 Neoscopelus, 50 Nephila, 242 Nephrops, 253 Nephthys, 278 Nepticula, 123 Neptunus, 249 Nere is, 278, 345 Nerita, 81 Nerocila, 263 Nervijuncta, 133 Nesarcha, 115 Nesierax, 30 Nesolimnas, 30 Nesonetta, 36 Nestor, 29 Nestrius, 206 Nettion, 36 Neuronectes, Nezara, 221, 352 Nicæana, 199 Nicidion, 279 Nicolea, 280 Ninox, 29 Nitidula, 172 Nodosaria, 337 Nogagus, 273 Nonionina, 339 Nonnotus, 200 Norix, 170 Nosodendron, 162 Notacanthus, 47 Notacantolica, 229 Notarchus, 69 Noteraurda, 116 Nothaldonus, 211 Notholea, 302 Notiodrilus, 283, 344 Notiopate, 201 Notommata, 301 Notophoryx, 31 Notops, 300 Notoreas, 109 Notorhynchus, 54 Notornis, 31 Notothenia, 43 Notoulus, 168 Novitas, 217 Novius, 351 Nubecularia, 333 Nucula, 95 Numenius, 38 Nyctemera, 104 Nycticorax, 31 Nyctiphanes, 255 Nymphon, 246 Nymphostota, 118 Nyroca, 36 Nyxetes, 210 Nyxius, 222

OBELIA, 319 Ocalea, 181 Oceanites, 34 Ochosternus, 155 Ochthrodromus, 32 Ocydroinus, 30 Occissor, 126 Ochina, 161 Ochrocydus 191 Ochthiphila, 129 Octochætes, 284 Octopus, 57 Odax, 47 Odontomyia, 132 Odontostoma, 74 Odontria, 140 Œceticus, 115 Œchalia, 221 Œconesus, 228 Œcophora, 120, 350 Œdiceros, 258 Œmona, 192 Œstralata, 34 Œstrus, 350 Ogmorhinus, 25 Oikomonas, 333 Oithona, 270 Oliarius, 225 Olinga, 228 Omalissus, 184 Omalium, 184 Omedes, 188 Ommatocarcinus, 249 Omosita, 172 Omphalotropis, 78 Oncæa, 272 Oncæola, 272 Onchoscolex, 282 Oncidiella, 58 Onichoteuthes, 58 Onicigaster, 231 Oniscus, 265 Onos, 48 Onosandrus, 232 Onsinome, 241 Onthophagus, 351 Onuphis, 278 Onysius, 189 Oonops, 237 Ooperipatus, 236 Oopterus, 148, 342 Oorhynchus, 247 Opatrum, 185 Opercularia, 329 Ophiacantha, 290 Ophiactis, 289 Ophioceramis, 289. Ophiochiton, 290 Ophiocreas, 290 Ophidiaster, 292 Ophiocten, 289 Ophioglypha, 289 Ophiomitra, 290 Ophiomastus, 289

Ophiomusium, 289 Ophiomyxa, 290 Ophion, 101 Ophionereis, 290 Ophiopeza, 289 Ophiophorus, 289 Ophiophyllum, 289 Ophiopterus, 290 Ophiozona, 289 Ophisurus, 51 Ophryops, 192 Opifex, 136 Opisthotricha, 327 Opomyza, 129 Optonurus, 49 Orbulina, 338 Orchestia 257 Orca, 27 Orectognathus, 97 Oreda, 211 Oregus, 143 Oreocharis, 209 Ornithomyia, 138 Ornithochiton, 86 Orocrambus, 113 Orophora, 115 Oropterus, 210 Orsinome, 241 Orthenches, 122 Orthocladius, 137 Orthodera, 353 Orthosia, 104 Orvgmatobothrium, 311 Oscinis, 129 Ossifraga, 35 Ostenia, 130 Ostrea, 93 Othius, 183 Otiorhynchus, 352 Otoclasium, 355 Otoconcha, 65 Oulactis, 314 Owenia. 279 Oxycephalus, 257 Oxyethra, 229 Oxylasma, 156 Oxynotus, 54 Oxyopes, 244 Oxytelus, 351 Ozius, 248

PACHYCHALINA, 324
Pachycorinus, 183
Pachycotes, 219
Pachykellia, 92
Pachylopus, 173
Pachymorpha, 233
Pachyrhynus, 205
Pachyrhamma, 232
Pachyrhina, 135
Pachytylus, 233
Pachytylus, 233
Pachytylus, 233

Pactola, 209 Pædaretus, 204 Pælocharis, 201 Pagrosomus, 41 Pagurites, 252 Pagurodes, 252 Palæmon, 255 Palæomicra, 125 Palaina, 78 Pallasia, 282 Pallene, 247 Palludicella, 344 Pandalus, 255 Pandrus, 273 Pangæus, 221 Pangonia, 132 Paniscus, 132 Pannichia, 286 Panopea, 88 Panopeus, 248 Panspœus, 156 Pantopsalis, 343 Pantosperma, 122 Paprides, 233 Parabrontes, 167 Paracalamus, 269 Paracalliope, 259 Paracorophium, 261 Paracrangonyx, 260 Paractis, 314 Paracymus, 351 Paracypris, 268 Paradetis, 107 Paradexamine, 259 Paradoxa, 134 Paraleptamphopus, 259 Paramecium, 331 Paramecosoma, 166 Paramithrax, 247 Paranephrops, 253 Paranomocerus, 215 Paranthura, 262 Parapagurus. 252 Paraperris, 43 Paraphylax, 185 Paraponyx, 114 Parapronoe, 257 Paratanais, 262 Pardosa, 244 Paresuris, 222 Parharpinia, 258 Paridotea, 264 Parinus, 154 Parmipalpes, 178 Parmius, 159 Parvicellula, 134 Paryphanta, 65 Passer, 347 Patella, 84 Patellina, 338 Paurocope 272 Paupris, 159 Paxillus, 78 Peachia, 315

Pecten, 93 Pectilabrus, Pectinaria, 280 Pectinura, 289 Pedalopia, 150 Pedicellinopsis, 293 Pediculus, 353 Pedilophorus, 163 Pelagodroma, 34 Pelagohydra, 319 Pelecanoides, 35 Pelodrilas, 284 Pelogenia, 277 Peloniu 11, 159 Pelosina, 334 Peltidium, 271 Peltorhamphus, 48 Peltophora, 119 Penella, 274 Penillia, 267 Peniticus, 197 Pentacheles, 253, Pentacrinus, 291 Pentarthrum, 215 Perca, 348 Percnodaimon, 103 Peremptor, 126 Periatrium, 185 Pericoma, 138 Pericoptis, 141 Pericrypta, 317 Peridimium, 331 Peripatoides, 236 Periphylla, 317 Periplaneta, 354 Perisponia, 320 Perrierina, 90 Petrocheles, 252 Petrochelida, 37 Petroica, 28 Petrolisthes, 252 Phacus, 332 Phacussa, 64 Phæophanus, 203 Phæosaces, 118 Phæthon, 33 Phaganophana, 176 Phaiussa, 64 Phalacrocorax, 34 Phania, 127 Phanophilus, 183 Pharmacus, 233 Pharcolodon, 328 Pharcolosoma, 285 Phasianella, 81 Phasianus, 348 Phaulacridium, 233 Phelerosus, 152 Phemus, 206 Phenacharopa, 61 Phenachohelis, 63 Pherusa, 259 Phialonema, 332 Philacta, 206

Philiniscus, 229 Phlænus, 224 Phlæopoda, 119 Philhydrus, 151 Philichthys, 273 Philine, 69 Philobrya, 93 Philodina, 300 Philodromus, 243 Philomelas, 269 Philonicus, 254 Philonthus, 351 Philoscia, 266 Philothermus, 171 Phlœopola, 119 Phlyctænodes, 194 Phlyctenophora, 268 Phœbetria, 35 Pholadidea, 88 Phoracantha, 352 Phorbia, 127 Phormosoma, 288 Phorocera, 126 Phorostichus, 208 Phosichthys, 50 Phoxichilidium, 247 Phoxocephalus, 258 Phoxoteles, 203 Phreatogammarus, 260 Phreatoicus, 265 Phreodrilus, 284, 346 Phrissogonus, 107 Phrixgnathus, 61 Phronima, 256 Phronira, 206 Phroso, 271 Phryganostola, 122 Phrynixus, 204 Phrynus, 246 Phycosoma, 239 Phycochus, 140 Phycosecis, 172 Phyllobothrium, 311 Phyllodore, 277 Phyllodytes, 206 Phyllophorus, 287 Phyllospongia, 325 Phyllotreta, 199 Phlæphagosoma, 218 Phylosiphonia, 325 Phyloxera, 353 Phymactris, 315 Phymalophœa, 160 Phymata, 222 Physalia, 318 Physcosoma, 285 Physeter, 26 Physetica, 104 Physiculus, 48 Physolæthus, 143 Physophora, 317 Phytilea, 190 Picrotus, 167 Pilacoslaspis, 197

Pilumnopeus, 248 Pilumnus, 248 Pinna, 94 Pinnoctopus, 57 Pinnotheres, 250, 344 Pirates, 223 Pisania, 73 Pisidium, 91 Pison, 98 Placocephalus, 355 Placochalina, 325 Placopsilina, 335 Placotiochus, 315 Placostylus, 59 Placunanomia, 95 Plagiochæta, 283 Plagiogenion, 41 Plagiophila, 330 Plagusia, 250 Plakathrium, 263 Planaxis, 76 Planchonia, 227 Planispirina, 334 Planorbis, 66 Platalea, 38 Platipidia, 173 Platurus, 40 Platycola, 329 Platycoris, 221 Platydesmus, 355 Platyischnopus, 258 Platyonichus, 249 Platyomida, 200 Platyptilia, 115 Platypus, 219 Platyscelus, 257 Platysoma, 173, 351 Platyura, 133 Platyzosteria, 234 Plaxiphora, 86 Plectomorphus, 179 Plegadia, 38 Pleioplectron, 232 Plesionika, 255 Pleuraltica, 199 Pleurobranchæa, 68 Pleurobranchus, 68 Pleuronema, 330 Pleurotoma, 70 Pleustes, 258 Plexippus, 244 Plociomerus, 222 Plotnus, 206 Plotus, 39 Plumatella, 293 Plumularia, 321 Plusia, 106 Plutella, 123, 350 Plutellus, 346 Podicipes, 36 Podoceropsis, 261 Podocerus, 261 Podon, Pœcilippe, 196

Pœcilodiscus, 140 Pogonorhinus, 218 Pogonornis, 28 Poliaspis, 226 Poliopogon, 323 Pollicipes, 274 Polycarpa, 56 Polycelis, 306 Polycentropus, 229 Polycheles, 253 Polydesmus, 235 Polydora, 345 Polylobus, 181 Polymorphina, 337 Polynoë, 276, 345 Polyphyllia, 315 Polyprion, 40 Polystomella, 339 Polysyncraton, 55 Polyzosterium, 234, 354 Pomatoceros, 282 Ponera, 97 Pontobdella, 285 Pontodrilus, 284 Pontophilus, 254 Pontoscolex, 355 Porcellana, 252 Porcellanopagurus, 252 Porcellidium, 271 Porcellio, 354 Pordo, 267 Porella, 297 Porina, 125 Porphyrio, 31 Porrhotheles, 237 Porroa, 277 Portunus, 249 Porzana, 31 Potamides, 77 Potaminus, 153, 162 Potamopyrgus, 77 Pourtalesia, 287 Praolepra, 208 Prenolepis, 349 Priasilpha, 173 Priates, 173 Primoella, 316 Prinino, 257 Priocella, 34 Priofinus, 34 Prion, 35 Prionoplus, 191 Prionorhynchus, 248 Pristacantha, 340 Pristancylus, 144 Proales, 301 Probolus, 101 Procelsterna, 33 Procissio, 126 Proconus, 217 Proctophanes, 351 Proctotrupes, 98 Prodelphinus, 27 Promanus, 172

Promethichthys, 43 Prophila, 129 Prorhynchus, 306 Prorodon, 331 Prosacantha, 99 Proscoporhinus, 220 Proselena, 116 Prosaprognus, 144 Prosopis, 96 Prostheceræus, 306 Prosthemadera, 28 Protarphius, 170 Protelater, 154 Proteodes, 118 Proternia, 115 Proterocossa, 121 Prothelymna, 117 Protithona, 116 Protocaulon, 316 Protolobus, 201 Protoparnus, 153, 162 Protophormus, 200 Protosquilla, 256 Protosynæma, 122 Prototroctes, 50 Protula, 282 Psammobia, 88 Psammopemma, 324 Psammosphæra, 334 Pselactus, 218 Pselaphus, 177 Psephoboragus, 153 Psepholax, 211 Pseudagenia, 97 Pseudæga, 262 Pseudocalliprason, 192 Pseudococcus, 228 Pseudœconesus, 228 Pseudogerygone, 28 Pseudolabrus, 47 Pseudonema, 228 Pseudopatrum, 185 Pseudopentaceros, 41 Pseudophycis, 48 Pseudopsolus, 287 Pseudorca, 27 Pseudoreda, 211 Pseudosemnus, 192 Pseudosyllis, 276 Psilaster, 291 Psilochoremus, 229 Psilocnæia, 195 Psilodontria, 140 Psilomorpha, 193 Psilopus, 130 Psilotricha, 328 Psorochroa, 156 Psychoda, 138, 350 Ptenidium, 167 Pteraclis, 44 Pterodina, 302 Pterolichus, 246 Pteromalus, 99 Pterophorus, 115

Pteropterix, 99 Pterostichus, 145, 342 Ptinella, 168 Ptinus, 161, 352 Ptychodon, 61 Ptychopterus, 193 Puffinus, 34 Pulex, 138, 350 Pullenia, 338 Pulvinaria, 349 Pulvinulina, 338 Purpura, 71 Pycnocenira, 228 Pycnomerodes, 171 Pycnomerus, 171, 342 Pygoscelis, 36 Pyralis, 349 Pyramidella, 74 Pyrgotis, 116 Pyronota, 140 Pyrosoma, 56 Pyrrha, 63 Pyxicola, 329

QUEDIUS, 182, 351

RACHIDISCUS, 205 Ræta, 90 Raia, 53 Ranfurlyea, 341 Rattulus, 301 Realia, 78 Recurvirostra, 32 Recyntus, 170 Regalicus, 47 Rembus, 143 Remora, 45 Reophax, 335 Resania, 90 Rethusus, 164 Retipora, 296 Retropinna, 51 Reuda, 223 Rhabdamina, 335 Rhabdinosomus, 203 Rhamphidia, 136 Rhantus, 15: Rhaphidophlus, Rhaphidozoom, 339 Rhaphiodophlus, 324 Rhapsa, 106 Rhenia, 65 Rhinanisus, 217 Rhinocola, 225 Rhinorhynchus, 210 Rhinoscopelas, 50 Rhipidodendron, 333 Rhipidogorgia, 316 Rhipidura, 28 Rhipisterna, 191 Rhizobius, 353 Rhizococcus, 227

Rhizonium, 170 Rhododrilus, 284 Rhogas, 99 Rhombocyttus, 45 Rhombosolex, 48 Rhopalimorpha, 221 Rhopalium, 98 Rhynchogonus, 201 Rhynchonella, 293 Rhynchophora, 298 Rhyneodes, 215 Rhynorhynchus, 210 Rhypha, 135 Rhypholopus, 136 Rhyssa, 102 Rhyssodes, 167 Rhytida, 65 Rhytiodontus, 170 Rhytisternus, 147, 351 Rhyzonium, 170 Ricania, 353 Ripersia, 227 Risella, 79 Risellopsis, 79 Rissoia, 77 Rissoina, 78 Rotalia, 338 Rotifer, 300 Ruppeloides, 248 Rygmodus, 152, 342 Rystheus, 206

Sabella, 281 Sacina, 174 Sagartia, 314 Sagephora, 124 Sagola, 178 Sagolonus, 179 Salda, 223 Salenia, 288 Salius, 97 Salmacis, 288 Salmo, 348 Salpa, 56 Salpingœca, 331 Salpingus, 189 Salticus, 244 Salltius, 166 Samana, 110 Saphobius, 139 Saphophagus, 167 Saphydrus, 152 Sapphirina, 272 Saprinus, 173 Sapromyza, 128 Sarcophaga, 350 Sarda, 45 Sargon, 343 Saropogon, 131 Sarsiella, 269 Saxicava, 88 Scalaria, 80 Scalibregma, 281

Scaphella, 74 Scaphisoma, 174 Scaphodius, 198 Scatopse, 133, 350 Sceliodes, 115 Scelodolichus, 214 Sceloglaux, 29 Scenoploca, 112 Schauinslandica, 100 Schistocephalus, 310 Schizoglossa, 66 Schizoneura, 353 Schizoporella, 297 Schylus, 214 Sciacharis, 176 Sciara, 134 Scieropepla, 118 Sciocoris, 352 Sciomya, 128 Sciophila, 133 Scissurella, 83 Sclerochilus, 268 Scolobates, 102 Scolopterus, 210 Scoloptethus, 222 Scomber, 44 Scombresox, 49 Scoparia, 113 Scopodes, 150, 342 Scoriodycta, 124 Scorpæna, 42 Scorpis, 41 Scraptogetus, 190 Scrupocellaria, 294 Scutellidium, 272 Scutuloidea, 263 Scutum, 84 Scydmænus, 175 Scymmus, 165 Scyphax, 265 Scyphoniscus, 265 Scythrodes, 140 Seytomonas, 333 Seba, 258 Sebastapristes, 42 Segestria, 237 Selaginopsis, 321 Selenopalpus, 190 Selidosema, 110 Semicassis, 75 Semicosma, 119 Semo, 225 Senoprosopis, 131 Sepia, 58 Sepimentum, 127 Sepiola, 58 Sepioteuthis, 58 Serangodes, 235 Sergestes, 254 Sericoderus, 174 Sericospilus, 140 Sericotrogus, 216 Seriola, 44 Seriolella, 44

Serolis, 263 Serpula, 282 Sertularella, 320 Sertularia, 320 Sesarma, 250 Sessinia, 190 Sestra, 111 Setella, 272 Setodes, 229 Sharpia, 191 Sibinia, 210 Siculodes, 115 Sierola, 99 Sigaus, 233 Sigmatella, 324 Silene, 156 Silphotelus, 175 Silvanus, 351 Simachus, 208 Simæthis, 122 Simocephalus, 266 Simulium, 133 Siphonaria, 68 Siphonalia, 72 Siphonophora, 353 Siphonosphæra, 339 Siphostoma, 52 Sipunculus, 285 Siriella, 256 Sitones, 352 Smittia, 297 Solarium, 79 Solaster, 292 Solegnathus, 52 Solenomya, 95 Solenophora, 227 Solenotellina, 89 Solidula, 69 Somatidia, 195 Somatochlora, 230 Sorensenella, 343 Soronia, 172 Sosgenes, 206 Spatula, 36 Sphærium, 91 Sphæroidina, 338 Sphærophysa, 327 Sphasus, 244 Sphenodon, 40 Spenœcus, 28 Spheroma, 263 Sphindoteles, 161 Sphinx, 111 Sphyræna, 46 Sphryrna, 53 Sphyrion, 274 Spilomicrus, 98 Spilotrogia, 196 Spio, 145 Spiroloculina, 334 Spirosphera, 304 Spirostomum, 330 Spirostreptus, 235 Spirorbis, 282

Spirotropis, 70 Spirula, 58 Spongelia, 324 Spongilla, 323 Spongomonas, 333 Spondylus, 93 Spongiochiton, 86 Squalus, 54 Squilla, 256 Stachyodes, 316 Standella, 90 Staphilinus, 183 Startes, 178 Stathomopoda, 120 Stauracanthus, 339 Stauronereis, 279, 345 Steatoda, 240 Steenstrupia, 58 Steganoporella, 296 Stege soma, 240 Stelospongi+, 326 Stenellipsis, 195 Stenetrium, 264 Stenopotes, 193 Stenoperla, 230 Stenoptila, 115 Stenorhynchus, 247 Stenosmylus, 229 Stenothoe, 260 Stentor, 330 Stephanomia, 317 Stephanopsis, 243 Stephanorhynchus,209,343 Stephonalia, 317 Stercorarius, 33 Sterna, 32 Sternagasta, 291 Sternaspis, 281 Sternopteryx, 50 Sternus, 347 Steropus, 147 Sterromonas, 332 Stethaspes, 140 Sthenelais, 277 Stichaster, 292 Sternaulax, 173 Stichopus, 286 Stichotricha, 328 Stigmatophora, 52 Stigmodera, 352 Stilbocara, 218 Stilbopsis, 208 Stiliger, 68 Stolephorus, 51 Stolotermes, 230 Stomoxys, 350 Stratiotes, 252 Strepsicrates, 116 Stringops, 30 Stromatopora, 299 Strombidium, 329 Strongylocentratus, 288 Strongylosoma, 235 Strumigemys, 97

Struthiolaria, 75 Stygeopetes, 199 Stygnohydrus, 152 Stylarioides, 281 Stylaster, 318 Stylatrachus, 339 Stylobryon, 333 Stylodactylus, 255 Stylonictia, 327 Stylotella, 324 Styphotelus, 205 Subemarginula, 84 Sula, 33, 39 Supercystis, 299 Surcula, 70 Suteria, 63 Sus, 347 Sycon, 322 Syllectus 148 Syllis, 276, 341 Sympedius, 212 Sympetrum, 230 Sympiestus, 149 Sympiezoscelus, 215 Synapta, 287 Syncalus, 170 Synœcus, 348 Synthecium, 321 Syntomactis, 121 Syrphetodes, 185, 342 Syrphus, 130

Tabanus, 132 Tachina, 126 Tachusa, 181 Tachys, 150 Tachytes, 98 Tænia, 312 Tæniorhynchus, 138 Talerax, 154 Talitropsis, 232 Tanais, 262 Tanyderus, 137 Tanypus, 137 Tanytarsus, 137 Taonius, 57 Tapes, 89 Tarastethus, 149, 342 Targarema, 222 Taron, 73 Tarphiomimus, 168 Tatosoma, 107 Taupodrilus, 346 Tauroscopa, 111 Taxipathes, 315 Techmessa, 190, 342 Techmessodes, 191 Technitella, 334 Tegenaria, 238 Tekella, 240 Tellina, 91 Telmatophilus, 166 Temnocephala, 308

Temnopleurus, 288 Temora, 270 Tenagodes, 76 Tenagomysis, 256 Tenebrio, 352 Tenebrioides, 351 Tephrites, 350 Terebella, 280 Terebellides, 280 Terebra, 70 Terebratella, 293 Terebratulina, 293 Tessaromma, 352 Testacella, 348 Tetanocera, 128 Tethya, 323 Tethyopsis, 323 Tethys, 68 Tetrabothrius, 311 Tetraclita, 275 Tetradeion, 258 Tetragnatha, 240 Tetragoneura, 134 Tetranychus, 354 Tetrarhynchus, 311 Tetrorea, 196 Textularia, 336 Thalamita, 249 Thalassicolla, 339 Thalassogeron, 35 Thalassohelix, 64 Thalestris, 271 Thallis, 166 Thamnosara, 119 Thaumatodon, 61 Thelepas, 280 Thelyphassa, 190, 342 Theoxena, 110 Therasia, 63 Theridion, 238, 354 Thersites, 43 Thinornis, 32 Thinosotia, 112 Thiotrichia, 118 Thoracophelia, 280 Thoramus, 157 Thorecta, 326 Thorellia, 270 Thortus, 167 Thouarella, 316 Thracia, 87 Thrips, 354 Thuiaria, 320 Thurammina, 335 Thuricola, 329 Thurophora, 328 Thylacosceles, 121 Thynasotia, 112 Thynnus, 44 Thyrocyphus, 319 Thyrsites, 43 Thysanozoon, 306 Tigones, 200 Tillina, 33 c

Timarete, 280 Tinea, 125, 350 Tinemyia, 137 Tineola, 350 Titanomis, 124 Tintinnidium, 330 Tipula, 136 Todarodes, 58 Tomicus, 219 Tormissus, 152 Tormus, 152 Tornatellina, 59 Toreuma, 317 Tornatina, 70 Torpedo, 53 Tortrix, 117 Torymus, 99 Toxochalina, 325 Trachelocera, 330 Trachelochismus, 47 Trachelomonas, 332 Trachelophyllum, 331 Trachyichthys, 43 Trachurus, 44 Trachyleberis, 268 Trachypepla, 119 Trachypterus, 47 Trachyrhynchus, 49 Trachyroplectron, 232 Trachytetra, 199 Traversia, 29 Travesia, 281 Tralia, 66 Triæonyx, 245 Tribolium, Trichocera, 136 Trichodectes, Trichoniscus, 265 Trichophaga, 350 Trichophthicus, 127 Trichophyra, 327 Trichoplatus, 247 Trichopteryx, 167 Trichosia, 134 Trichosoma, 304 Trichosternus, 145, 342 Trichosurus, 347 Trichotropsis, 79 Triforis, 76 Trigla, 45 Trigoniza, 233 Trigonocidaris, 288 Trigonometopus, 128 Tringa, 32 Trioza, 225 Triphyllus, 165 Triplax, 166 Triplosaurus, 147 Tripneustes, 289 Tripterygion, 46 Tristomum, 308 Tritæta, 259 Trite, 245 Trivia, 75

Trochammina, 335 Trochilium, 350 Trochobola, 136 Trochodota, 287 Trochostoma, 287 Trochus, 81 Trogoderma, 163 Trogophlæus, 184, 342 Trogosita, 171 Trophon, 72 Tropidocera, 304 Trox, 351 Truncatulina, 338 Trypanoscyllis, 345 Tryphera, 126 Tryphon, 102 Tubicinella, 274 Tubiclava, 318 Tubifex, 284 Tubucellaria, 296 Tubularia, 319 Tubulipora, 299 Tularthrium, 167 Turbo, 81 Turbonilla, 74 Turdus, 347 Turnagra, 27 Turritella, 76 Tursiops, 27 Tychanopais, 212 Tychanus, 211 Tylos, 265 Tympanopalpus, 197 Typhæa, 165 Tyrogetus, 176 Tyroglyphus, 354 Tyrus, 176 Tysius, 208

ULIODON, 238 Uloma, 186 Ulomotypus, 186 Ulonotus, 168 Uniofera, 292 Upeneichthys, 41 Upogebia, 253 Uranotcenia, 138 Urocentrum, 329 Urodynamis, 29 Uroleptus, 328 Uronema, 330 Uropetala, 230 Uropoda, 246 Uroptychus, 252 Utethesia, 349 Uvella, 332 Uvigerina, 337

VAGINICOLA, 329 Vaginulina, 337 Vallonia. 349 Valvulina, 336 Vanessa, 103 Vanicella, 120 Velella, 317 Venericardia, 93 Venerupis, 90 Venusia, 108 Vermicularia, 76 Vermilia, 282 Verneuilina, 336 Veronatus, 158 Veronicobius, 165 Vibilia, 256 Vidanus, 179 Virgularia, 316 Virgulina, 336 Vitiacus, 169 Volsella, 94 Vorticella, 328 Vosmaeropsis, 322 Votum, 192 Vulpicula, 74

WAKEFIELDIA, 150 Walekenaera, 354 Walteria, 323 Webbina, 336 Whitea, 179 XANTHAGRION, 230 Xanthia, 104 Xantho, 248 Xantholinus, 183, 351 Xanthorhoë, 108 Xenanthribus, 221 Xenicus, 29 Xenocnema, 218 Xenogonus, 161 Xenophora, 79 Xenoscelis, 172 Xerostygnus, 343 Xesta, 65 Xestoleberis, 268 Xiphias, 43 Xiphidium, 231 Xiphocharis, 255 Xiphydria, 103 Xouthous, 271 Xuthodes, 193 Xylochus, 188 Xylostygnus, 140 Xyloteles, 194 Xysticus, 243

YPONOMEUTA, 122

Zabronothus, 148 Zapyrastra, 121 Zaus, 271 Zeacalles, 214 Zeadolopus, 342 Zeaglophus, 156 Zeamordella, 191 Zelandius, 179 Zenatia, 90 Zeopœcilus, 145 Zestocormus, 101 Zeus, 45 Ziphius, 26 Zolodinus, 186 Zolus, 148 Zoothamnium, 329 Zorion, 193 Zosterops, 28 Zygomyia, 134







